

## Fishes of Australia

### Australia - Genus Species – All Waters - Sorted Alphabetically

Genus Species	Author	Type
<i>Abalistes filamentosus</i>	<i>Matsuura &amp; Yoshino 2004</i>	native
<i>Abalistes stellaris</i>	<i>(Bloch &amp; Schneider 1801)</i>	native
<i>Abalistes stellatus</i>	<i>(Anonymous 1798)</i>	native
<i>Ablabys taenianotus</i>	<i>(Cuvier 1829)</i>	native
<i>Ablennes hians</i>	<i>(Valenciennes 1846)</i>	native
<i>Abudefduf bengalensis</i>	<i>(Bloch 1787)</i>	native
<i>Abudefduf septemfasciatus</i>	<i>(Cuvier 1830)</i>	native
<i>Abudefduf sexfasciatus</i>	<i>(Lacepède 1801)</i>	native
<i>Abudefduf sordidus</i>	<i>(Forsskål 1775)</i>	native
<i>Abudefduf vaigiensis</i>	<i>(Quoy &amp; Gaimard 1825)</i>	native
<i>Abudefduf whitleyi</i>	<i>Allen &amp; Robertson 1974</i>	native
<i>Acanthaluteres brownii</i>	<i>(Richardson 1846)</i>	native
<i>Acanthaluteres spilomelanurus</i>	<i>(Quoy &amp; Gaimard 1824)</i>	native
<i>Acanthaluteres vittiger</i>	<i>(Castelnau 1873)</i>	native
<i>Acanthaphritis barbata</i>	<i>(Okamura &amp; Kishida 1963)</i>	native
<i>Acanthaphritis ozawai</i>	<i>(McKay 1971)</i>	native
<i>Acanthistius cinctus</i>	<i>(Günther 1859)</i>	native
<i>Acanthistius ocellatus</i>	<i>(Günther 1859)</i>	native
<i>Acanthistius pardalotus</i>	<i>Hutchins 1981</i>	endemic
<i>Acanthistius paxtoni</i>	<i>Hutchins &amp; Kuiter 1982</i>	endemic
<i>Acanthistius serratus</i>	<i>(Cuvier 1828)</i>	endemic
<i>Acanthocephala abbreviata</i>	<i>(Valenciennes 1835)</i>	native
<i>Acanthocephala krusensternii</i>	<i>(Temminck &amp; Schlegel 1845)</i>	native
<i>Acanthocephala limbata</i>	<i>(Valenciennes 1835)</i>	native
<i>Acanthochromis polyacanthus</i>	<i>(Bleeker 1855)</i>	native
<i>Acanthocybium solandri</i>	<i>(Cuvier 1832)</i>	native
<i>Acanthodraco dewitti</i>	<i>Skóra 1995</i>	native
<i>Acanthogobius flavimanus</i>	<i>(Temminck &amp; Schlegel 1845)</i>	introduced
<i>Acanthopagrus australis</i>	<i>(Günther 1859)</i>	native
<i>Acanthopagrus berda</i>	<i>(Forsskål 1775)</i>	native
<i>Acanthopagrus butcheri</i>	<i>(Munro 1949)</i>	native

Genus Species	Author	Type
<i>Acanthopagrus latus</i>	(Houttuyn 1782)	native
<i>Acanthopagrus palmaris</i>	(Whitley 1935)	endemic
<i>Acanthosphex leurynnis</i>	(Jordan & Seale 1905)	native
<i>Acanthostracion bucephalus</i>	Whitley 1965	native
<i>Acanthurus achilles</i>	Shaw 1803	native
<i>Acanthurus albipectoralis</i>	Allen & Ayling 1987	native
<i>Acanthurus auranticavus</i>	Randall 1956	native
<i>Acanthurus bariene</i>	Lesson 1831	native
<i>Acanthurus blochii</i>	Valenciennes in Cuvier & Valenciennes 1835	native
<i>Acanthurus dussumieri</i>	Valenciennes in Cuvier & Valenciennes 1835	native
<i>Acanthurus fowleri</i>	de Beaufort (ex Fowler & Bean) in Weber & de Beaufort 1951	native
<i>Acanthurus grammoptilus</i>	Richardson 1843	native
<i>Acanthurus guttatus</i>	Forster in Bloch & Schneider 1801	native
<i>Acanthurus lineatus</i>	(Linnaeus 1758)	native
<i>Acanthurus maculiceps</i>	(Ahl 1923)	native
<i>Acanthurus mata</i>	(Cuvier 1829)	native
<i>Acanthurus nigricans</i>	(Linnaeus 1758)	native
<i>Acanthurus nigricauda</i>	Duncker & Mohr 1929	native
<i>Acanthurus nigrofuscus</i>	(Forsskål 1775)	native
<i>Acanthurus nigroris</i>	Valenciennes in Cuvier & Valenciennes 1835	native
<i>Acanthurus nigros</i>	Günther 1861	native
<i>Acanthurus olivaceus</i>	Bloch & Schneider (ex Forster) 1801	native
<i>Acanthurus pyroferus</i>	Kittlitz 1834	native
<i>Acanthurus tennentii</i>	Günther 1861	native
<i>Acanthurus thompsoni</i>	(Fowler 1923)	native
<i>Acanthurus triostegus</i>	(Linnaeus 1758)	native
<i>Acanthurus tristis</i>	Randall 1993	native
<i>Acanthurus xanthopterus</i>	Valenciennes in Cuvier & Valenciennes 1835	native
<i>Acarobythites larsonae</i>	Machida 2000	native
<i>Acentrogobius caninus</i>	(Valenciennes 1837)	native
<i>Acentrogobius gracilis</i>	(Bleeker 1875)	native
<i>Acentrogobius janthinopterus</i>	(Bleeker 1852)	native
<i>Acentrogobius madraspatensis</i>	(Day 1868)	native
<i>Acentrogobius moloanus</i>	(Herre 1927)	native
<i>Acentrogobius pflaumii</i>	(Bleeker 1853)	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Acentrogobius suluensis</i>	(Herre 1927)	native
<i>Acentrogobius viridipunctatus</i>	(Valenciennes 1837)	native
<i>Acentronura breviperula</i>	Fraser-Brunner & Whitley 1949	native
<i>Acentronura tentaculata</i>	Günther 1870	native
<i>Achoerodus gouldii</i>	(Richardson 1843)	native
<i>Achoerodus viridis</i>	(Steindachner 1866)	native
<i>Acreichthys radiatus</i>	(Popta 1900)	native
<i>Acreichthys tomentosus</i>	(Linnaeus 1758)	native
<i>Acropoma japonicum</i>	Günther 1859	native
<i>Adventor elongatus</i>	(Whitley 1952)	native
<i>Aeoliscus strigatus</i>	(Günther 1861)	native
<i>Aesopia cornuta</i>	Kaup 1858	native
<i>Aetapcus maculatus</i>	(Günther 1861)	endemic
<i>Aethaloperca rogae</i>	(Forsskål 1775)	native
<i>Aethotaxis mitopteryx</i>	DeWitt 1962	native
<i>Aetobatus narinari</i>	(Euphrasen 1790)	native
<i>Aetobatus ocellatus</i>	(Kuhl 1823)	native
<i>Aetomylaeus nichofii</i>	(Bloch & Schneider 1801)	native
<i>Aetomylaeus vespertilio</i>	(Bleeker 1852)	native
<i>Afurcagobius suppositus</i>	(Sauvage 1880)	native
<i>Afurcagobius tamarensis</i>	(Johnston 1883)	native
<i>Agrostichthys parkeri</i>	(Benham 1904)	native
<i>Aioliops novaeguineae</i>	Rennis & Hoese 1987	native
<i>Aioliops tetrophthalmus</i>	Rennis & Hoese 1987	native
<i>Akarotaxis nudiceps</i>	(Waite 1916)	native
<i>Alabes bathys</i>	Hutchins 2006	native
<i>Alabes brevis</i>	Springer & Fraser 1976	native
<i>Alabes dorsalis</i>	(Richardson 1845)	native
<i>Alabes elongata</i>	Hutchins & Morrison 2004	native
<i>Alabes gibbosa</i>	Hutchins & Morrison 2004	native
<i>Alabes hoesei</i>	Springer & Fraser 1976	native
<i>Alabes obtusirostris</i>	Hutchins & Morrison 2004	native
<i>Alabes occidentalis</i>	Hutchins & Morrison 2004	native
<i>Alabes parvula</i>	(McCulloch 1909)	native
<i>Alabes scotti</i>	Hutchins & Morrison 2004	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Alabes springeri</i>	<b>Hutchins 2006</b>	native
<i>Albula argentea</i>	<b>(Forster in Bloch &amp; Schneider 1801)</b>	native
<i>Albula glossodonta</i>	<b>(Forsskål 1775)</b>	native
<i>Albula oligolepis</i>	<b>Hidaka, Iwatsuki &amp; Randall 2008</b>	native
<i>Aldrichetta forsteri</i>	<b>(Valenciennes 1836)</b>	native
<i>Aldrovandia affinis</i>	<b>(Günther 1877)</b>	native
<i>Aldrovandia phalacra</i>	<b>(Vaillant 1888)</b>	native
<i>Alectis ciliaris</i>	<b>(Bloch 1787)</b>	native
<i>Alectis indica</i>	<b>(Rüppell 1830)</b>	native
<i>Alepes apercna</i>	<b>Grant (ex Smith-Vaniz) 1987</b>	native
<i>Alepes djedaba</i>	<b>(Forsskål 1775)</b>	native
<i>Alepes kleinii</i>	<b>(Bloch 1793)</b>	native
<i>Alepes vari</i>	<b>(Cuvier 1833)</b>	native
<i>Alepisaurus brevirostris</i>	<b>Gibbs 1960</b>	native
<i>Alepisaurus ferox</i>	<b>Lowe 1833</b>	native
<i>Alepocephalus australis</i>	<b>Barnard 1923</b>	native
<i>Alepocephalus bicolor</i>	<b>Alcock 1891</b>	native
<i>Alepocephalus longiceps</i>	<b>Lloyd 1909</b>	native
<i>Alepocephalus longirostris</i>	<b>Okamura &amp; Kawanishi in Okamura &amp; Kitajima 1984</b>	native
<i>Alepocephalus owstoni</i>	<b>Tanaka 1908</b>	native
<i>Alepocephalus productus</i>	<b>Gill 1883</b>	native
<i>Alepocephalus triangularis</i>	<b>Okamura &amp; Kawanishi in Okamura &amp; Kitajima 1984</b>	native
<i>Alionematischthys piger</i>	<b>(Alcock 1890)</b>	native
<i>Alionematischthys riukuensis</i>	<b>(Aoyagi 1954)</b>	native
<i>Allenichthys glauerti</i>	<b>(Whitley 1944)</b>	endemic
<i>Allips concolor</i>	<b>McCosker 1972</b>	native
<i>Alloctytus niger</i>	<b>James, Inada &amp; Nakamura 1988</b>	native
<i>Alloctytus verrucosus</i>	<b>(Gilchrist 1906)</b>	native
<i>Allomicrodesmus dorotheae</i>	<b>Schultz in Schultz et al. 1966</b>	native
<i>Allomycterus pilatus</i>	<b>Whitley 1931</b>	native
<i>Allothunnus fallai</i>	<b>Serventy 1948</b>	native
<i>Alopias pelagicus</i>	<b>Nakamura 1935</b>	native
<i>Alopias superciliosus</i>	<b>Lowe 1841</b>	native
<i>Alopias vulpinus</i>	<b>(Bonnaterre 1788)</b>	native
<i>Alticus saliens</i>	<b>(Forster 1788)</b>	native

Genus Species	Author	Type
<i>Aluterus monoceros</i>	(Linnaeus 1758)	native
<i>Aluterus scriptus</i>	(Osbeck 1765)	native
<i>Amanses scopas</i>	(Cuvier 1829)	native
<i>Amarsipus carlsbergi</i>	Haedrich 1969	native
<i>Amatitlania nigrofasciata</i>	(Günther 1867)	native
<i>Ambassis agassizii</i>	Steindachner 1867	native
<i>Ambassis agrammus</i>	Günther 1867	native
<i>Ambassis elongata</i>	(Castelnau 1878)	endemic
<i>Ambassis gymnocephala</i>	(Lacepède (ex Commerson) 1802)	native
<i>Ambassis interrupta</i>	Bleeker 1853	native
<i>Ambassis jacksoniensis</i>	(Macleay 1881)	endemic
<i>Ambassis macleayi</i>	(Castelnau 1878)	native
<i>Ambassis marianus</i>	Günther 1880	endemic
<i>Ambassis miops</i>	Günther 1872	native
<i>Ambassis nalua</i>	(Hamilton 1822)	native
<i>Ambassis vachellii</i>	Richardson 1846	native
<i>Ambiserrula jugosa</i>	(McCulloch 1914)	endemic
<i>Amblycirrhitus bimacula</i>	(Jenkins 1903)	native
<i>Amblyeleotris callopareia</i>	Polunin & Lubbock 1979	native
<i>Amblyeleotris diagonalis</i>	Polunin & Lubbock 1979	native
<i>Amblyeleotris fasciata</i>	(Herre 1953)	native
<i>Amblyeleotris fontanesii</i>	(Bleeker 1853)	native
<i>Amblyeleotris guttata</i>	(Fowler 1938)	native
<i>Amblyeleotris gymnocephala</i>	(Bleeker 1853)	native
<i>Amblyeleotris macronema</i>	Polunin & Lubbock 1979	native
<i>Amblyeleotris ogasawarensis</i>	Yanagisawa 1978	native
<i>Amblyeleotris periophtalma</i>	(Bleeker 1853)	native
<i>Amblyeleotris randalli</i>	Hoese & Steene 1978	native
<i>Amblyeleotris rhyax</i>	Polunin & Lubbock 1979	native
<i>Amblyeleotris rubrimarginata</i>	Mohlmann & Randall 2002	native
<i>Amblyeleotris steinitzi</i>	(Klausewitz 1974)	native
<i>Amblyeleotris wheeleri</i>	(Polunin & Lubbock 1977)	native
<i>Amblygaster leiogaster</i>	(Valenciennes 1847)	native
<i>Amblygaster sirm</i>	(Walbaum 1792)	native
<i>Amblyglyphidodon aureus</i>	(Cuvier 1830)	native

Genus Species	Author	Type
<i>Amblyglyphidodon batunai</i>	Allen 1995	native
<i>Amblyglyphidodon curacao</i>	(Bloch 1787)	native
<i>Amblyglyphidodon leucogaster</i>	(Bleeker 1847)	native
<i>Amblygobius albimaculatus</i>	(Rüppell 1830)	native
<i>Amblygobius bynoensis</i>	(Richardson 1844)	native
<i>Amblygobius decussatus</i>	(Bleeker 1855)	native
<i>Amblygobius nocturnus</i>	(Herre 1945)	native
<i>Amblygobius phalaena</i>	(Valenciennes 1837)	native
<i>Amblygobius sphynx</i>	(Valenciennes 1837)	native
<i>Amblyotrypauchen arctocephalus</i>	(Alcock 1890)	native
<i>Amblypomacentrus breviceps</i>	(Schlegel & Müller 1839)	native
<i>Amblyraja georgiana</i>	(Norman 1938)	native
<i>Amblyraja hyperborea</i>	(Collett 1879)	native
<i>Amissidens hainesi</i>	(Kailola 2000)	native
<i>Ammodytoides vagus</i>	(McCulloch & Waite 1916)	native
<i>Ammotretis brevipinnis</i>	Norman 1926	native
<i>Ammotretis elongatus</i>	McCulloch 1914	native
<i>Ammotretis lituratus</i>	(Richardson 1844)	native
<i>Ammotretis macrolepis</i>	McCulloch 1914	native
<i>Ammotretis rostratus</i>	Günther 1862	native
<i>Amniataba caudavittata</i>	(Richardson 1845)	native
<i>Amniataba percoides</i>	(Günther 1864)	endemic
<i>Amphichaetodon howensis</i>	(Waite 1903)	native
<i>Amphiprion akindynos</i>	Allen 1972	native
<i>Amphiprion chrysopterus</i>	Cuvier in Cuvier & Valenciennes 1830	native
<i>Amphiprion clarkii</i>	(Bennett 1830)	native
<i>Amphiprion latezonatus</i>	Waite 1900	native
<i>Amphiprion leucokranos</i>	Allen 1973	native
<i>Amphiprion mccullochi</i>	Whitley 1929	native
<i>Amphiprion melanopus</i>	Bleeker 1852	native
<i>Amphiprion ocellaris</i>	Cuvier in Cuvier & Valenciennes 1830	native
<i>Amphiprion percula</i>	(Lacepède 1802)	native
<i>Amphiprion perideraion</i>	Bleeker 1855	native
<i>Amphiprion polymnus</i>	(Linnaeus 1758)	native
<i>Amphiprion rubrocinctus</i>	Richardson 1842	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Amphiprion sandaracinos</i>	<i>Allen 1972</i>	native
<i>Amsichthys knighti</i>	<i>(Allen 1987)</i>	native
<i>Anabas testudineus</i>	<i>(Bloch 1792)</i>	native
<i>Anacanthobythites platycephalus</i>	<i>Anderson 2008</i>	native
<i>Anacanthobythites tasmaniensis</i>	<i>Anderson 2008</i>	native
<i>Anacanthus barbatus</i>	<i>Gray 1830</i>	native
<i>Anampses caeruleopunctatus</i>	<i>Rüppell 1829</i>	native
<i>Anampses elegans</i>	<i>Ogilby 1889</i>	native
<i>Anampses femininus</i>	<i>Randall 1972</i>	native
<i>Anampses geographicus</i>	<i>Valenciennes in Cuvier &amp; Valenciennes 1840</i>	native
<i>Anampses lennardi</i>	<i>Scott 1959</i>	endemic
<i>Anampses melanurus</i>	<i>Bleeker 1857</i>	native
<i>Anampses meleagrides</i>	<i>Valenciennes in Cuvier &amp; Valenciennes 1840</i>	native
<i>Anampses neoguinaicus</i>	<i>Bleeker 1878</i>	native
<i>Anampses twistii</i>	<i>Bleeker 1856</i>	native
<i>Anaora tentaculata</i>	<i>Gray 1835</i>	native
<i>Anarchias allardicei</i>	<i>Jordan &amp; Starks in Jordan &amp; Seale 1906</i>	native
<i>Anarchias cantonensis</i>	<i>(Schultz 1943)</i>	native
<i>Anarchias leucurus</i>	<i>(Snyder 1904)</i>	native
<i>Anarchias seychellensis</i>	<i>Smith 1962</i>	native
<i>Anguilla anguilla</i>	<i>(Linnaeus 1758)</i>	native
<i>Anguilla australis</i>	<i>Richardson 1841</i>	native
<i>Anguilla australis australis</i>	<i>Richardson 1841</i>	native
<i>Anguilla bicolor</i>	<i>McClelland 1844</i>	native
<i>Anguilla bicolor bicolor</i>	<i>McClelland 1844</i>	native
<i>Anguilla dieffenbachii</i>	<i>Gray 1842</i>	native
<i>Anguilla japonica</i>	<i>Temminck &amp; Schlegel 1846</i>	native
<i>Anguilla obscura</i>	<i>Günther 1872</i>	native
<i>Anguilla reinhardtii</i>	<i>Steindachner 1867</i>	native
<i>Anodontiglanis dahli</i>	<i>Rendahl 1922</i>	endemic
<i>Anodontostoma chacunda</i>	<i>(Hamilton 1822)</i>	native
<i>Anomalops katoptron</i>	<i>(Bleeker 1856)</i>	native
<i>Anoplocapros amygdaloides</i>	<i>Fraser-Brunner 1941</i>	native
<i>Anoplocapros inermis</i>	<i>(Fraser-Brunner 1935)</i>	native
<i>Anoplocapros lenticularis</i>	<i>(Richardson 1841)</i>	native

Genus Species	Author	Type
<i>Anoplogaster cornuta</i>	(Valenciennes 1833)	native
<i>Anopterus pharao</i>	Zugmayer 1911	native
<i>Anopterus vorax</i>	(Regan 1913)	native
<i>Anoxypristis cuspidata</i>	(Latham 1794)	native
<i>Antennarius commerson</i>	(Lacepède (ex Commerson) in Anonymous 1798)	native
<i>Antennarius hispidus</i>	(Bloch & Schneider 1801)	native
<i>Antennarius maculatus</i>	(Desjardins 1840)	---
<i>Antennarius pictus</i>	(Shaw 1794)	native
<i>Antennarius striatus</i>	(Shaw 1794)	native
<i>Antennatus analis</i>	(Schultz 1957)	native
<i>Antennatus coccineus</i>	(Lesson (ex Cuvier) 1831)	native
<i>Antennatus dorehensis</i>	(Bleeker 1859)	native
<i>Antennatus nummifer</i>	(Cuvier 1817)	native
<i>Antennatus rosaceus</i>	(Smith & Radcliffe in Radcliffe 1912)	native
<i>Antennatus tuberosus</i>	(Cuvier 1817)	native
<i>Antigonia capros</i>	Lowe 1843	native
<i>Antigonia malayana</i>	Weber 1913	native
<i>Antigonia rhomboidea</i>	McCulloch 1915	endemic
<i>Antigonia rubescens</i>	(Günther 1860)	native
<i>Antigonia rubicunda</i>	Ogilby 1910	native
<i>Antimora rostrata</i>	(Günther 1878)	native
<i>Antipodocottus elegans</i>	Fricke & Brunken 1984	endemic
<i>Antipodocottus galathea</i>	Bolin 1952	native
<i>Anyperodon leucogrammicus</i>	(Valenciennes 1828)	native
<i>Aphanopus beckeri</i>	Parin 1994	native
<i>Aphanopus capricornis</i>	Parin 1994	native
<i>Aphanopus intermedius</i>	Parin 1983	native
<i>Aphanopus mikhailini</i>	Parin 1983	native
<i>Aphareus furca</i>	(Lacepède 1801)	native
<i>Aphareus rutilans</i>	Cuvier in Cuvier & Valenciennes 1830	native
<i>Aphyonus gelatinosus</i>	Günther 1878	native
<i>Apistops caloundra</i>	(De Vis 1886)	native
<i>Apistus carinatus</i>	(Bloch & Schneider 1801)	native
<i>Aploactis aspera</i>	(Richardson 1845)	native
<i>Aploactisoma milesii</i>	(Richardson 1850)	endemic

Genus Species	Author	Type
<i>Aplodactylus arctidens</i>	Richardson 1839	native
<i>Aplodactylus etheridgii</i>	(Ogilby 1889)	native
<i>Aplodactylus lophodon</i>	(Günther 1859)	native
<i>Aplodactylus westralis</i>	Russell 1987	native
<i>Apocryptodon madurensis</i>	(Bleeker 1849)	native
<i>Apogon aterrimus</i>	Günther 1867	native
<i>Apogon capricornis</i>	Allen & Randall 1993	native
<i>Apogon carinatus</i>	Cuvier in Cuvier & Valenciennes 1828	native
<i>Apogon caudicinctus</i>	Randall & Smith 1988	native
<i>Apogon coccineus</i>	Rüppell 1838	native
<i>Apogon crassiceps</i>	Garman 1903	native
<i>Apogon doederleini</i>	Jordan & Snyder 1901	native
<i>Apogon doryssa</i>	(Jordan & Seale 1906)	native
<i>Apogon flavus</i>	Allen & Randall 1993	native
<i>Apogon hyalosoma</i>	Bleeker 1852	native
<i>Apogon limenus</i>	Randall & Hoese 1988	native
<i>Apogon norfolcensis</i>	Ogilby 1888	native
<i>Apogon notatus</i>	(Houttuyn 1782)	native
<i>Apogon pallidofasciatus</i>	Allen 1987	endemic
<i>Apogon poecilopterus</i>	Cuvier (ex Kuhl & van Hasselt) in Cuvier & Valenciennes 1828	native
<i>Apogon semilineatus</i>	Temminck & Schlegel 1843	native
<i>Apogon semiornatus</i>	Peters 1876	native
<i>Apogon septemstriatus</i>	Günther 1880	native
<i>Apogon truncatus</i>	Bleeker 1855	native
<i>Apogon unicolor</i>	Steindachner & Döderlein in Steindachner & Döderlein 1883	native
<i>Apogon unitaeniatus</i>	Allen 1995	native
<i>Apogon victoriae</i>	Günther 1859	endemic
<i>Apogonichthyoides atripes</i>	(Ogilby 1916)	native
<i>Apogonichthyoides brevicaudatus</i>	(Weber 1909)	native
<i>Apogonichthyoides chrysurus</i>	(Ogilby 1889)	native
<i>Apogonichthyoides melas</i>	Bleeker 1848	native
<i>Apogonichthyoides miniatus</i>	Fraser 2010	native
<i>Apogonichthyoides nigripinnis</i>	(Cuvier in Cuvier & Valenciennes 1828)	native
<i>Apogonichthyoides opercularis</i>	(Macleay 1878)	endemic
<i>Apogonichthyoides timorensis</i>	Bleeker 1854	native

Genus Species	Author	Type
<i>Apogonichthyoides umbratilis</i>	Fraser & Allen 2010	native
<i>Apogonichthys ocellatus</i>	(Weber 1913)	native
<i>Apogonichthys perdix</i>	Bleeker 1854	native
<i>Apogonops anomalus</i>	Ogilby 1896	endemic
<i>Apolemichthys trimaculatus</i>	(Cuvier 1831)	native
<i>Apoptyerygion alta</i>	Kuiter 1986	endemic
<i>Aporops bilinearis</i>	Schultz 1943	native
<i>Aprion virescens</i>	Valenciennes in Cuvier & Valenciennes 1830	native
<i>Apristurus ampliceps</i>	Sasahara, Sato & Nakaya 2008	native
<i>Apristurus australis</i>	Sato, Nakaya & Yorozu 2008	native
<i>Apristurus bucephalus</i>	White, Last & Pogonoski 2008	native
<i>Apristurus longicephalus</i>	Nakaya 1975	native
<i>Apristurus melanoasper</i>	Iglésias, Nakaya & Stehmann 2004	native
<i>Apristurus pinguis</i>	Deng, Xiong & Zhan 1983	native
<i>Apristurus platyrhynchus</i>	(Tanaka 1909)	native
<i>Apristurus sinensis</i>	Chu & Hu in Chu, Meng, Hu & Li 1981	native
<i>Apterichtus flavicaudus</i>	(Snyder 1904)	native
<i>Apterichtus klazingai</i>	(Weber 1913)	native
<i>Aptychotrema rostrata</i>	(Shaw 1794)	endemic
<i>Aptychotrema timorensis</i>	Last 2004	native
<i>Aptychotrema vincentiana</i>	(Haacke 1885)	endemic
<i>Aracana aurita</i>	(Shaw 1798)	native
<i>Aracana ornata</i>	(Gray 1838)	native
<i>Archamia biguttata</i>	Lachner 1951	native
<i>Archamia bleekeri</i>	(Günther 1859)	native
<i>Archamia leai</i>	Waite 1916	native
<i>Archamia zosterophora</i>	(Bleeker 1856)	native
<i>Arctozenus risso</i>	(Bonaparte 1840)	native
<i>Arcygobius baliurus</i>	(Valenciennes (ex Kuhl & van Hasselt) in Cuvier & Valenciennes 1837)	native
<i>Arenigobius bifrenatus</i>	(Kner 1865)	native
<i>Arenigobius frenatus</i>	(Günther 1861)	native
<i>Arenigobius leftwichi</i>	(Ogilby 1910)	native
<i>Argentina australiae</i>	Cohen 1958	endemic
<i>Argentina elongata</i>	Hutton 1879	native
<i>Argyripnus ephippiatus</i>	Gilbert & Cramer 1897	native

Genus Species	Author	Type
<i>Argyripnus iridescens</i>	McCulloch 1926	native
<i>Argyropelecus aculeatus</i>	Valenciennes in Cuvier & Valenciennes 1850	native
<i>Argyropelecus gigas</i>	Norman 1930	native
<i>Argyropelecus hemigymnus</i>	Cocco 1829	native
<i>Argyropelecus olfersii</i>	(Cuvier 1829)	native
<i>Argyropelecus sladeni</i>	Regan 1908	native
<i>Argyrops spinifer</i>	(Forsskål 1775)	native
<i>Argyrosomus hololepidotus</i>	(Lacepède 1801)	native
<i>Argyrosomus japonicus</i>	(Temminck & Schlegel 1843)	native
<i>Ariomma indicum</i>	(Day 1871)	native
<i>Ariomma luridum</i>	Jordan & Snyder 1904	native
<i>Ariosoma anago</i>	(Temminck & Schlegel 1846)	native
<i>Ariosoma anagoides</i>	(Bleeker 1853)	native
<i>Ariosoma howensis</i>	(McCulloch & Waite 1916)	native
<i>Ariosoma mauritianum</i>	(Pappenheim 1914)	native
<i>Ariosoma scheelei</i>	(Strömman 1896)	native
<i>Arnoglossus andrewsi</i>	Kurth 1954	native
<i>Arnoglossus armstrongi</i>	Scott 1975	native
<i>Arnoglossus aspilos</i>	(Bleeker 1851)	native
<i>Arnoglossus bassensis</i>	Norman 1926	endemic
<i>Arnoglossus elongatus</i>	Weber 1913	native
<i>Arnoglossus fisoni</i>	Ogilby 1898	native
<i>Arnoglossus japonicus</i>	Hubbs 1915	native
<i>Arnoglossus macrolophus</i>	Alcock 1889	native
<i>Arnoglossus micrommatius</i>	Amaoka, Arai & Gomon 1997	native
<i>Arnoglossus muelleri</i>	(Klunzinger 1872)	native
<i>Arnoglossus nigrifrons</i>	Amaoka & Mihara 2000	native
<i>Arnoglossus polyspilus</i>	(Günther 1880)	native
<i>Arnoglossus tapeinosoma</i>	(Bleeker 1865)	native
<i>Arnoglossus tenuis</i>	Günther 1880	native
<i>Arnoglossus waitei</i>	Norman 1926	native
<i>Arothron caeruleopunctatus</i>	Matsuura 1994	native
<i>Arothron firmamentum</i>	(Temminck & Schlegel 1850)	native
<i>Arothron hispidus</i>	(Linnaeus 1758)	native
<i>Arothron immaculatus</i>	(Bloch & Schneider 1801)	native

Genus Species	Author	Type
<i>Arothron manilensis</i>	(Marion de Procé 1822)	native
<i>Arothron mappa</i>	(Lesson 1831)	native
<i>Arothron meleagris</i>	(Anonymous 1798)	native
<i>Arothron nigropunctatus</i>	(Bloch & Schneider 1801)	native
<i>Arothron reticularis</i>	(Bloch & Schneider 1801)	native
<i>Arothron stellatus</i>	(Anonymous (ex Commerson & Lacepède) 1798)	native
<i>Arrhamphus sclerolepis</i>	Günther 1866	native
<i>Arrhamphus sclerolepis sclerolepis</i>	Günther 1866	native
<i>Arripis georgianus</i>	(Valenciennes 1831)	native
<i>Arripis trutta</i>	(Forster 1801)	native
<i>Arripis truttacea</i>	(Cuvier 1829)	native
<i>Arripis xylabion</i>	Paulin 1993	native
<i>Artedidraco glareobarbatus</i>	Eastman & Eakin 1999	native
<i>Artedidraco lonnbergi</i>	Roule 1913	native
<i>Artedidraco orianae</i>	Regan 1914	native
<i>Artedidraco shackletoni</i>	Waite 1911	native
<i>Artedidraco skottsbergi</i>	Lönnberg 1905	native
<i>Aseraggodes bahamondei</i>	Randall & Meléndez C. 1987	native
<i>Aseraggodes corymbus</i>	Randall & Bartsch 2007	native
<i>Aseraggodes crypticus</i>	Randall & Allen 2007	native
<i>Aseraggodes dubius</i>	Weber 1913	native
<i>Aseraggodes haackeanus</i>	(Steindachner 1883)	native
<i>Aseraggodes lenisquamis</i>	Randall 2005	native
<i>Aseraggodes melanostictus</i>	(Peters 1877)	native
<i>Aseraggodes nigrocirratu</i>	Randall 2005	native
<i>Aseraggodes normani</i>	Chabanaud 1930	native
<i>Aseraggodes pelvicus</i>	Randall 2005	native
<i>Aseraggodes ramsaii</i>	(Ogilby 1889)	native
<i>Aspasmogaster costata</i>	(Ogilby 1885)	native
<i>Aspasmogaster liorhyncha</i>	Briggs 1955	native
<i>Aspasmogaster occidentalis</i>	Hutchins 1984	native
<i>Aspasmogaster tasmaniensis</i>	(Günther 1861)	native
<i>Aspidontus dussumieri</i>	(Valenciennes 1836)	native
<i>Aspidontus taeniatus</i>	Quoy & Gaimard 1834	native
<i>Asquamiceps caeruleus</i>	Markle 1980	native

Genus Species	Author	Type
<i>Asquamiceps hjorti</i>	(Koefoed 1927)	native
<i>Asquamiceps longmani</i>	Fowler 1934	native
<i>Assessor flavissimus</i>	Allen & Kuitert 1976	endemic
<i>Assessor macneilli</i>	Whitley 1935	native
<i>Assessor randalli</i>	Allen & Kuitert 1976	native
<i>Assiculoides desmonotus</i>	Gill & Hutchins 1997	native
<i>Assiculus punctatus</i>	Richardson 1846	native
<i>Assurger anzac</i>	(Alexander 1917)	native
<i>Asterorhombus cocosensis</i>	(Bleeker 1855)	native
<i>Asterorhombus filifer</i>	Hensley & Randall 2003	native
<i>Asterorhombus intermedius</i>	(Bleeker 1865)	native
<i>Asterropteryx ensifera</i>	(Bleeker 1874)	native
<i>Asterropteryx semipunctata</i>	Rüppell 1830	native
<i>Asterropteryx spinosa</i>	(Goren 1981)	native
<i>Asthenomacrus victoris</i>	Sazonov & Shcherbachev 1982	native
<i>Astronesthes bilobatus</i>	Parin & Borodulina 1996	native
<i>Astronesthes boulengeri</i>	Gilchrist 1902	native
<i>Astronesthes cyaneus</i>	(Brauer 1902)	native
<i>Astronesthes exsul</i>	Parin & Borodulina 2002	native
<i>Astronesthes ijimai</i>	Tanaka 1908	native
<i>Astronesthes indicus</i>	Brauer 1902	native
<i>Astronesthes indopacificus</i>	Parin & Borodulina 1997	native
<i>Astronesthes krefftii</i>	Gibbs & McKinney 1988	native
<i>Astronesthes lucifer</i>	Gilbert 1905	native
<i>Astronesthes lupina</i>	Whitley 1941	native
<i>Astronesthes martensii</i>	Klunzinger 1871	native
<i>Astronesthes niger</i>	Richardson 1845	native
<i>Astronesthes psychrolutes</i>	(Gibbs & Weitzman 1965)	native
<i>Astronesthes splendidus</i>	Brauer 1902	native
<i>Astronesthes trifibulatus</i>	Gibbs, Amaoka & Haruta 1984	native
<i>Asymbolus analis</i>	(Ogilby 1885)	endemic
<i>Asymbolus funebris</i>	Compagno, Stevens & Last 1999	native
<i>Asymbolus occiduus</i>	Last, Gomon & Gledhill 1999	native
<i>Asymbolus pallidus</i>	Last, Gomon & Gledhill 1999	native
<i>Asymbolus parvus</i>	Compagno, Stevens & Last 1999	native

Genus Species	Author	Type
<i>Asymbolus rubiginosus</i>	<i>Last, Gomon &amp; Gledhill 1999</i>	native
<i>Asymbolus submaculatus</i>	<i>Compagno, Stevens &amp; Last 1999</i>	native
<i>Asymbolus vincenti</i>	<i>(Zietz 1908)</i>	endemic
<i>Ateleopus japonicus</i>	<i>Bleeker 1853</i>	native
<i>Atelomycterus fasciatus</i>	<i>Compagno &amp; Stevens 1993</i>	endemic
<i>Atelomycterus macleayi</i>	<i>Whitley 1939</i>	endemic
<i>Atelomycterus marnkalha</i>	<i>Jacobsen &amp; Bennett 2007</i>	native
<i>Atherinason hepsetoides</i>	<i>(Richardson 1843)</i>	endemic
<i>Atherinomorus duodecimalis</i>	<i>(Valenciennes 1835)</i>	native
<i>Atherinomorus endrachtensis</i>	<i>(Quoy &amp; Gaimard 1825)</i>	native
<i>Atherinomorus lacunosus</i>	<i>(Forster 1801)</i>	native
<i>Atherinomorus vaiagensis</i>	<i>(Quoy &amp; Gaimard 1825)</i>	endemic
<i>Atherinosoma elongata</i>	<i>(Klunzinger 1879)</i>	endemic
<i>Atherinosoma microstoma</i>	<i>(Günther 1861)</i>	endemic
<i>Atherion elymus</i>	<i>Jordan &amp; Starks 1901</i>	native
<i>Atherion maccullochi</i>	<i>Jordan &amp; Hubbs 1919</i>	native
<i>Atractoscion aequidens</i>	<i>(Cuvier 1830)</i>	native
<i>Atrobucca brevis</i>	<i>Sasaki &amp; Kailola 1988</i>	native
<i>Atrobucca nibe</i>	<i>(Jordan &amp; Thompson 1911)</i>	native
<i>Atrosalarias fuscus</i>	<i>(Rüppell 1838)</i>	native
<i>Atule mate</i>	<i>(Cuvier 1833)</i>	native
<i>Atypichthys latus</i>	<i>McCulloch &amp; Waite 1916</i>	native
<i>Atypichthys strigatus</i>	<i>(Günther 1860)</i>	native
<i>Aulacocephalus temminckii</i>	<i>Bleeker 1855</i>	native
<i>Aulastatomorpha phospherops</i>	<i>Alcock 1890</i>	native
<i>Aulohalaelurus labiosus</i>	<i>(Waite 1905)</i>	endemic
<i>Aulostomus chinensis</i>	<i>(Linnaeus 1766)</i>	native
<i>Aulotrachichthys pulsator</i>	<i>Gomon &amp; Kuitert 1987</i>	native
<i>Aurigequula fasciata</i>	<i>(Lacepède 1803)</i>	native
<i>Aurigequula longispina</i>	<i>(Valenciennes in Cuvier &amp; Valenciennes 1835)</i>	native
<i>Austrolabrus maculatus</i>	<i>(Macleay 1881)</i>	native
<i>Austrolethops wardi</i>	<i>Whitley 1935</i>	native
<i>Austronibea oedogenys</i>	<i>Trewavas 1977</i>	native
<i>Auxis rochei</i>	<i>(Risso 1810)</i>	native
<i>Auxis thazard</i>	<i>(Lacepède 1800)</i>	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Avocettina acuticeps</i>	(Regan 1916)	native
<i>Avocettina infans</i>	(Günther 1878)	native
<i>Awaous acritosus</i>	Watson 1994	native
<i>Awaous ocellaris</i>	(Broussonet 1782)	native
<i>Azygopus pinnifasciatus</i>	Norman 1926	native
<i>Bajacalifornia arcylepis</i>	Markle & Krefft 1985	native
<i>Bajacalifornia calcarata</i>	(Weber 1913)	native
<i>Bajacalifornia megalops</i>	(Lütken 1898)	native
<i>Balistapus undulatus</i>	(Park 1797)	native
<i>Balistes punctatus</i>	Gmelin 1789	native
<i>Balistoides conspicillum</i>	(Bloch & Schneider 1801)	native
<i>Balistoides viridescens</i>	(Bloch & Schneider 1801)	native
<i>Banjos banjos</i>	(Richardson 1846)	native
<i>Barathronus maculatus</i>	Shcherbachev 1976	native
<i>Barbonymus altus</i>	(Günther 1868)	native
<i>Barbonymus balleroides</i>	(Valenciennes 1842)	native
<i>Barbourisia rufa</i>	Parr 1945	native
<i>Barbuligobius boehlkei</i>	Lachner & McKinney 1974	native
<i>Bascanichthys sibogae</i>	(Weber 1913)	native
<i>Bassanago bulbiceps</i>	Whitley 1948	native
<i>Bassanago hirsutus</i>	(Castle 1960)	native
<i>Bassozetus compressus</i>	(Günther 1878)	native
<i>Bassozetus galathea</i>	Nielsen & Merrett 2000	native
<i>Bassozetus glutinosus</i>	(Alcock 1890)	native
<i>Bassozetus robustus</i>	Smith & Radcliffe in Radcliffe 1913	native
<i>Bathophilus abarbatus</i>	Barnett & Gibbs 1968	native
<i>Bathophilus ater</i>	(Brauer 1902)	native
<i>Bathophilus indicus</i>	(Brauer 1902)	native
<i>Bathophilus kingi</i>	Barnett & Gibbs 1968	native
<i>Bathophilus longipinnis</i>	(Pappenheim 1912)	native
<i>Bathophilus nigerrimus</i>	Giglioli 1882	native
<i>Bathophilus pawnee</i>	Parr 1927	native
<i>Bathyaploactis curtisensis</i>	Whitley 1933	native
<i>Bathyaploactis ornatissima</i>	Whitley 1933	native
<i>Bathyclupea gracilis</i>	Fowler 1938	native

Genus Species	Author	Type
<i>Bathycongrus guttulatus</i>	(Günther 1887)	native
<i>Bathycongrus odontostomus</i>	(Fowler 1934)	native
<i>Bathycongrus retrotinctus</i>	(Jordan & Snyder 1901)	native
<i>Bathhydraco macrolepis</i>	Boulenger 1907	native
<i>Bathhydraco marri</i>	Norman 1938	native
<i>Bathhydraco scotiae</i>	Dollo 1906	native
<i>Bathygadus cottoides</i>	Günther 1878	native
<i>Bathygadus furvescens</i>	Alcock 1894	native
<i>Bathygadus spongiceps</i>	Gilbert & Hubbs 1920	native
<i>Bathygobius coalitus</i>	(Bennett 1832)	native
<i>Bathygobius cocosensis</i>	(Bleeker 1854)	native
<i>Bathygobius cotticeps</i>	(Steindachner 1879)	native
<i>Bathygobius cyclopterus</i>	(Valenciennes 1837)	native
<i>Bathygobius fuscus</i>	(Rüppell 1830)	native
<i>Bathygobius krefftii</i>	(Steindachner 1866)	native
<i>Bathygobius laddi</i>	(Fowler 1931)	native
<i>Bathygobius meggitti</i>	(Hora & Mukerji 1936)	native
<i>Bathygobius petrophilus</i>	(Bleeker 1853)	native
<i>Bathylagichthys australis</i>	Kobyliansky 1990	native
<i>Bathylagichthys greyae</i>	(Cohen 1958)	native
<i>Bathylagichthys longipinnis</i>	(Kobyliansky 1985)	native
<i>Bathylagichthys problematicus</i>	(Lloris & Rucabado 1985)	native
<i>Bathylagoides argyrogaster</i>	(Norman 1930)	native
<i>Bathylagus antarcticus</i>	Günther 1878	native
<i>Bathyphylax bombifrons</i>	Myers 1934	native
<i>Bathyphylax omen</i>	Tyler 1966	native
<i>Bathyprion danae</i>	Marshall 1966	native
<i>Bathypterois grallator</i>	(Goode & Bean 1886)	native
<i>Bathypterois guentheri</i>	Alcock 1889	native
<i>Bathypterois longifilis</i>	Günther 1878	native
<i>Bathypterois longipes</i>	Günther 1878	native
<i>Bathypterois ventralis</i>	Garman 1899	native
<i>Bathyraja eatonii</i>	(Günther 1876)	native
<i>Bathyraja ishiharai</i>	Stehmann 2005	native
<i>Bathyraja maccaini</i>	Springer 1971	native

Genus Species	Author	Type
<i>Bathyraja richardsoni</i>	(Garrick 1961)	native
<i>Bathysauroides gigas</i>	(Kamohara 1952)	native
<i>Bathysauropsis gracilis</i>	(Günther 1878)	native
<i>Bathysaurus ferox</i>	Günther 1878	native
<i>Bathystethus cultratus</i>	(Bloch & Schneider 1801)	native
<i>Bathytroctes squamosus</i>	Alcock 1890	native
<i>Bathytroctes zugmayeri</i>	Fowler 1934	native
<i>Bathytyphlops marionae</i>	Mead 1958	native
<i>Bathyuroconger vicinus</i>	(Vaillant 1888)	native
<i>Batrachomoeus dahli</i>	(Rendahl 1922)	endemic
<i>Batrachomoeus dubius</i>	(Shaw 1790)	endemic
<i>Batrachomoeus occidentalis</i>	Hutchins 1976	native
<i>Batrachomoeus rubricephalus</i>	Hutchins 1976	endemic
<i>Batrachomoeus trispinosus</i>	(Günther 1861)	native
<i>Beaglichthys bleekeri</i>	Schwarzahns & Møller 2007	native
<i>Beaglichthys larsonae</i>	Schwarzahns & Møller 2007	native
<i>Beaglichthys macrophthalmus</i>	Machida 1993	native
<i>Beliops xanthokrossos</i>	Hardy 1985	native
<i>Belonepterygion fasciolatum</i>	(Ogilby 1889)	native
<i>Belonoperca chabanaudi</i>	Fowler & Bean 1930	native
<i>Bembras japonica</i>	Cuvier 1829	---
<i>Bembras longipinnis</i>	Imamura & Knapp 1998	native
<i>Bembras macrolepis</i>	Imamura in Imamura & Knapp 1998	native
<i>Bembras megacephala</i>	Imamura & Knapp 1998	native
<i>Bembrops caudimacula</i>	Steindachner 1876	native
<i>Bembrops curvatura</i>	Okada & Suzuki 1952	native
<i>Bembrops filiferus</i>	Gilbert 1905	native
<i>Bembrops morelandi</i>	Nelson 1978	native
<i>Bembrops nelsoni</i>	Thompson & Suttkus 2002	native
<i>Bembrops philippinus</i>	Fowler 1939	native
<i>Bembrops platyrhynchus</i>	(Alcock 1894)	native
<i>Benthalbella elongata</i>	(Norman 1937)	native
<i>Benthalbella infans</i>	Zugmayer 1911	native
<i>Benthalbella macropinna</i>	Bussing & Bussing 1966	native
<i>Benthocometes australiensis</i>	Nielsen 2010	native

Genus Species	Author	Type
<i>Benthodesmus elongatus</i>	(Clarke 1879)	native
<i>Benthodesmus macrophthalmus</i>	Parin & Becker 1970	native
<i>Benthodesmus papua</i>	Parin 1978	native
<i>Benthodesmus tuckeri</i>	Parin & Becker 1970	native
<i>Benthodesmus vityazi</i>	Parin & Becker 1970	native
<i>Benthoosema fibulatum</i>	(Gilbert & Cramer 1897)	native
<i>Benthoosema pterotum</i>	(Alcock 1890)	native
<i>Benthoosema suborbitale</i>	(Gilbert 1913)	native
<i>Beryx decadactylus</i>	Cuvier in Cuvier & Valenciennes 1829	native
<i>Beryx splendens</i>	Lowe 1834	native
<i>Bhanotia fasciolata</i>	(Duméril 1870)	native
<i>Bidyanus bidyanus</i>	(Mitchell 1838)	endemic
<i>Bidyanus welchi</i>	(McCulloch & Waite 1917)	endemic
<i>Blachea xenobranchialis</i>	Karrer & Smith 1980	native
<i>Bleekeria mitsukurii</i>	Jordan & Evermann 1902	native
<i>Bleekeria viridianguilla</i>	(Fowler 1931)	native
<i>Blenniella bilitonensis</i>	(Bleeker 1858)	native
<i>Blenniella chrysospilos</i>	(Bleeker 1857)	native
<i>Blenniella paula</i>	(Bryan & Herre 1903)	native
<i>Blenniella periophthalmus</i>	(Valenciennes 1836)	native
<i>Blennodesmus scapularis</i>	Günther 1872	native
<i>Bodianus anthioides</i>	(Bennett 1832)	native
<i>Bodianus axillaris</i>	(Bennett 1832)	native
<i>Bodianus bilunulatus</i>	(Lacepède 1801)	native
<i>Bodianus bimaculatus</i>	Allen 1973	native
<i>Bodianus cylindriatus</i>	(Tanaka 1930)	native
<i>Bodianus diana</i>	(Lacepède 1801)	native
<i>Bodianus dictynna</i>	Gomon 2006	native
<i>Bodianus flavifrons</i>	Gomon 2001	native
<i>Bodianus flavipinnis</i>	Gomon 2001	native
<i>Bodianus frenchii</i>	(Klunzinger 1879)	native
<i>Bodianus izuensis</i>	Araga & Yoshino in Masuda, Araga & Yoshino 1975	native
<i>Bodianus loxozonus</i>	(Snyder 1908)	native
<i>Bodianus mesothorax</i>	(Bloch & Schneider 1801)	native
<i>Bodianus perditio</i>	(Quoy & Gaimard 1834)	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Bodianus rubrisos</i>	<i>Gomon 2006</i>	native
<i>Bodianus solatus</i>	<i>Gomon 2006</i>	native
<i>Bodianus unimaculatus</i>	<i>(Günther 1862)</i>	native
<i>Bodianus vulpinus</i>	<i>(Richardson 1850)</i>	endemic
<i>Bolbometopon muricatum</i>	<i>(Valenciennes 1840)</i>	native
<i>Boleophthalmus birdsongi</i>	<i>Murdy 1989</i>	native
<i>Boleophthalmus caeruleomaculatus</i>	<i>McCulloch &amp; Waite 1918</i>	native
<i>Bolinichthys distofax</i>	<i>Johnson 1975</i>	native
<i>Bolinichthys indicus</i>	<i>(Nafpaktitis &amp; Nafpaktitis 1969)</i>	native
<i>Bolinichthys longipes</i>	<i>(Brauer 1906)</i>	native
<i>Bolinichthys nikolayi</i>	<i>Becker 1978</i>	native
<i>Bolinichthys photothorax</i>	<i>(Parr 1928)</i>	native
<i>Bolinichthys pyrsobolus</i>	<i>(Alcock 1890)</i>	native
<i>Bolinichthys supralateralis</i>	<i>(Parr 1928)</i>	native
<i>Bonapartia pedaliota</i>	<i>Goode &amp; Bean 1896</i>	native
<i>Borostomias antarcticus</i>	<i>(Lönnberg 1905)</i>	native
<i>Borostomias mononema</i>	<i>(Regan &amp; Trewavas 1929)</i>	native
<i>Bostockia porosa</i>	<i>Castelnau 1873</i>	endemic
<i>Bostrychus sinensis</i>	<i>Lacepède 1801</i>	native
<i>Bostrychus zonatus</i>	<i>Weber 1907</i>	native
<i>Bothus mancus</i>	<i>(Broussonet 1782)</i>	native
<i>Bothus myriaster</i>	<i>(Temminck &amp; Schlegel 1846)</i>	native
<i>Bothus pantherinus</i>	<i>(Rüppell 1830)</i>	native
<i>Bothus swio</i>	<i>Hensley 1997</i>	native
<i>Bovichtus angustifrons</i>	<i>Regan 1913</i>	native
<i>Bovichtus variegatus</i>	<i>Richardson 1846</i>	native
<i>Brachaelurus colcloughi</i>	<i>Ogilby 1908</i>	native
<i>Brachaelurus waddi</i>	<i>(Bloch &amp; Schneider 1801)</i>	endemic
<i>Brachaluteres jacksonianus</i>	<i>(Quoy &amp; Gaimard 1824)</i>	native
<i>Brachaluteres taylori</i>	<i>Woods in Schultz et al. 1966</i>	native
<i>Brachionichthys australis</i>	<i>Last, Gledhill &amp; Holmes 2007</i>	native
<i>Brachionichthys hirsutus</i>	<i>(Lacepède 1804)</i>	endemic
<i>Brachiopsilus dianthus</i>	<i>Last &amp; Gledhill 2009</i>	native
<i>Brachiopsilus dossenus</i>	<i>Last &amp; Gledhill 2009</i>	native
<i>Brachiopsilus ziebelli</i>	<i>Last &amp; Gledhill 2009</i>	native

Genus Species	Author	Type
<i>Brachirus annularis</i>	<i>Fowler 1934</i>	native
<i>Brachirus aspidos</i>	<i>(Bleeker 1852)</i>	native
<i>Brachirus breviceps</i>	<i>Ogilby 1910</i>	native
<i>Brachirus fitzroiensis</i>	<i>(De Vis 1882)</i>	native
<i>Brachirus nigra</i>	<i>(Macleay 1880)</i>	native
<i>Brachirus orientalis</i>	<i>(Bloch &amp; Schneider 1801)</i>	native
<i>Brachirus salinarum</i>	<i>Ogilby 1910</i>	native
<i>Brachirus selheimi</i>	<i>(Macleay 1882)</i>	native
<i>Brachynectes fasciatus</i>	<i>Scott 1957</i>	native
<i>Brachypleura novaezeelandiae</i>	<i>Günther 1862</i>	native
<i>Brachypterois serrulata</i>	<i>(Richardson 1846)</i>	native
<i>Brachysomophis cirrocheilos</i>	<i>(Bleeker 1857)</i>	native
<i>Brachysomophis crocodilinus</i>	<i>(Bennett 1833)</i>	native
<i>Brachysomophis henshawi</i>	<i>Jordan &amp; Snyder 1904</i>	native
<i>Brama australis</i>	<i>Valenciennes 1838</i>	native
<i>Brama brama</i>	<i>(Bonnaterre 1788)</i>	native
<i>Brama dussumieri</i>	<i>Cuvier in Cuvier &amp; Valenciennes 1831</i>	native
<i>Brama myersi</i>	<i>Mead 1972</i>	native
<i>Brama orcini</i>	<i>Cuvier in Cuvier &amp; Valenciennes 1831</i>	native
<i>Brama pauciradiata</i>	<i>Moteki, Fujita &amp; Last 1995</i>	native
<i>Branchiostegus australiensis</i>	<i>Dooley &amp; Kailola 1988</i>	native
<i>Branchiostegus hedlandensis</i>	<i>Dooley &amp; Kailola 1988</i>	native
<i>Branchiostegus paxtoni</i>	<i>Dooley &amp; Kailola 1988</i>	native
<i>Branchiostegus sawakinensis</i>	<i>Amirthalingam 1969</i>	native
<i>Branchiostegus serratus</i>	<i>Dooley &amp; Paxton 1975</i>	native
<i>Branchiostegus wardi</i>	<i>Whitley 1932</i>	native
<i>Bregmaceros atlanticus</i>	<i>Goode &amp; Bean 1886</i>	native
<i>Bregmaceros japonicus</i>	<i>Tanaka 1908</i>	native
<i>Bregmaceros lanceolatus</i>	<i>Shen 1960</i>	native
<i>Bregmaceros mccllellandi</i>	<i>Thompson (ex Cantor) 1840</i>	native
<i>Bregmaceros nectabanus</i>	<i>Whitley 1941</i>	native
<i>Bregmaceros pseudolanceolatus</i>	<i>Torii, Javonillo &amp; Ozawa 2004</i>	native
<i>Bregmaceros rarisquamosus</i>	<i>Munro 1950</i>	native
<i>Brosmolus longicaudus</i>	<i>Machida 1993</i>	native
<i>Brosomphyciops pautzkei</i>	<i>Schultz in Schultz et al. 1960</i>	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Brotula multibarbata</i>	<i>Temminck &amp; Schlegel 1846</i>	native
<i>Brotulotaenia crassa</i>	<i>Parr 1934</i>	native
<i>Brotulotaenia nigra</i>	<i>Parr 1933</i>	native
<i>Brustiarius proxima</i>	<i>(Ogilby 1898)</i>	native
<i>Bryaninops amplus</i>	<i>Larson 1985</i>	native
<i>Bryaninops erythropros</i>	<i>(Jordan &amp; Seale 1906)</i>	native
<i>Bryaninops isis</i>	<i>Larson 1985</i>	native
<i>Bryaninops loki</i>	<i>Larson 1985</i>	native
<i>Bryaninops natans</i>	<i>Larson 1985</i>	native
<i>Bryaninops nexus</i>	<i>Larson 1987</i>	native
<i>Bryaninops ridens</i>	<i>Smith 1959</i>	native
<i>Bryaninops tigris</i>	<i>Larson 1985</i>	native
<i>Bryaninops yongei</i>	<i>(Davis &amp; Cohen 1969)</i>	native
<i>Bulbonaricus brauni</i>	<i>(Dawson &amp; Allen 1978)</i>	native
<i>Bulbonaricus davaoensis</i>	<i>(Herald 1953)</i>	native
<i>Bunaka gyrinoides</i>	<i>(Bleeker 1853)</i>	native
<i>Butis butis</i>	<i>(Hamilton 1822)</i>	native
<i>Butis koilomatodon</i>	<i>(Bleeker 1849)</i>	native
<i>Bythaelurus incanus</i>	<i>Last &amp; Stevens 2008</i>	native
<i>Cabillus lacertops</i>	<i>Smith 1959</i>	native
<i>Cabillus macrophthalmus</i>	<i>(Weber 1909)</i>	native
<i>Cabillus tongarevae</i>	<i>(Fowler 1927)</i>	native
<i>Caesio caeruleaurea</i>	<i>Lacepède 1801</i>	native
<i>Caesio cuning</i>	<i>(Bloch 1791)</i>	native
<i>Caesio lunaris</i>	<i>Cuvier (ex Ehrenberg) in Cuvier &amp; Valenciennes 1830</i>	native
<i>Caesio teres</i>	<i>Seale 1906</i>	native
<i>Caesioperca lepidoptera</i>	<i>(Forster 1801)</i>	native
<i>Caesioperca rasor</i>	<i>(Richardson 1839)</i>	endemic
<i>Caesioscorpis theagenes</i>	<i>Whitley 1945</i>	native
<i>Cairnsichthys rhombosomoides</i>	<i>(Nichols &amp; Raven 1928)</i>	endemic
<i>Callanthias allporti</i>	<i>Günther 1876</i>	native
<i>Callanthias australis</i>	<i>Ogilby 1899</i>	native
<i>Callechelys catostoma</i>	<i>(Schneider 1801)</i>	native
<i>Callechelys marmorata</i>	<i>(Bleeker 1854)</i>	native
<i>Callionymus afilem</i>	<i>Fricke 2000</i>	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Callionymus annulatus</i>	<i>Weber 1913</i>	native
<i>Callionymus australis</i>	<i>Fricke 1983</i>	native
<i>Callionymus belcheri</i>	<i>Richardson 1844</i>	native
<i>Callionymus bifilum</i>	<i>Fricke 2000</i>	native
<i>Callionymus brevianalis</i>	<i>Fricke 1983</i>	native
<i>Callionymus calcaratus</i>	<i>Macleay 1881</i>	native
<i>Callionymus delicatulus</i>	<i>Smith 1963</i>	native
<i>Callionymus draconis</i>	<i>Nakabo 1977</i>	native
<i>Callionymus enneactis</i>	<i>Bleeker 1879</i>	native
<i>Callionymus filamentosus</i>	<i>Valenciennes in Cuvier &amp; Valenciennes 1837</i>	native
<i>Callionymus goodladi</i>	<i>(Whitley 1944)</i>	native
<i>Callionymus grossi</i>	<i>Ogilby 1910</i>	endemic
<i>Callionymus kailolae</i>	<i>Fricke 2000</i>	native
<i>Callionymus keeleyi</i>	<i>Fowler 1941</i>	native
<i>Callionymus leucobranchialis</i>	<i>Fowler 1941</i>	native
<i>Callionymus limiceps</i>	<i>Ogilby 1908</i>	native
<i>Callionymus macdonaldi</i>	<i>Ogilby 1911</i>	native
<i>Callionymus meridionalis</i>	<i>Suwardji 1965</i>	native
<i>Callionymus moretonensis</i>	<i>Johnson 1971</i>	native
<i>Callionymus octostigmatus</i>	<i>Fricke 1981</i>	native
<i>Callionymus ogilbyi</i>	<i>Fricke 2002</i>	native
<i>Callionymus pleurostictus</i>	<i>Fricke 1982</i>	native
<i>Callionymus russelli</i>	<i>Johnson 1976</i>	native
<i>Callionymus sagitta</i>	<i>Pallas 1770</i>	native
<i>Callionymus simplicicornis</i>	<i>Valenciennes in Cuvier &amp; Valenciennes 1837</i>	native
<i>Callionymus sphinx</i>	<i>Fricke &amp; Heckeke 1984</i>	native
<i>Callionymus sublaevis</i>	<i>McCulloch 1926</i>	native
<i>Calliurichthys japonicus</i>	<i>(Houttuyn 1782)</i>	native
<i>Callogobius centrolepis</i>	<i>Weber 1909</i>	native
<i>Callogobius clitellus</i>	<i>McKinney &amp; Lachner 1978</i>	native
<i>Callogobius depressus</i>	<i>(Ramsay &amp; Ogilby 1886)</i>	native
<i>Callogobius flavobrunneus</i>	<i>(Smith 1958)</i>	native
<i>Callogobius hasseltii</i>	<i>(Bleeker 1851)</i>	native
<i>Callogobius maculipinnis</i>	<i>(Fowler 1918)</i>	native
<i>Callogobius mucosus</i>	<i>(Günther 1872)</i>	native

Genus Species	Author	Type
<i>Callogobius okinawae</i>	(Snyder 1908)	native
<i>Callogobius plumatus</i>	(Smith 1959)	native
<i>Callogobius sclateri</i>	(Steindachner 1879)	native
<i>Callogobius snelli</i>	Koumans 1953	native
<i>Callopleziops altivelis</i>	(Steindachner 1903)	native
<i>Callorhynchus milii</i>	Bory de Saint-Vincent 1823	native
<i>Calotomus carolinus</i>	(Valenciennes 1840)	native
<i>Calotomus spinidens</i>	(Quoy & Gaimard 1824)	native
<i>Calumia godeffroyi</i>	(Günther 1877)	native
<i>Calumia profunda</i>	Larson & Hoese 1980	native
<i>Campichthys galei</i>	(Duncker 1909)	endemic
<i>Campichthys tricarinatus</i>	Dawson 1977	native
<i>Campichthys tryoni</i>	(Ogilby 1890)	endemic
<i>Cantherhines dumerilii</i>	(Hollard 1854)	native
<i>Cantherhines fronticinctus</i>	(Günther 1867)	native
<i>Cantherhines pardalis</i>	(Rüppell 1837)	native
<i>Cantherhines pullus</i>	(Ranzani 1842)	native
<i>Cantheschenia grandisquamis</i>	Hutchins 1977	native
<i>Cantheschenia longipinnis</i>	(Fraser-Brunner 1941)	native
<i>Canthidermis maculata</i>	(Bloch 1786)	native
<i>Canthigaster amboinensis</i>	(Bleeker 1864)	native
<i>Canthigaster bennetti</i>	(Bleeker 1854)	native
<i>Canthigaster callisterna</i>	(Ogilby 1889)	native
<i>Canthigaster compressa</i>	(Marion de Procé 1822)	native
<i>Canthigaster coronata</i>	(Vaillant & Sauvage 1875)	native
<i>Canthigaster epilampra</i>	(Jenkins 1903)	native
<i>Canthigaster janthinoptera</i>	(Bleeker 1855)	native
<i>Canthigaster ocellicincta</i>	Allen & Randall 1977	native
<i>Canthigaster papua</i>	(Bleeker 1848)	native
<i>Canthigaster rivulata</i>	(Temminck & Schlegel 1850)	native
<i>Canthigaster solandri</i>	(Richardson 1845)	native
<i>Canthigaster valentini</i>	(Bleeker 1853)	native
<i>Caprichthys gymnura</i>	McCulloch & Waite 1915	native
<i>Caprodon krasnyukovae</i>	Kharin in Kharin & Dudarev 1983	native
<i>Caprodon longimanus</i>	(Günther 1859)	native

Genus Species	Author	Type
<i>Caprodon schlegelii</i>	(Günther 1859)	native
<i>Capropygia unistriata</i>	(Kaup 1855)	native
<i>Caracanthus maculatus</i>	(Gray 1831)	native
<i>Caracanthus unipinna</i>	(Gray 1831)	native
<i>Caragobius rubristriatus</i>	(Saville-Kent 1889)	native
<i>Caragobius urolepis</i>	(Bleeker 1852)	native
<i>Carangoides bajad</i>	(Forsskål 1775)	native
<i>Carangoides chrysophrys</i>	(Cuvier 1833)	native
<i>Carangoides coeruleopinnatus</i>	(Rüppell 1830)	native
<i>Carangoides dinema</i>	Bleeker 1851	native
<i>Carangoides equula</i>	(Temminck & Schlegel 1844)	native
<i>Carangoides ferdau</i>	(Forsskål 1775)	native
<i>Carangoides fulvoguttatus</i>	(Forsskål 1775)	native
<i>Carangoides gymnostethus</i>	(Cuvier 1833)	native
<i>Carangoides hedlandensis</i>	(Whitley 1934)	native
<i>Carangoides humerosus</i>	(McCulloch 1915)	native
<i>Carangoides malabaricus</i>	(Bloch & Schneider 1801)	native
<i>Carangoides oblongus</i>	(Cuvier 1833)	native
<i>Carangoides orthogrammus</i>	(Jordan & Gilbert 1882)	native
<i>Carangoides plagiotaenia</i>	Bleeker 1857	native
<i>Carangoides talamparoides</i>	Bleeker 1852	native
<i>Caranx bucculentus</i>	Alleyne & Macleay 1877	native
<i>Caranx crysos</i>	(Mitchill 1815)	native
<i>Caranx heberi</i>	(Bennett 1830)	native
<i>Caranx ignobilis</i>	(Forsskål 1775)	native
<i>Caranx lugubris</i>	Poey 1860	native
<i>Caranx melampygius</i>	Cuvier in Cuvier & Valenciennes 1833	native
<i>Caranx papuensis</i>	Alleyne & Macleay 1877	native
<i>Caranx sexfasciatus</i>	Quoy & Gaimard 1825	native
<i>Caranx tille</i>	Cuvier in Cuvier & Valenciennes 1833	native
<i>Carapus mourlani</i>	(Petit 1934)	native
<i>Carapus sluiteri</i>	(Weber 1905)	native
<i>Carassius auratus</i>	(Linnaeus 1758)	introduced
<i>Carcharhinus albimarginatus</i>	(Rüppell 1837)	native
<i>Carcharhinus altimus</i>	(Springer 1950)	native

Genus Species	Author	Type
<i>Carcharhinus amblyrhynchoides</i>	(Whitley 1934)	native
<i>Carcharhinus amblyrhynchos</i>	(Bleeker 1856)	native
<i>Carcharhinus amboinensis</i>	(Müller & Henle 1839)	native
<i>Carcharhinus brachyurus</i>	(Günther 1870)	native
<i>Carcharhinus brevipinna</i>	(Müller & Henle 1839)	native
<i>Carcharhinus cautus</i>	(Whitley 1945)	native
<i>Carcharhinus dussumieri</i>	(Müller & Henle 1839)	native
<i>Carcharhinus falciformis</i>	(Müller & Henle 1839)	native
<i>Carcharhinus fitzroyensis</i>	(Whitley 1943)	native
<i>Carcharhinus galapagensis</i>	(Snodgrass & Heller 1905)	native
<i>Carcharhinus hemiodon</i>	(Müller & Henle 1839)	native
<i>Carcharhinus leucas</i>	(Müller & Henle 1839)	native
<i>Carcharhinus limbatus</i>	(Müller & Henle 1839)	native
<i>Carcharhinus longimanus</i>	(Poey 1861)	native
<i>Carcharhinus macloti</i>	(Müller & Henle 1839)	native
<i>Carcharhinus melanopterus</i>	(Quoy & Gaimard 1824)	native
<i>Carcharhinus obscurus</i>	(Lesueur 1818)	native
<i>Carcharhinus plumbeus</i>	(Nardo 1827)	native
<i>Carcharhinus sealei</i>	(Pietschmann 1913)	native
<i>Carcharhinus sorrah</i>	(Müller & Henle (ex Valenciennes) 1839)	native
<i>Carcharhinus tilstoni</i>	(Whitley 1950)	endemic
<i>Carcharias taurus</i>	Rafinesque 1810	native
<i>Carcharodon carcharias</i>	(Linnaeus 1758)	native
<i>Careproctus ampliceps</i>	Andriashev & Stein 1998	native
<i>Careproctus catherinae</i>	Andriashev & Stein 1998	native
<i>Careproctus inflexidens</i>	Andriashev & Stein 1998	native
<i>Careproctus paxtoni</i>	Stein, Chernova & Andriashev 2001	native
<i>Careproctus polarsterni</i>	Duhamel 1992	native
<i>Careproctus pseudoprofundicola</i>	Andriashev & Stein 1998	native
<i>Careproctus vladibeckeri</i>	Andriashev & Stein 1998	native
<i>Caristius macropus</i>	(Bellotti 1903)	native
<i>Castleichthys auritus</i>	Smith 2004	native
<i>Cataetx niki</i>	Cohen 1981	native
<i>Caulophryne jordani</i>	Goode & Bean 1896	native
<i>Centriscoops humerosus</i>	(Richardson 1846)	native

Genus Species	Author	Type
<i>Centriscus cristatus</i>	(De Vis 1885)	native
<i>Centriscus scutatus</i>	Linnaeus 1758	native
<i>Centroberyx affinis</i>	(Günther 1859)	native
<i>Centroberyx australis</i>	Shimizu & Hutchins 1987	native
<i>Centroberyx gerrardi</i>	(Günther 1887)	endemic
<i>Centroberyx lineatus</i>	(Cuvier in Cuvier & Valenciennes 1829)	native
<i>Centrobranchus andreae</i>	(Lütken 1892)	native
<i>Centrobranchus nigroocellatus</i>	(Günther 1873)	native
<i>Centrodraco atrifilum</i>	Fricke 2010	native
<i>Centrodraco insolitus</i>	(McKay 1971)	native
<i>Centrogenys vaigiensis</i>	(Quoy & Gaimard 1824)	native
<i>Centrolophus niger</i>	(Gmelin 1789)	native
<i>Centrophorus granulosus</i>	(Bloch & Schneider 1801)	native
<i>Centrophorus harrissoni</i>	McCulloch 1915	endemic
<i>Centrophorus moluccensis</i>	Bleeker 1860	native
<i>Centrophorus squamosus</i>	(Bonnaterre 1788)	native
<i>Centrophorus uyato</i>	(Rafinesque 1810)	native
<i>Centrophorus westraliensis</i>	White, Ebert & Compagno 2008	native
<i>Centrophorus zeehaani</i>	White, Ebert & Compagno 2008	native
<i>Centropogon australis</i>	(Shaw 1790)	endemic
<i>Centropogon latifrons</i>	Mees 1962	native
<i>Centropogon marmoratus</i>	Günther 1862	native
<i>Centropyge aurantia</i>	Randall & Wass 1974	native
<i>Centropyge bicolor</i>	(Bloch 1787)	native
<i>Centropyge bispinosa</i>	(Günther 1860)	native
<i>Centropyge colini</i>	Smith-Vaniz & Randall 1974	native
<i>Centropyge eibli</i>	Klausewitz 1963	native
<i>Centropyge fisheri</i>	(Snyder 1904)	native
<i>Centropyge flavissima</i>	(Cuvier 1831)	native
<i>Centropyge heraldi</i>	Woods & Schultz in Schultz et al. 1953	native
<i>Centropyge jocularor</i>	Smith-Vaniz & Randall 1974	native
<i>Centropyge loriculus</i>	(Günther 1874)	native
<i>Centropyge nox</i>	(Bleeker 1853)	native
<i>Centropyge tibicen</i>	(Cuvier 1831)	native
<i>Centropyge vrolikii</i>	(Bleeker 1853)	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Centroscyllium kamoharai</i>	<i>Abe 1966</i>	native
<i>Centroscymnus coelolepis</i>	<i>Barbosa du Bocage &amp; de Brito Capello 1864</i>	native
<i>Centroscymnus crepidater</i>	<i>(Barbosa du Bocage &amp; de Brito Capello 1864)</i>	native
<i>Centroscymnus owstonii</i>	<i>Garman 1906</i>	native
<i>Centroscymnus plunketi</i>	<i>(Waite 1910)</i>	native
<i>Cephalopholis argus</i>	<i>Schneider 1801</i>	native
<i>Cephalopholis boenak</i>	<i>(Bloch 1790)</i>	native
<i>Cephalopholis cyanostigma</i>	<i>(Valenciennes 1828)</i>	native
<i>Cephalopholis formosa</i>	<i>(Shaw 1812)</i>	native
<i>Cephalopholis igarashiensis</i>	<i>Katayama 1957</i>	native
<i>Cephalopholis leopardus</i>	<i>(Lacepède 1801)</i>	native
<i>Cephalopholis microprion</i>	<i>(Bleeker 1852)</i>	native
<i>Cephalopholis miniata</i>	<i>(Forsskål 1775)</i>	native
<i>Cephalopholis sexmaculata</i>	<i>(Rüppell 1830)</i>	native
<i>Cephalopholis sonnerati</i>	<i>(Valenciennes 1828)</i>	native
<i>Cephalopholis spiloparaea</i>	<i>(Valenciennes 1828)</i>	native
<i>Cephalopholis urodeta</i>	<i>(Forster in Bloch &amp; Schneider 1801)</i>	native
<i>Cephalopsetta ventrocellatus</i>	<i>Dutt &amp; Rao 1965</i>	native
<i>Cephaloscyllium albipinnum</i>	<i>Last, Motomura &amp; White 2008</i>	native
<i>Cephaloscyllium cooki</i>	<i>Last, Séret &amp; White 2008</i>	native
<i>Cephaloscyllium fasciatum</i>	<i>Chan 1966</i>	native
<i>Cephaloscyllium hiscosellum</i>	<i>White &amp; Ebert 2008</i>	native
<i>Cephaloscyllium laticeps</i>	<i>(Duméril 1853)</i>	endemic
<i>Cephaloscyllium signourum</i>	<i>Last, Séret &amp; White 2008</i>	native
<i>Cephaloscyllium speccum</i>	<i>Last, Séret &amp; White 2008</i>	native
<i>Cephaloscyllium variegatum</i>	<i>Last &amp; White 2008</i>	native
<i>Cephaloscyllium zebrum</i>	<i>Last &amp; White 2008</i>	native
<i>Cepola australis</i>	<i>Ogilby 1899</i>	native
<i>Cepola schlegelii</i>	<i>Bleeker 1854</i>	native
<i>Ceratias holboelli</i>	<i>Krøyer 1845</i>	native
<i>Ceratias tentaculatus</i>	<i>(Norman 1930)</i>	native
<i>Ceratias uranoscopus</i>	<i>Murray in Thompson 1877</i>	native
<i>Ceratobregma acanthops</i>	<i>(Whitley 1964)</i>	endemic
<i>Ceratobregma helenae</i>	<i>Holleman 1987</i>	native
<i>Ceratoscopelus warmingii</i>	<i>(Lütken 1892)</i>	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Cercamia eremia</i>	(Allen 1987)	native
<i>Cetonurichthys subinflatus</i>	Sazonov & Shcherbachev 1982	native
<i>Cetonurus crassiceps</i>	(Günther 1878)	native
<i>Cetonurus globiceps</i>	(Vaillant 1884)	native
<i>Cetorhinus maximus</i>	(Gunnerus 1765)	native
<i>Cetoscarus bicolor</i>	(Rüppell 1829)	native
<i>Chaenodraco wilsoni</i>	Regan 1914	native
<i>Chaenophryne draco</i>	Beebe 1932	native
<i>Chaenophryne longiceps</i>	Regan 1925	native
<i>Chaetodermis penicilligerus</i>	(Cuvier 1816)	native
<i>Chaetodon adiergastos</i>	Seale 1910	native
<i>Chaetodon assarius</i>	Waite 1905	native
<i>Chaetodon aureofasciatus</i>	Macleay 1878	native
<i>Chaetodon auriga</i>	Forsskål 1775	native
<i>Chaetodon baronessa</i>	Cuvier 1829	native
<i>Chaetodon bennetti</i>	Cuvier in Cuvier & Valenciennes 1831	native
<i>Chaetodon citrinellus</i>	Cuvier (ex Broussonet) in Cuvier & Valenciennes 1831	native
<i>Chaetodon decussatus</i>	Cuvier 1829	native
<i>Chaetodon ephippium</i>	Cuvier in Cuvier & Valenciennes 1831	native
<i>Chaetodon flavirostris</i>	Günther 1874	native
<i>Chaetodon guentheri</i>	Ahl 1923	native
<i>Chaetodon kleinii</i>	Bloch 1790	native
<i>Chaetodon lineolatus</i>		native
<i>Chaetodon lunula</i>	(Lacepède 1802)	native
<i>Chaetodon lunulatus</i>	Quoy & Gaimard 1825	native
<i>Chaetodon melannotus</i>	Bloch & Schneider 1801	native
<i>Chaetodon mertensii</i>	Cuvier in Cuvier & Valenciennes 1831	native
<i>Chaetodon meyeri</i>	Bloch & Schneider 1801	native
<i>Chaetodon modestus</i>	Temminck & Schlegel 1844	native
<i>Chaetodon ocellicaudus</i>	Cuvier in Cuvier & Valenciennes 1831	native
<i>Chaetodon octofasciatus</i>	Bloch 1787	native
<i>Chaetodon ornatissimus</i>	Cuvier (ex Solander) in Cuvier & Valenciennes 1831	native
<i>Chaetodon oxycephalus</i>	Bleeker 1853	native
<i>Chaetodon pelewensis</i>	Kner 1868	native
<i>Chaetodon plebeius</i>	Cuvier (ex Broussonet) in Cuvier & Valenciennes 1831	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Chaetodon punctatofasciatus</i>	<i>Cuvier in Cuvier &amp; Valenciennes 1831</i>	native
<i>Chaetodon rafflesii</i>	<i>Anonymous [Bennett] 1830</i>	native
<i>Chaetodon rainfordi</i>	<i>McCulloch 1923</i>	native
<i>Chaetodon reticulatus</i>	<i>Cuvier in Cuvier &amp; Valenciennes 1831</i>	native
<i>Chaetodon semeion</i>	<i>Bleeker 1855</i>	native
<i>Chaetodon speculum</i>	<i>Cuvier (ex Kuhl &amp; van Hasselt) in Cuvier &amp; Valenciennes 1831</i>	native
<i>Chaetodon tricinctus</i>	<i>Waite 1901</i>	native
<i>Chaetodon trifascialis</i>	<i>Quoy &amp; Gaimard 1825</i>	native
<i>Chaetodon trifasciatus</i>	<i>Park 1797</i>	native
<i>Chaetodon ulietensis</i>	<i>Cuvier in Cuvier &amp; Valenciennes 1831</i>	native
<i>Chaetodon unimaculatus</i>	<i>Bloch 1787</i>	native
<i>Chaetodon vagabundus</i>	<i>Linnaeus 1758</i>	native
<i>Chaetodontoplus ballinae</i>	<i>Whitley 1959</i>	endemic
<i>Chaetodontoplus conspicillatus</i>	<i>(Waite 1900)</i>	native
<i>Chaetodontoplus duboulayi</i>	<i>(Günther 1867)</i>	native
<i>Chaetodontoplus meredithi</i>	<i>Kuiter 1990</i>	native
<i>Chaetodontoplus mesoleucus</i>	<i>(Bloch 1787)</i>	native
<i>Chaetodontoplus personifer</i>	<i>(McCulloch 1914)</i>	native
<i>Champscephalus gunnari</i>	<i>Lönnberg 1905</i>	native
<i>Champsodon atridorsalis</i>	<i>Ochiai &amp; Nakamura in Matsubara, Ochiai, Amaoka &amp; Nakamura 1964</i>	native
<i>Champsodon guentheri</i>	<i>Regan 1908</i>	native
<i>Champsodon longipinnis</i>	<i>Matsubara &amp; Amaoka in Matsubara, Ochiai, Amaoka &amp; Nakamura 1964</i>	native
<i>Champsodon machaeratus</i>	<i>Nemeth 1994</i>	native
<i>Champsodon nudivittis</i>	<i>(Ogilby 1895)</i>	native
<i>Champsodon pantolepis</i>	<i>Nemeth 1994</i>	native
<i>Champsodon sagittus</i>	<i>Nemeth 1994</i>	native
<i>Champsodon snyderi</i>	<i>Franz 1910</i>	native
<i>Champsodon vorax</i>	<i>Günther 1867</i>	native
<i>Channa striata</i>	<i>(Bloch 1793)</i>	native
<i>Channichthys rhinoceros</i>	<i>Richardson 1844</i>	native
<i>Chanos chanos</i>	<i>(Forsskål 1775)</i>	native
<i>Chascanopsetta lugubris</i>	<i>Alcock 1894</i>	native
<i>Chauliodus sloani</i>	<i>Bloch &amp; Schneider 1801</i>	native
<i>Chaunacops melanostomus</i>	<i>(Caruso 1989)</i>	native
<i>Chaunax endeavouri</i>	<i>Whitley 1929</i>	endemic

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Chaunax fimbriatus</i>	<i>Hilgendorf 1879</i>	native
<i>Chaunax penicillatus</i>	<i>McCulloch 1915</i>	native
<i>Cheilinus chlorourus</i>	<i>(Bloch 1791)</i>	native
<i>Cheilinus fasciatus</i>	<i>(Bloch 1791)</i>	native
<i>Cheilinus oxycephalus</i>	<i>Bleeker 1853</i>	native
<i>Cheilinus trilobatus</i>	<i>Lacepède (ex Commerson) 1801</i>	native
<i>Cheilinus undulatus</i>	<i>Rüppell 1835</i>	native
<i>Cheilio inermis</i>	<i>(Forsskål 1775)</i>	native
<i>Cheilodactylus ephippium</i>	<i>McCulloch &amp; Waite 1916</i>	native
<i>Cheilodactylus francisi</i>	<i>Burridge 2004</i>	native
<i>Cheilodactylus fuscus</i>	<i>Castelnau 1879</i>	native
<i>Cheilodactylus gibbosus</i>	<i>Richardson 1841</i>	native
<i>Cheilodactylus nigripes</i>	<i>Richardson 1850</i>	native
<i>Cheilodactylus rubrolabiatus</i>	<i>Allen &amp; Heemstra 1976</i>	native
<i>Cheilodactylus spectabilis</i>	<i>Hutton 1872</i>	native
<i>Cheilodactylus vestitus</i>	<i>(Castelnau 1879)</i>	native
<i>Cheilodactylus vittatus</i>	<i>Garrett 1864</i>	native
<i>Cheilodipterus artus</i>	<i>Smith 1961</i>	native
<i>Cheilodipterus intermedius</i>	<i>Gon 1993</i>	native
<i>Cheilodipterus isostigmus</i>	<i>(Schultz 1940)</i>	native
<i>Cheilodipterus macrodon</i>	<i>(Lacepède 1802)</i>	native
<i>Cheilodipterus parazonatus</i>	<i>Gon 1993</i>	native
<i>Cheilodipterus quinquelineatus</i>	<i>Cuvier in Cuvier &amp; Valenciennes 1828</i>	native
<i>Cheilodipterus singaporensis</i>	<i>Bleeker (ex Castelnau) 1860</i>	native
<i>Cheilopogon abei</i>	<i>Parin 1996</i>	native
<i>Cheilopogon arcticeps</i>	<i>(Günther 1866)</i>	native
<i>Cheilopogon atrisignis</i>	<i>(Jenkins 1903)</i>	native
<i>Cheilopogon cyanopterus</i>	<i>(Valenciennes 1847)</i>	native
<i>Cheilopogon furcatus</i>	<i>(Mitchill 1815)</i>	native
<i>Cheilopogon heterurus</i>	<i>(Rafinesque 1810)</i>	native
<i>Cheilopogon intermedius</i>	<i>Parin 1961</i>	native
<i>Cheilopogon katoptron</i>	<i>(Bleeker 1865)</i>	native
<i>Cheilopogon nigricans</i>	<i>(Bennett 1840)</i>	native
<i>Cheilopogon olgae</i>	<i>Parin 2009</i>	native
<i>Cheilopogon pinnatibarbatus</i>	<i>(Bennett 1831)</i>	native

Genus Species	Author	Type
<i>Cheilopogon spilonopterus</i>	(Bleeker 1865)	native
<i>Cheilopogon spilopterus</i>	(Valenciennes 1847)	native
<i>Cheilopogon suttoni</i>	(Whitley & Colefax 1938)	native
<i>Cheilopogon unicolor</i>	(Valenciennes 1847)	native
<i>Cheiloprion labiatus</i>	(Day 1877)	native
<i>Chelidonichthys kumu</i>	(Cuvier 1829)	native
<i>Chelidoperca margaritifera</i>	Weber 1913	native
<i>Chelmon marginalis</i>	Richardson 1842	native
<i>Chelmon muelleri</i>	Klunzinger 1879	native
<i>Chelmon rostratus</i>	(Linnaeus 1758)	native
<i>Chelmonops curiosus</i>	Kuiter 1986	native
<i>Chelmonops truncatus</i>	(Kner 1859)	endemic
<i>Chelon planiceps</i>	(Valenciennes in Cuvier & Valenciennes 1836)	native
<i>Chelonodon dapsilis</i>	Whitley 1943	native
<i>Chelonodon patoca</i>	(Hamilton 1822)	native
<i>Cheroscorpaena tridactyla</i>	Mees 1964	native
<i>Chiasmodon microcephalus</i>	Norman 1929	native
<i>Chiasmodon niger</i>	Johnson 1864	native
<i>Chilomycterus reticulatus</i>	(Linnaeus 1758)	native
<i>Chiloscyllium punctatum</i>	Müller & Henle (ex Kuhl & van Hasselt) 1838	native
<i>Chimaera argiloba</i>	Last, White & Pogonoski 2008	native
<i>Chimaera fulva</i>	Didier, Last & White 2008	native
<i>Chimaera lignaria</i>	Didier 2002	native
<i>Chimaera macrospina</i>	Didier, Last & White 2008	native
<i>Chimaera obscura</i>	Didier, Last & White 2008	native
<i>Chionobathyscus dewitti</i>	Andriashev & Neyelov 1978	native
<i>Chionodraco hamatus</i>	(Lönnberg 1905)	native
<i>Chionodraco myersi</i>	DeWitt & Tyler 1960	native
<i>Chirocentrus dorab</i>	(Forsskål 1775)	native
<i>Chirocentrus nudus</i>	Swainson 1839	native
<i>Chironemus georgianus</i>	Cuvier in Cuvier & Valenciennes 1829	endemic
<i>Chironemus maculosus</i>	(Richardson 1850)	native
<i>Chironemus marmoratus</i>	Günther 1860	native
<i>Chironemus microlepis</i>	Waite 1916	native
<i>Chitala ornata</i>	(Gray 1831)	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Chlamydogobius eremius</i>	<i>(Zietz 1896)</i>	endemic
<i>Chlamydogobius gloveri</i>	<i>Larson 1995</i>	endemic
<i>Chlamydogobius japalpa</i>	<i>Larson 1995</i>	native
<i>Chlamydogobius micropterus</i>	<i>Larson 1995</i>	native
<i>Chlamydogobius ranunculus</i>	<i>Larson 1995</i>	native
<i>Chlamydogobius squamigenus</i>	<i>Larson 1995</i>	native
<i>Chlamydoselachus anguineus</i>	<i>Garman 1884</i>	native
<i>Chlorophthalmus agassizi</i>	<i>Bonaparte 1840</i>	native
<i>Chlorophthalmus nigromarginatus</i>	<i>Kamohara 1953</i>	native
<i>Chlorurus bleekeri</i>	<i>(de Beaufort 1940)</i>	native
<i>Chlorurus capistratoides</i>	<i>(Bleeker 1847)</i>	native
<i>Chlorurus enneacanthus</i>	<i>(Lacepède 1802)</i>	native
<i>Chlorurus frontalis</i>	<i>(Valenciennes 1840)</i>	native
<i>Chlorurus gibbus</i>	<i>(Rüppell 1829)</i>	---
<i>Chlorurus japanensis</i>	<i>(Bloch 1789)</i>	native
<i>Chlorurus microrhinos</i>	<i>(Bleeker 1854)</i>	native
<i>Chlorurus oedema</i>	<i>(Snyder 1909)</i>	native
<i>Chlorurus rhakoura</i>	<i>Randall &amp; Anderson 1997</i>	native
<i>Chlorurus sordidus</i>	<i>(Forsskål 1775)</i>	native
<i>Chlorurus strongylocephalus</i>	<i>(Bleeker 1855)</i>	native
<i>Choerodon anchorago</i>	<i>(Bloch 1791)</i>	native
<i>Choerodon azurio</i>	<i>(Jordan &amp; Snyder 1901)</i>	native
<i>Choerodon cauteroma</i>	<i>Gomon &amp; Allen 1987</i>	native
<i>Choerodon cephalotes</i>	<i>(Castelnau 1875)</i>	native
<i>Choerodon cyanodus</i>	<i>(Richardson 1843)</i>	native
<i>Choerodon fasciatus</i>	<i>(Günther 1867)</i>	native
<i>Choerodon frenatus</i>	<i>Ogilby 1910</i>	native
<i>Choerodon gomoni</i>	<i>Allen &amp; Randall 2002</i>	native
<i>Choerodon graphicus</i>	<i>(De Vis 1885)</i>	native
<i>Choerodon jordani</i>	<i>(Snyder 1908)</i>	native
<i>Choerodon monostigma</i>	<i>Ogilby 1910</i>	native
<i>Choerodon paynei</i>	<i>Whitley 1945</i>	native
<i>Choerodon rubescens</i>	<i>(Günther 1862)</i>	endemic
<i>Choerodon schoenleinii</i>	<i>(Valenciennes 1839)</i>	native
<i>Choerodon sugillatum</i>	<i>Gomon 1987</i>	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Choerodon venustus</i>	<i>(De Vis 1884)</i>	native
<i>Choerodon vitta</i>	<i>Ogilby 1910</i>	native
<i>Choerodon zamboangae</i>	<i>(Seale &amp; Bean 1907)</i>	native
<i>Choeroichthys brachysoma</i>	<i>(Bleeker 1855)</i>	native
<i>Choeroichthys cinctus</i>	<i>Dawson 1976</i>	native
<i>Choeroichthys latispinosus</i>	<i>Dawson 1978</i>	native
<i>Choeroichthys sculptus</i>	<i>(Günther 1870)</i>	native
<i>Choeroichthys sullus</i>	<i>Whitley 1951</i>	endemic
<i>Chronema chlorotaenia</i>	<i>McKay 1971</i>	native
<i>Chromileptes altivelis</i>	<i>(Valenciennes 1828)</i>	native
<i>Chromis abyssicola</i>	<i>Allen &amp; Randall 1985</i>	native
<i>Chromis agilis</i>	<i>Smith 1960</i>	native
<i>Chromis alpha</i>	<i>Randall 1988</i>	native
<i>Chromis amboinensis</i>	<i>(Bleeker 1871)</i>	native
<i>Chromis analis</i>	<i>(Cuvier 1830)</i>	native
<i>Chromis atripectoralis</i>	<i>Welander &amp; Schultz 1951</i>	native
<i>Chromis atripes</i>	<i>Fowler &amp; Bean 1928</i>	native
<i>Chromis caudalis</i>	<i>Randall 1988</i>	native
<i>Chromis chrysur</i>	<i>(Bliss 1883)</i>	native
<i>Chromis cinerascens</i>	<i>(Cuvier 1830)</i>	native
<i>Chromis delta</i>	<i>Randall 1988</i>	native
<i>Chromis elerae</i>	<i>Fowler &amp; Bean 1928</i>	native
<i>Chromis flavomaculata</i>	<i>Kamohara 1960</i>	native
<i>Chromis fumea</i>	<i>(Tanaka 1917)</i>	native
<i>Chromis hypsilepis</i>	<i>(Günther 1867)</i>	native
<i>Chromis iomelas</i>	<i>Jordan &amp; Seale 1906</i>	native
<i>Chromis klunzingeri</i>	<i>Whitley 1929</i>	native
<i>Chromis lepidolepis</i>	<i>Bleeker 1877</i>	native
<i>Chromis lineata</i>	<i>Fowler &amp; Bean 1928</i>	native
<i>Chromis margaritifera</i>	<i>Fowler 1946</i>	native
<i>Chromis mirationis</i>	<i>Tanaka 1917</i>	native
<i>Chromis nitida</i>	<i>(Whitley 1928)</i>	native
<i>Chromis retrofasciata</i>	<i>Weber 1913</i>	native
<i>Chromis ternatensis</i>	<i>(Bleeker 1856)</i>	native
<i>Chromis vanderbilti</i>	<i>(Fowler 1941)</i>	native

Genus Species	Author	Type
<i>Chromis viridis</i>	(Cuvier 1830)	native
<i>Chromis weberi</i>	Fowler & Bean 1928	native
<i>Chromis westaustralis</i>	Allen 1976	native
<i>Chromis xanthochira</i>	(Bleeker 1851)	native
<i>Chromis xanthura</i>	(Bleeker 1854)	native
<i>Chrysiptera biocellata</i>	(Quoy & Gaimard 1825)	native
<i>Chrysiptera brownriggii</i>	(Bennett 1828)	native
<i>Chrysiptera caeruleolineata</i>	(Allen 1973)	native
<i>Chrysiptera cyanea</i>	(Quoy & Gaimard 1825)	native
<i>Chrysiptera flavipinnis</i>	(Allen & Robertson 1974)	native
<i>Chrysiptera glauca</i>	(Cuvier 1830)	native
<i>Chrysiptera hemicyanea</i>	(Weber 1913)	native
<i>Chrysiptera notialis</i>	(Allen 1975)	native
<i>Chrysiptera rex</i>	(Snyder 1909)	native
<i>Chrysiptera rollandi</i>	(Whitley 1961)	native
<i>Chrysiptera starcki</i>	(Allen 1973)	native
<i>Chrysiptera talboti</i>	(Allen 1975)	native
<i>Chrysiptera taupou</i>	(Jordan & Seale 1906)	native
<i>Chrysiptera tricincta</i>	(Allen & Randall 1974)	native
<i>Chrysiptera unimaculata</i>	(Cuvier 1830)	native
<i>Chrysoblephus gibbiceps</i>	(Valenciennes 1830)	native
<i>Chrysochir aureus</i>	(Richardson 1846)	native
<i>Cinetodus froggatti</i>	(Ramsay & Ogilby 1886)	native
<i>Cirrhigaleus australis</i>	White, Last & Stevens 2007	native
<i>Cirrhigaleus barbifer</i>	Tanaka 1912	native
<i>Cirrhilabrus bathyphilus</i>	Randall & Nagareda 2002	native
<i>Cirrhilabrus condei</i>	Allen & Randall 1996	native
<i>Cirrhilabrus cyanopleura</i>	(Bleeker 1851)	native
<i>Cirrhilabrus exquisitus</i>	Smith 1957	native
<i>Cirrhilabrus laboutei</i>	Randall & Lubbock 1982	native
<i>Cirrhilabrus lineatus</i>	Randall & Lubbock 1982	native
<i>Cirrhilabrus morrisoni</i>	Allen 1999	native
<i>Cirrhilabrus punctatus</i>	Randall & Kuitert 1989	native
<i>Cirrhilabrus randalli</i>	Allen 1995	native
<i>Cirrhilabrus scottorum</i>	Randall & Pyle 1989	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Cirrhilabrus temminckii</i>	<i>Bleeker 1853</i>	native
<i>Cirrhimuraena calamus</i>	<i>(Günther 1870)</i>	endemic
<i>Cirrhitichthys aprinus</i>	<i>(Cuvier 1829)</i>	native
<i>Cirrhitichthys falco</i>	<i>Randall 1963</i>	native
<i>Cirrhitichthys oxycephalus</i>	<i>(Bleeker 1855)</i>	native
<i>Cirrhitus pinnulatus</i>	<i>(Forster 1801)</i>	native
<i>Cirripectes alboapicalis</i>	<i>(Ogilby 1899)</i>	native
<i>Cirripectes alleni</i>	<i>Williams 1993</i>	native
<i>Cirripectes castaneus</i>	<i>(Valenciennes 1836)</i>	native
<i>Cirripectes chelomatus</i>	<i>Williams &amp; Maugé 1984</i>	native
<i>Cirripectes filamentosus</i>	<i>(Alleyne &amp; Macleay 1877)</i>	native
<i>Cirripectes hutchinsi</i>	<i>Williams 1988</i>	endemic
<i>Cirripectes polyzona</i>	<i>(Bleeker 1868)</i>	native
<i>Cirripectes quagga</i>	<i>(Fowler &amp; Ball 1924)</i>	native
<i>Cirripectes stigmaticus</i>	<i>Strasburg &amp; Schultz 1953</i>	native
<i>Citharoides macrolepidotus</i>	<i>Hubbs 1915</i>	native
<i>Citharoides macrolepis</i>	<i>(Gilchrist 1904)</i>	native
<i>Citharoides orbitalis</i>	<i>Hoshino 2000</i>	native
<i>Clarias batrachus</i>	<i>(Linnaeus 1758)</i>	native
<i>Cleidopus gloriamaris</i>	<i>De Vis 1882</i>	endemic
<i>Clupea harengus</i>	<i>Linnaeus 1758</i>	native
<i>Cnidoglanis macrocephalus</i>	<i>(Valenciennes 1840)</i>	endemic
<i>Coccorella atlantica</i>	<i>(Parr 1928)</i>	native
<i>Cochlefelis insidiator</i>	<i>(Kailola 2000)</i>	native
<i>Cochleoceps bassensis</i>	<i>Hutchins 1983</i>	native
<i>Cochleoceps bicolor</i>	<i>Hutchins 1991</i>	native
<i>Cochleoceps orientalis</i>	<i>Hutchins 1991</i>	native
<i>Cochleoceps spatula</i>	<i>(Günther 1861)</i>	native
<i>Cochleoceps viridis</i>	<i>Hutchins 1991</i>	native
<i>Cociella crocodila</i>	<i>(Cuvier (ex Tilesius) in Cuvier &amp; Valenciennes 1829)</i>	native
<i>Cociella hutchinsi</i>	<i>Knapp 1996</i>	endemic
<i>Cocotropus altipinnis</i>	<i>Waite 1903</i>	native
<i>Cocotropus microps</i>	<i>Johnson 2004</i>	native
<i>Coelophrys brevipes</i>	<i>Smith &amp; Radcliffe in Radcliffe 1912</i>	native
<i>Coelorinchus acanthiger</i>	<i>(Barnard 1925)</i>	native

Genus Species	Author	Type
<i>Coelorinchus acutirostris</i>	(Smith & Radcliffe 1912)	native
<i>Coelorinchus amydrozosterus</i>	Iwamoto & Williams 1999	native
<i>Coelorinchus anatrostris</i>	(Jordan & Gilbert 1904)	native
<i>Coelorinchus argentatus</i>	(Smith & Radcliffe 1912)	native
<i>Coelorinchus argus</i>	(Weber 1913)	native
<i>Coelorinchus australis</i>	(Richardson 1839)	native
<i>Coelorinchus charius</i>	Iwamoto & Williams 1999	native
<i>Coelorinchus fasciatus</i>	(Günther 1878)	native
<i>Coelorinchus gaesorhynchus</i>	Iwamoto & Williams 1999	native
<i>Coelorinchus goobala</i>	Iwamoto & Williams 1999	native
<i>Coelorinchus gormani</i>	Iwamoto & Graham 2008	native
<i>Coelorinchus hoangi</i>	Iwamoto & Graham 2008	native
<i>Coelorinchus innotabilis</i>	(McCulloch 1907)	native
<i>Coelorinchus kaiyomaru</i>	Arai & Iwamoto 1979	native
<i>Coelorinchus karrerae</i>	Trunov 1984	native
<i>Coelorinchus kermadecus</i>	Jordan & Gilbert 1904	native
<i>Coelorinchus lasti</i>	Iwamoto & Williams 1999	native
<i>Coelorinchus macrorhynchus</i>	(Smith & Radcliffe 1912)	native
<i>Coelorinchus maculatus</i>	(Gilbert & Hubbs 1920)	native
<i>Coelorinchus matamua</i>	(McCann & McKnight 1980)	native
<i>Coelorinchus maurofasciatus</i>	McMillan & Paulin 1993	native
<i>Coelorinchus mayiae</i>	Iwamoto & Williams 1999	native
<i>Coelorinchus mirus</i>	McCulloch 1926	endemic
<i>Coelorinchus multispinulosus</i>	Katayama 1942	native
<i>Coelorinchus mycterismus</i>	McMillan & Paulin 1993	native
<i>Coelorinchus obscuratus</i>	McMillan & Iwamoto 2009	native
<i>Coelorinchus osipullus</i>	McMillan & Iwamoto 2009	native
<i>Coelorinchus parallelus</i>	(Günther 1877)	native
<i>Coelorinchus pardus</i>	Iwamoto & Williams 1999	native
<i>Coelorinchus parvifasciatus</i>	McMillan & Paulin 1993	native
<i>Coelorinchus semaphoreus</i>	(Iwamoto & Merrett 1997)	native
<i>Coelorinchus sereti</i>	Iwamoto & Merrett 1997	native
<i>Coelorinchus shcherbachevi</i>	(Iwamoto & Merrett 1997)	native
<i>Coelorinchus smithi</i>	(Gilbert & Hubbs 1920)	native
<i>Coelorinchus spathulatus</i>	(McMillan & Paulin 1993)	native

Genus Species	Author	Type
<i>Coelorinchus supernasutus</i>	<i>McMillan &amp; Paulin 1993</i>	native
<i>Coelorinchus thurla</i>	<i>Iwamoto &amp; Williams 1999</i>	native
<i>Coelorinchus trachycarus</i>	<i>Iwamoto, McMillan &amp; Shcherbachev 1999</i>	native
<i>Colistium guntheri</i>	<i>(Hutton 1873)</i>	native
<i>Colistium nudipinnis</i>	<i>(Waite 1911)</i>	native
<i>Coloconger scholesi</i>	<i>Chan 1967</i>	native
<i>Cologrammus flavescens</i>	<i>(Hutton 1872)</i>	native
<i>Colurodontis paxmani</i>	<i>Hutchins 1977</i>	native
<i>Conger cinereus</i>	<i>Rüppell 1871</i>	native
<i>Conger verreauxi</i>	<i>Kaup 1856</i>	native
<i>Conger wilsoni</i>	<i>(Bloch &amp; Schneider 1801)</i>	native
<i>Congiopodus leucopaecilus</i>	<i>(Richardson 1846)</i>	native
<i>Congriscus maldivensis</i>	<i>(Norman 1939)</i>	native
<i>Congrogadus amplimaculatus</i>	<i>(Winterbottom 1980)</i>	native
<i>Congrogadus malayanus</i>	<i>(Weber 1909)</i>	native
<i>Congrogadus spinifer</i>	<i>(Borodin 1933)</i>	endemic
<i>Congrogadus subducens</i>	<i>(Richardson 1843)</i>	native
<i>Congrogadus winterbottomi</i>	<i>Gill, Mooi &amp; Hutchins 2000</i>	native
<i>Conidens samoensis</i>	<i>(Steindachner 1906)</i>	native
<i>Conniella apterygia</i>	<i>Allen 1983</i>	native
<i>Conocara krefftii</i>	<i>Sazonov 1997</i>	native
<i>Conocara microlepis</i>	<i>(Lloyd 1909)</i>	native
<i>Conocara murrayi</i>	<i>(Koefoed 1927)</i>	native
<i>Conocara nigrum</i>	<i>(Günther 1878)</i>	native
<i>Conocara paxtoni</i>	<i>Sazonov, Williams &amp; Kobylansky 2009</i>	native
<i>Contusus brevicaudus</i>	<i>Hardy 1981</i>	native
<i>Contusus richei</i>	<i>(Fréminville 1813)</i>	native
<i>Cookeolus japonicus</i>	<i>(Cuvier 1829)</i>	native ?
<i>Coptodon zillii</i>	<i>Gervais 1848</i>	native
<i>Coradion altivelis</i>	<i>McCulloch 1916</i>	native
<i>Coradion chrysozonus</i>	<i>(Cuvier 1831)</i>	native
<i>Coradion melanopus</i>	<i>(Cuvier 1831)</i>	native
<i>Coris auricularis</i>	<i>(Valenciennes 1839)</i>	native
<i>Coris aurilineata</i>	<i>Randall &amp; Kuitert 1982</i>	native
<i>Coris aygula</i>	<i>Lacepède 1801</i>	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Coris batuensis</i>	<i>(Bleeker 1856)</i>	native
<i>Coris bulbifrons</i>	<i>Randall &amp; Kuitert 1982</i>	native
<i>Coris caudimacula</i>	<i>(Quoy &amp; Gaimard 1834)</i>	native
<i>Coris dorsomacula</i>	<i>Fowler 1908</i>	native
<i>Coris gaimard</i>	<i>(Quoy &amp; Gaimard 1824)</i>	native
<i>Coris picta</i>	<i>(Bloch &amp; Schneider 1801)</i>	native
<i>Coris pictoides</i>	<i>Randall &amp; Kuitert 1982</i>	native
<i>Coris sandeyeri</i>	<i>(Hector 1884)</i>	native
<i>Coryphaena equiselis</i>	<i>Linnaeus 1758</i>	native
<i>Coryphaena hippurus</i>	<i>Linnaeus 1758</i>	native
<i>Coryphaenoides armatus</i>	<i>(Hector 1875)</i>	native
<i>Coryphaenoides asprellus</i>	<i>(Smith &amp; Radcliffe 1912)</i>	native
<i>Coryphaenoides carapinus</i>	<i>Goode &amp; Bean 1883</i>	native
<i>Coryphaenoides dossenus</i>	<i>McMillan 1999</i>	native
<i>Coryphaenoides fernandezianus</i>	<i>(Günther 1887)</i>	native
<i>Coryphaenoides ferrieri</i>	<i>(Regan 1913)</i>	native
<i>Coryphaenoides filicauda</i>	<i>Günther 1878</i>	native
<i>Coryphaenoides grahami</i>	<i>Iwamoto &amp; Shcherbachev 1991</i>	native
<i>Coryphaenoides lecointei</i>	<i>(Dollo 1900)</i>	native
<i>Coryphaenoides mcmillani</i>	<i>Iwamoto &amp; Shcherbachev 1991</i>	native
<i>Coryphaenoides murrayi</i>	<i>Günther 1878</i>	native
<i>Coryphaenoides rudis</i>	<i>Günther 1878</i>	native
<i>Coryphaenoides serrulatus</i>	<i>Günther 1878</i>	native
<i>Coryphaenoides striaturus</i>	<i>Barnard 1925</i>	native
<i>Coryphaenoides subserrulatus</i>	<i>Makushok 1976</i>	native
<i>Corythoichthys amplexus</i>	<i>Dawson &amp; Randall 1975</i>	native
<i>Corythoichthys benedetto</i>	<i>Allen &amp; Erdmann 2008</i>	native
<i>Corythoichthys conspicillatus</i>	<i>(Jenyns 1842)</i>	native
<i>Corythoichthys flavofasciatus</i>	<i>(Rüppell 1838)</i>	---
<i>Corythoichthys haematopterus</i>	<i>(Bleeker 1851)</i>	native
<i>Corythoichthys intestinalis</i>	<i>(Ramsay 1881)</i>	native
<i>Corythoichthys ocellatus</i>	<i>Herald in Schultz et al. 1953</i>	native
<i>Corythoichthys paxtoni</i>	<i>Dawson 1977</i>	native
<i>Corythoichthys schultzi</i>	<i>Herald in Schultz et al. 1953</i>	native
<i>Cosmocampus banneri</i>	<i>(Herald &amp; Randall 1972)</i>	native

Genus Species	Author	Type
<i>Cosmocampus darrosanus</i>	(Dawson & Randall 1975)	native
<i>Cosmocampus howensis</i>	(Whitley 1948)	native
<i>Cosmocampus maxweberi</i>	(Whitley 1933)	native
<i>Cottapistus cottoides</i>	(Linnaeus 1758)	native
<i>Crapatalus munroi</i>	Last & Edgar 1987	native
<i>Craterocephalus amniculus</i>	Crowley & Ivantsoff 1990	native
<i>Craterocephalus capreoli</i>	Rendahl 1922	endemic
<i>Craterocephalus centralis</i>	Crowley & Ivantsoff 1990	native
<i>Craterocephalus cuneiceps</i>	Whitley 1944	endemic
<i>Craterocephalus dalhousiensis</i>	Ivantsoff & Glover 1974	endemic
<i>Craterocephalus eyresii</i>	(Steindachner 1883)	endemic
<i>Craterocephalus fluviatilis</i>	McCulloch 1912	endemic
<i>Craterocephalus fulvus</i>	Ivantsoff, Crowley & Allen 1987	native
<i>Craterocephalus gloveri</i>	Crowley & Ivantsoff 1990	native
<i>Craterocephalus helenae</i>	Ivantsoff, Crowley & Allen 1987	endemic
<i>Craterocephalus honoriae</i>	(Ogilby 1912)	endemic
<i>Craterocephalus lentiginosus</i>	Ivantsoff, Crowley & Allen 1987	endemic
<i>Craterocephalus marianae</i>	Ivantsoff, Crowley & Allen 1987	native
<i>Craterocephalus marjoriae</i>	Whitley 1948	endemic
<i>Craterocephalus mugiloides</i>	(McCulloch 1912)	endemic
<i>Craterocephalus munroi</i>	Crowley & Ivantsoff 1988	endemic
<i>Craterocephalus pauciradiatus</i>	(Günther 1861)	endemic
<i>Craterocephalus stercusmuscarum</i>	(Günther 1867)	native
<i>Craterocephalus stramineus</i>	(Whitley 1950)	endemic
<i>Creedia alleni</i>	Nelson 1983	native
<i>Creedia haswelli</i>	(Ramsay 1881)	native
<i>Creedia partimsquamigera</i>	Nelson 1983	native
<i>Crenimugil crenilabis</i>	(Forsskål 1775)	native
<i>Crenimugil heterocheilos</i>	(Bleeker 1855)	native
<i>Creocele cardinalis</i>	(Ramsay 1882)	native
<i>Cristatogobius rubripectoralis</i>	Akihito, Meguro & Sakamoto 2003	native
<i>Cristiceps argyropleura</i>	Kner 1865	native
<i>Cristiceps aurantiacus</i>	Castelnau 1879	native
<i>Cristiceps australis</i>	Valenciennes in Cuvier & Valenciennes 1836	native
<i>Crossorhombus azureus</i>	(Alcock 1889)	native

Genus Species	Author	Type
<i>Crossorhombus howensis</i>	<i>Hensley &amp; Randall 1993</i>	native
<i>Crossorhombus kanekonis</i>	<i>(Tanaka 1918)</i>	native
<i>Crossorhombus valderostratus</i>	<i>(Alcock 1890)</i>	native
<i>Crossosalarias macrospilus</i>	<i>Smith-Vaniz &amp; Springer 1971</i>	native
<i>Cryodraco antarcticus</i>	<i>Dollo 1900</i>	native
<i>Cryodraco atkinsoni</i>	<i>Regan 1914</i>	native
<i>Cryptocentroides gobioides</i>	<i>(Ogilby 1886)</i>	native
<i>Cryptocentroides insignis</i>	<i>(Seale 1910)</i>	native
<i>Cryptocentrus bulbiceps</i>	<i>(Whitley 1953)</i>	native
<i>Cryptocentrus caeruleomaculatus</i>	<i>(Herre 1933)</i>	native
<i>Cryptocentrus cebuanus</i>	<i>Herre 1927</i>	native
<i>Cryptocentrus cinctus</i>	<i>(Herre 1936)</i>	native
<i>Cryptocentrus fasciatus</i>	<i>(Playfair in Playfair &amp; Günther 1867)</i>	native
<i>Cryptocentrus inexplicatus</i>	<i>(Herre 1934)</i>	native
<i>Cryptocentrus insignitus</i>	<i>(Whitley 1956)</i>	native
<i>Cryptocentrus leptocephalus</i>	<i>Bleeker 1876</i>	native
<i>Cryptocentrus leucostictus</i>	<i>(Günther 1872)</i>	native
<i>Cryptocentrus maudae</i>	<i>Fowler 1937</i>	native
<i>Cryptocentrus strigilliceus</i>	<i>(Jordan &amp; Seale 1906)</i>	native
<i>Cryptocentrus tentaculatus</i>	<i>Hoese &amp; Larson 2004</i>	native
<i>Cryptopsaras couesii</i>	<i>Gill 1883</i>	native
<i>Ctenochaetus binotatus</i>	<i>Randall 1955</i>	native
<i>Ctenochaetus cyanocheilus</i>	<i>Randall &amp; Clements 2001</i>	native
<i>Ctenochaetus striatus</i>	<i>(Quoy &amp; Gaimard 1825)</i>	native
<i>Ctenochaetus strigosus</i>	<i>(Bennett 1828)</i>	native
<i>Ctenochaetus tominiensis</i>	<i>Randall 1955</i>	native
<i>Ctenogobiops aurocingulus</i>	<i>(Herre 1935)</i>	native
<i>Ctenogobiops feroculus</i>	<i>Lubbock &amp; Polunin 1977</i>	native
<i>Ctenogobiops maculosus</i>	<i>(Fourmanoir 1955)</i>	native
<i>Ctenogobiops pomastictus</i>	<i>Lubbock &amp; Polunin 1977</i>	native
<i>Ctenogobiops tangaroai</i>	<i>Lubbock &amp; Polunin 1977</i>	native
<i>Ctenotrypauchen chinensis</i>	<i>Steindachner 1867</i>	native
<i>Cubiceps baxteri</i>	<i>McCulloch 1923</i>	native
<i>Cubiceps caeruleus</i>	<i>Regan 1914</i>	native
<i>Cubiceps capensis</i>	<i>(Smith 1845)</i>	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Cubiceps kotlyari</i>	<i>Agafonova 1988</i>	native
<i>Cubiceps pauciradiatus</i>	<i>Günther 1872</i>	native
<i>Cubiceps whiteleggii</i>	<i>(Waite 1894)</i>	native
<i>Cybiosarda elegans</i>	<i>(Whitley 1935)</i>	native
<i>Cyclichthys hardenbergi</i>	<i>(de Beaufort 1939)</i>	native
<i>Cyclichthys orbicularis</i>	<i>(Bloch 1785)</i>	native
<i>Cyclichthys spilostylus</i>	<i>(Leis &amp; Randall 1982)</i>	native
<i>Cyclothone acclinidens</i>	<i>Garman 1899</i>	native
<i>Cyclothone alba</i>	<i>Brauer 1906</i>	native
<i>Cyclothone braueri</i>	<i>Jespersen &amp; Tåning 1926</i>	native
<i>Cyclothone kobayashii</i>	<i>Miya 1994</i>	native
<i>Cyclothone microdon</i>	<i>(Günther 1878)</i>	native
<i>Cyclothone obscura</i>	<i>Brauer 1902</i>	native
<i>Cyclothone pallida</i>	<i>Brauer 1902</i>	native
<i>Cyclothone parapallida</i>	<i>Badcock 1982</i>	native
<i>Cyclothone pseudopallida</i>	<i>Mukhacheva 1964</i>	native
<i>Cyema atrum</i>	<i>Günther 1878</i>	native
<i>Cygnodraco mawsoni</i>	<i>Waite 1916</i>	native
<i>Cymbacephalus bosschei</i>	<i>(Bleeker 1860)</i>	native
<i>Cymbacephalus nematophthalmus</i>	<i>(Günther 1860)</i>	native
<i>Cymbacephalus staigeri</i>	<i>(Castelnau 1875)</i>	native
<i>Cymolutes praetextatus</i>	<i>(Quoy &amp; Gaimard 1834)</i>	native
<i>Cymolutes torquatus</i>	<i>(Valenciennes 1840)</i>	native
<i>Cynoglossus arel</i>	<i>(Bloch &amp; Schneider 1801)</i>	native
<i>Cynoglossus bilineatus</i>	<i>(Lacepède 1802)</i>	native
<i>Cynoglossus broadhursti</i>	<i>Waite 1905</i>	native
<i>Cynoglossus heterolepis</i>	<i>Weber 1910</i>	native
<i>Cynoglossus kopsii</i>	<i>(Bleeker 1851)</i>	native
<i>Cynoglossus maccullochi</i>	<i>Norman 1926</i>	native
<i>Cynoglossus macrophthalmus</i>	<i>Norman 1926</i>	native
<i>Cynoglossus maculipinnis</i>	<i>Rendahl 1921</i>	native
<i>Cynoglossus ogilbyi</i>	<i>Norman 1926</i>	native
<i>Cynoglossus puncticeps</i>	<i>(Richardson 1846)</i>	native
<i>Cynoglossus suyeni</i>	<i>Fowler 1934</i>	native
<i>Cynomacrurus piriei</i>	<i>Dollo 1909</i>	native

Genus Species	Author	Type
<i>Cypho purpurascens</i>	(De Vis 1884)	native
<i>Cyprinocirrhites polyactis</i>	(Bleeker 1874)	native
<i>Cyprinus carpio</i>	Linnaeus 1758	native
<i>Cyprinus carpio carpio</i>	Linnaeus 1758	introduced
<i>Cypselurus angusticeps</i>	Nichols & Breder 1935	native
<i>Cypselurus hexazona</i>	(Bleeker 1853)	native
<i>Cypselurus naresii</i>	(Günther 1889)	native
<i>Cypselurus oligolepis</i>	(Bleeker 1865)	native
<i>Cypselurus poecilopterus</i>	(Valenciennes 1847)	native
<i>Cyttomimus affinis</i>	Weber 1913	native
<i>Cyttopsis cypho</i>	(Fowler 1934)	native
<i>Cyttopsis rosea</i>	(Lowe 1843)	native
<i>Cyttus australis</i>	(Richardson 1843)	native
<i>Cyttus novaezealandiae</i>	(Arthur 1885)	native
<i>Cyttus traversi</i>	Hutton 1872	native
<i>Dacodraco hunteri</i>	Waite 1916	native
<i>Dactylophora nigricans</i>	(Richardson 1850)	native
<i>Dactyloptena macracantha</i>	(Bleeker 1854)	native
<i>Dactyloptena orientalis</i>	(Cuvier 1829)	native
<i>Dactyloptena papilio</i>	Ogilby 1910	native
<i>Dactyloptena peterseni</i>	(Nyström 1887)	native
<i>Dactyloptena tiltoni</i>	Eschmeyer 1997	native
<i>Dactylopus dactylopus</i>	(Valenciennes 1837)	native
<i>Dactylosurculus gomoni</i>	Schwarzhan & Møller 2007	native
<i>Dalatias licha</i>	(Bonnaterre 1788)	native
<i>Dampierosa daruma</i>	Whitley 1932	endemic
<i>Dannevigia tusca</i>	Whitley 1941	endemic
<i>Dascyllus aruanus</i>	(Linnaeus 1758)	native
<i>Dascyllus melanurus</i>	Bleeker 1854	native
<i>Dascyllus reticulatus</i>	(Richardson 1846)	native
<i>Dascyllus trimaculatus</i>	(Rüppell 1829)	native
<i>Dasyatis brevicaudata</i>	(Hutton 1875)	native
<i>Dasyatis fluviorum</i>	Ogilby 1908	native
<i>Dasyatis microps</i>	(Annandale 1908)	native
<i>Dasyatis parvonigra</i>	Last & White 2008	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Dasyatis thetidis</i>	<i>Ogilby in Waite 1899</i>	native
<i>Deania calcea</i>	<i>(Lowe 1839)</i>	native
<i>Deania quadrispinosa</i>	<i>(McCulloch 1915)</i>	native
<i>Decapterus kurroides</i>	<i>Bleeker 1855</i>	native
<i>Decapterus macarellus</i>	<i>(Cuvier 1833)</i>	native
<i>Decapterus macrosoma</i>	<i>Bleeker 1851</i>	native
<i>Decapterus maruadsi</i>	<i>(Temminck &amp; Schlegel 1843)</i>	native
<i>Decapterus muroadsi</i>	<i>(Temminck &amp; Schlegel 1844)</i>	native
<i>Decapterus russelli</i>	<i>(Rüppell 1830)</i>	native
<i>Decapterus tabl</i>	<i>Berry 1968</i>	native
<i>Decodon pacificus</i>	<i>(Kamohara 1952)</i>	native
<i>Denarius australis</i>	<i>(Steindachner 1867)</i>	native
<i>Dendrochirus biocellatus</i>	<i>(Fowler 1938)</i>	native
<i>Dendrochirus brachypterus</i>	<i>(Cuvier 1829)</i>	native
<i>Dendrochirus zebra</i>	<i>(Cuvier 1829)</i>	native
<i>Dentatherina merceri</i>	<i>Patten &amp; Ivantsoff 1983</i>	native
<i>Dentex spariformis</i>	<i>Ogilby 1910</i>	native
<i>Dentex tumifrons</i>	<i>(Temminck &amp; Schlegel 1843)</i>	native
<i>Dentiraja lemprieri</i>	<i>(Richardson 1845)</i>	native
<i>Derichthys serpentinus</i>	<i>Gill 1884</i>	native
<i>Dermatias platynogaster</i>	<i>Smith &amp; Radcliffe in Radcliffe 1912</i>	native
<i>Dermatopsis hoesei</i>	<i>Møller &amp; Schwarzhans 2006</i>	native
<i>Dermatopsis macrodon</i>	<i>Ogilby 1896</i>	native
<i>Dermatopsis multiradiatus</i>	<i>McCulloch &amp; Waite 1918</i>	endemic
<i>Dermatopsoides morrisonae</i>	<i>Møller &amp; Schwarzhans 2006</i>	native
<i>Desmodema polystictum</i>	<i>(Ogilby 1898)</i>	native
<i>Dexillus muelleri</i>	<i>(Steindachner 1879)</i>	native
<i>Diademichthys lineatus</i>	<i>(Sauvage 1883)</i>	native
<i>Diagramma labiosum</i>	<i>Macleay 1883</i>	native
<i>Diagramma melanacrum</i>	<i>Johnson &amp; Randall in Johnson, Randall &amp; Chenoweth 2001</i>	native
<i>Diagramma pictum</i>	<i>(Thunberg 1792)</i>	native
<i>Diancistrus alleni</i>	<i>Schwarzhans, Møller &amp; Nielsen 2005</i>	native
<i>Diancistrus beateae</i>	<i>Schwarzhans, Møller &amp; Nielsen 2005</i>	native
<i>Diancistrus jeffjohnsoni</i>	<i>Schwarzhans, Møller &amp; Nielsen 2005</i>	native
<i>Diancistrus leisi</i>	<i>Schwarzhans, Møller &amp; Nielsen 2005</i>	native

Genus Species	Author	Type
<i>Diancistrus longifilis</i>	Ogilby 1899	native
<i>Diancistrus mcgroutheri</i>	Schwarzahans, Møller & Nielsen 2005	native
<i>Diancistrus novaeguineae</i>	(Machida 1996)	native
<i>Diaphus aliciae</i>	Fowler 1934	native
<i>Diaphus anderseni</i>	Tåning 1932	native
<i>Diaphus bertelseni</i>	Nafpaktitis 1966	native
<i>Diaphus brachycephalus</i>	Tåning 1928	native
<i>Diaphus chrysorhynchus</i>	Gilbert & Cramer 1897	native
<i>Diaphus coeruleus</i>	(Klunzinger 1871)	native
<i>Diaphus danae</i>	Tåning 1932	native
<i>Diaphus diadematus</i>	Tåning 1932	native
<i>Diaphus drachmanni</i>	Tåning 1932	native
<i>Diaphus effulgens</i>	(Goode & Bean 1896)	native
<i>Diaphus fragilis</i>	Tåning 1928	native
<i>Diaphus garmani</i>	Gilbert 1906	native
<i>Diaphus hudsoni</i>	Zurbrigg & Scott 1976	native
<i>Diaphus impostor</i>	Nafpaktitis, Robertson & Paxton 1995	native
<i>Diaphus jenseni</i>	Tåning 1932	native
<i>Diaphus kapalae</i>	Nafpaktitis, Robertson & Paxton 1995	native
<i>Diaphus lucidus</i>	(Goode & Bean 1896)	native
<i>Diaphus luetkeni</i>	(Brauer 1904)	native
<i>Diaphus malayanus</i>	Weber 1913	native
<i>Diaphus meadi</i>	Nafpaktitis 1978	native
<i>Diaphus metopoclampus</i>	(Cocco 1829)	native
<i>Diaphus mollis</i>	Tåning 1928	native
<i>Diaphus ostensfeldi</i>	Tåning 1932	native
<i>Diaphus parri</i>	Tåning 1932	native
<i>Diaphus perspicillatus</i>	(Ogilby 1898)	native
<i>Diaphus phillipsi</i>	Fowler 1934	native
<i>Diaphus problematicus</i>	Parr 1928	native
<i>Diaphus regani</i>	Tåning 1932	native
<i>Diaphus splendidus</i>	(Brauer 1904)	native
<i>Diaphus termophilus</i>	Tåning 1928	native
<i>Diaphus thiollierei</i>	Fowler 1934	native
<i>Diaphus watasei</i>	Jordan & Starks 1904	native

Genus Species	Author	Type
<i>Diastobranchus capensis</i>	Barnard 1923	native
<i>Dibrachichthys melanurus</i>	Pietsch, Johnson & Arnold 2009	native
<i>Dibranchius japonicus</i>	Amaoka & Toyoshima 1981	native
<i>Diceratias bispinosus</i>	(Günther 1887)	native
<i>Diceratias pileatus</i>	Uwate 1979	native
<i>Diceratias trilobus</i>	Balushkin & Fedorov 1986	native
<i>Dicotylichthys punctulatus</i>	Kaup 1855	native
<i>Didymothallus criniceps</i>	Schwarzahns & Möller 2007	native
<i>Didymothallus mizolepis</i>	(Günther 1867)	native
<i>Deidolycus leptodermatus</i>	Anderson 1988	native
<i>Dinematichthys iluocoeteoides</i>	Bleeker 1855	native
<i>Dinolestes lewini</i>	(Griffith & Smith 1834)	endemic
<i>Diodon holocanthus</i>	Linnaeus 1758	native
<i>Diodon hystrix</i>	Linnaeus 1758	native
<i>Diodon liturosus</i>	Shaw (ex Lacepède) 1804	native
<i>Diodon nichthemerus</i>	Cuvier 1818	native
<i>Diogenichthys atlanticus</i>	(Tåning 1928)	native
<i>Diplacanthopoma krefftii</i>	Cohen & Nielsen 2002	native
<i>Diploconger polystigmatus</i>	Kotthaus 1968	native
<i>Diplogrammus goramensis</i>	(Bleeker 1858)	native
<i>Diplogrammus xenicus</i>	(Jordan & Thompson 1914)	native
<i>Diplophos rebainsi</i>	Krefft & Parin 1972	native
<i>Diplophos taenia</i>	Günther 1873	native
<i>Diploprion bifasciatum</i>	Cuvier (ex Kuhl & van Hasselt) in Cuvier & Valenciennes 1828	native
<i>Diplospinus multistriatus</i>	Maul 1948	native
<i>Diproctacanthus xanthurus</i>	(Bleeker 1856)	native
<i>Dipterygonotus balteatus</i>	(Valenciennes 1830)	native
<i>Dipturus acrobelus</i>	Last, White & Pogonoski 2008	native
<i>Dipturus apricus</i>	Last, White & Pogonoski 2008	native
<i>Dipturus australis</i>	(Macleay 1884)	endemic
<i>Dipturus canutus</i>	Last 2008	native
<i>Dipturus cerva</i>	(Whitley 1939)	native
<i>Dipturus confusus</i>	Last 2008	native
<i>Dipturus endeavouri</i>	Last 2008	native
<i>Dipturus falloargus</i>	Last 2008	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Dipturus flindersi</i>	(Last & Gledhill 2008)	native
<i>Dipturus grahami</i>	Last 2008	native
<i>Dipturus gudgeri</i>	(Whitley 1940)	endemic
<i>Dipturus healdi</i>	Last, White & Pogonoski 2008	native
<i>Dipturus innominatus</i>	(Garrick & Paul 1974)	native
<i>Dipturus melanospilus</i>	Last, White & Pogonoski 2008	native
<i>Dipturus oculus</i>	Last 2008	native
<i>Dipturus polyommata</i>	(Ogilby 1910)	endemic
<i>Dipturus queenslandicus</i>	Last, White & Pogonoski 2008	native
<i>Dipturus wengi</i>	Séret & Last 2008	native
<i>Dipturus whitleyi</i>	(Iredale 1938)	native
<i>Dipulus caecus</i>	Waite 1905	endemic
<i>Dipulus hutchinsi</i>	Møller & Schwarzahans 2006	native
<i>Dipulus norfolkanus</i>	Machida 1993	native
<i>Diretmichthys parini</i>	(Post & Quéro 1981)	native
<i>Diretmus argenteus</i>	Johnson 1864	native
<i>Dischistodus chrysopoecilus</i>	(Schlegel & Müller 1840)	native
<i>Dischistodus darwiniensis</i>	(Whitley 1928)	native
<i>Dischistodus fasciatus</i>	(Cuvier in Cuvier & Valenciennes 1830)	native
<i>Dischistodus melanotus</i>	(Bleeker 1858)	native
<i>Dischistodus perspicillatus</i>	(Cuvier 1830)	native
<i>Dischistodus prosopotaenia</i>	(Bleeker 1852)	native
<i>Dischistodus pseudochrysopoecilus</i>	(Allen & Robertson 1974)	native
<i>Discordipinna griessingeri</i>	Hoese & Fourmanoir 1978	native
<i>Discotrema crinophilum</i>	Briggs 1976	native
<i>Discotrema monogrammum</i>	Craig & Randall 2008	native
<i>Dissostichus eleginoides</i>	Smitt 1898	native
<i>Dissostichus mawsoni</i>	Norman 1937	native
<i>Doederleinia berycooides</i>	(Hilgendorf 1879)	native
<i>Dolicholagus longirostris</i>	(Maul 1948)	native
<i>Dolloidraco longedorsalis</i>	Roule 1913	native
<i>Dolopichthys pullatus</i>	Regan & Trewavas 1932	native
<i>Doryrhamphus excisus</i>	Kaup 1856	native
<i>Doryrhamphus janssi</i>	(Herald & Randall 1972)	native
<i>Doryrhamphus malus</i>	Whitley 1954	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Doryrhamphus melanopleura</i>	<i>(Bleeker 1858)</i>	native
<i>Doryrhamphus negrosensis</i>	<i>Herre 1934</i>	native
<i>Doryrhamphus negrosensis negrosensis</i>	<i>Herre 1934</i>	native
<i>Dotalabrus alleni</i>	<i>Russell 1988</i>	native
<i>Dotalabrus aurantiacus</i>	<i>(Castelnau 1872)</i>	native
<i>Drepane longimana</i>	<i>(Bloch &amp; Schneider 1801)</i>	native
<i>Drepane punctata</i>	<i>(Linnaeus 1758)</i>	native
<i>Drombus dentifer</i>	<i>(Hora 1923)</i>	native
<i>Drombus globiceps</i>	<i>(Hora 1923)</i>	native
<i>Drombus halei</i>	<i>Whitley 1935</i>	native
<i>Drombus lepidothorax</i>	<i>Whitley 1945</i>	native
<i>Drombus ocyurus</i>	<i>(Jordan &amp; Seale 1907)</i>	native
<i>Drombus simulus</i>	<i>(Smith 1960)</i>	native
<i>Drombus triangularis</i>	<i>(Weber 1909)</i>	native
<i>Dunckerocampus dactyliophorus</i>	<i>(Bleeker 1853)</i>	native
<i>Dunckerocampus pessuliferus</i>	<i>Fowler 1938</i>	native
<i>Dussumieria elopsoides</i>	<i>Bleeker 1849</i>	native
<i>Dysalotus alcocki</i>	<i>MacGilchrist 1905</i>	native
<i>Dysalotus oligoscolus</i>	<i>Johnson &amp; Cohen 1974</i>	native
<i>Ebinania australiae</i>	<i>Jackson &amp; Nelson 2006</i>	native
<i>Ebinania macquariensis</i>	<i>Nelson 1982</i>	native
<i>Ebosia bleekeri</i>	<i>(Döderlein 1884)</i>	native
<i>Echelus uropterus</i>	<i>(Temminck &amp; Schlegel 1846)</i>	native
<i>Echeneis naucrates</i>	<i>Linnaeus 1758</i>	native
<i>Echidna nebulosa</i>	<i>(Ahl 1789)</i>	native
<i>Echidna polyzona</i>	<i>(Richardson 1845)</i>	native
<i>Echidna unicolor</i>	<i>Schultz in Schultz et al. 1953</i>	native
<i>Echinogobius hayashii</i>	<i>Iwata, Hosoya &amp; Niimura 1998</i>	native
<i>Echinophryne crassispina</i>	<i>McCulloch &amp; Waite 1918</i>	endemic
<i>Echinophryne mitchellii</i>	<i>(Morton 1897)</i>	native
<i>Echinophryne reynoldsi</i>	<i>Pietsch &amp; Kuitert 1984</i>	native
<i>Echinorhinus brucus</i>	<i>(Bonnaterre 1788)</i>	native
<i>Echinorhinus cookei</i>	<i>Pietschmann 1928</i>	native
<i>Echiodon anchipterus</i>	<i>Williams 1984</i>	native
<i>Echiodon coheni</i>	<i>Williams 1984</i>	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Echiodon cryomargarites</i>	<i>Markle, Williams &amp; Olney 1983</i>	native
<i>Echiodon rendahli</i>	<i>(Whitley 1941)</i>	native
<i>Echiostoma barbatum</i>	<i>Lowe 1843</i>	native
<i>Ecsenius aequalis</i>	<i>Springer 1988</i>	native
<i>Ecsenius alleni</i>	<i>Springer 1988</i>	native
<i>Ecsenius australianus</i>	<i>Springer 1988</i>	native
<i>Ecsenius bicolor</i>	<i>(Day 1888)</i>	native
<i>Ecsenius fourmanoiri</i>	<i>Springer 1972</i>	native
<i>Ecsenius frontalis</i>	<i>(Valenciennes 1836)</i>	native
<i>Ecsenius lineatus</i>	<i>Klausewitz 1962</i>	native
<i>Ecsenius lividanalis</i>	<i>Chapman &amp; Schultz 1952</i>	native
<i>Ecsenius mandibularis</i>	<i>McCulloch 1923</i>	native
<i>Ecsenius midas</i>	<i>Starck 1969</i>	native
<i>Ecsenius namiyei</i>	<i>(Jordan &amp; Evermann 1902)</i>	native
<i>Ecsenius oculatus</i>	<i>Springer 1988</i>	native
<i>Ecsenius schroederi</i>	<i>McKinney &amp; Springer 1976</i>	native
<i>Ecsenius stictus</i>	<i>Springer 1988</i>	native
<i>Ecsenius tigris</i>	<i>Springer 1988</i>	native
<i>Ecsenius trilineatus</i>	<i>Springer 1972</i>	native
<i>Ecsenius yaeyamaensis</i>	<i>(Aoyagi 1954)</i>	native
<i>Ectreposebastes imus</i>	<i>Garman 1899</i>	native
<i>Ectreposebastes niger</i>	<i>(Fourmanoir 1971)</i>	native
<i>Eeyorius hutchinsi</i>	<i>Paulin 1986</i>	native
<i>Egglestonichthys bombylios</i>	<i>Larson &amp; Hoese 1997</i>	native
<i>Einara macrolepis</i>	<i>(Koefoed 1927)</i>	native
<i>Elagatis bipinnulata</i>	<i>(Quoy &amp; Gaimard 1825)</i>	native
<i>Elates ransonnettii</i>	<i>(Steindachner 1876)</i>	native
<i>Electrona antarctica</i>	<i>(Günther 1878)</i>	native
<i>Electrona carlsbergi</i>	<i>(Tåning 1932)</i>	native
<i>Electrona paucirastra</i>	<i>Bolin in Andriashev 1962</i>	native
<i>Electrona risso</i>	<i>(Cocco 1829)</i>	native
<i>Electrona subaspera</i>	<i>(Günther 1864)</i>	native
<i>Eleotris acanthopoma</i>	<i>Bleeker 1853</i>	native
<i>Eleotris fusca</i>	<i>(Forster 1801)</i>	native
<i>Eleotris melanosoma</i>	<i>Bleeker 1853</i>	native

Genus Species	Author	Type
<i>Eleutheronema tetradactylum</i>	(Shaw 1804)	native
<i>Ellochelon vaigiensis</i>	(Quoy & Gaimard 1825)	native
<i>Elops hawaiiensis</i>	Regan 1909	native
<i>Elops machnata</i>	(Forsskål 1775)	native
<i>Emmelichthys nitidus</i>	Richardson 1845	native
<i>Emmelichthys struhsakeri</i>	Heemstra & Randall 1977	native
<i>Encheliophis boraborensis</i>	(Kaup 1856)	native
<i>Encheliophis gracilis</i>	(Bleeker 1856)	native
<i>Encheliophis homei</i>	(Richardson 1846)	native
<i>Encheliophis vermicularis</i>	Müller 1842	native
<i>Encheliophis vermiops</i>	Markle & Olney 1990	native
<i>Enchelycore bayeri</i>	(Schultz 1953)	native
<i>Enchelycore ramosa</i>	(Griffin 1926)	native
<i>Enchelynassa canina</i>	(Quoy & Gaimard 1824)	native
<i>Enchelyurus ater</i>	(Günther 1877)	native
<i>Enchelyurus flavipes</i>	Peters 1868	native
<i>Enchelyurus kraussii</i>	(Klunzinger 1871)	native
<i>Encrasicholina devisi</i>	(Whitley 1940)	native
<i>Encrasicholina heteroloba</i>	(Rüppell 1837)	native
<i>Encrasicholina punctifer</i>	Fowler 1938	native
<i>Engraulis australis</i>	(Shaw 1790)	native
<i>Engyprosopon bleekeri</i>	(Macleay 1881)	native
<i>Engyprosopon grandisquama</i>	(Temminck & Schlegel 1846)	native
<i>Engyprosopon hureaui</i>	Quéro & Golani 1990	native
<i>Engyprosopon latifrons</i>	(Regan 1908)	native
<i>Engyprosopon longipelvis</i>	Amaoka 1969	native
<i>Engyprosopon longipterum</i>	Amaoka, Mihara & Rivaton 1993	native
<i>Engyprosopon maldivensis</i>	(Regan 1908)	native
<i>Engyprosopon osculus</i>	(Amaoka & Arai 1998)	native
<i>Enigmapercis reducta</i>	Whitley 1936	native
<i>Enneapterygius atrogulare</i>	(Günther 1873)	native
<i>Enneapterygius bahasa</i>	Fricke 1997	native
<i>Enneapterygius clea</i>	Fricke 1997	endemic
<i>Enneapterygius elegans</i>	(Peters 1876)	native
<i>Enneapterygius flavoccipitis</i>	Shen 1994	native

Genus Species	Author	Type
<i>Enneapterygius gracilis</i>	Fricke 1994	endemic
<i>Enneapterygius hemimelas</i>	(Kner & Steindachner 1867)	native
<i>Enneapterygius howensis</i>	Fricke 1997	native
<i>Enneapterygius larsonae</i>	Fricke 1994	native
<i>Enneapterygius minutus</i>	(Günther 1877)	native
<i>Enneapterygius mirabilis</i>	Fricke 1994	native
<i>Enneapterygius namarrgon</i>	Fricke 1997	endemic
<i>Enneapterygius nanus</i>	(Schultz 1960)	native
<i>Enneapterygius philippinus</i>	(Peters 1868)	native
<i>Enneapterygius pyramis</i>	Fricke 1994	native
<i>Enneapterygius rufopileus</i>	(Waite 1904)	native
<i>Enneapterygius similis</i>	Fricke 1997	native
<i>Enneapterygius triserialis</i>	Fricke 1994	native
<i>Enneapterygius tutuilae</i>	Jordan & Seale 1906	native
<i>Enneapterygius ziegleri</i>	Fricke 1994	native
<i>Enoplosus armatus</i>	(Shaw 1790)	endemic
<i>Entomacrodus decussatus</i>	(Bleeker 1858)	native
<i>Entomacrodus striatus</i>	(Valenciennes 1836)	native
<i>Entomacrodus thalassinus</i>	(Jordan & Seale 1906)	native
<i>Eocallionymus papilio</i>	(Günther 1864)	native
<i>Epetriodus freddyi</i>	Cohen & Nielsen 1978	native
<i>Ephippus orbis</i>	(Bloch 1787)	native
<i>Epibulus insidiator</i>	(Pallas 1770)	native
<i>Epigonus denticulatus</i>	Dieuzeide 1950	native
<i>Epigonus lenimen</i>	(Whitley 1935)	native
<i>Epigonus macrops</i>	(Brauer 1906)	native
<i>Epigonus occidentalis</i>	Goode & Bean 1896	native
<i>Epigonus robustus</i>	(Barnard 1927)	native
<i>Epigonus telescopus</i>	(Risso 1810)	native
<i>Epinephelides armatus</i>	(Castelnau 1875)	endemic
<i>Epinephelus amblycephalus</i>	(Bleeker 1857)	native
<i>Epinephelus areolatus</i>	(Forsskål 1775)	native
<i>Epinephelus bilobatus</i>	Randall & Allen 1987	endemic
<i>Epinephelus bleekeri</i>	(Vaillant 1878)	native
<i>Epinephelus chlorostigma</i>	(Valenciennes 1828)	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Epinephelus coeruleopunctatus</i>	<i>(Bloch 1790)</i>	native
<i>Epinephelus coioides</i>	<i>(Hamilton 1822)</i>	native
<i>Epinephelus corallicola</i>	<i>(Valenciennes 1828)</i>	native
<i>Epinephelus cyanopodus</i>	<i>(Richardson 1846)</i>	native
<i>Epinephelus daemeli</i>	<i>(Günther 1876)</i>	native
<i>Epinephelus darwinensis</i>	<i>Randall &amp; Heemstra 1991</i>	native
<i>Epinephelus epistictus</i>	<i>(Temminck &amp; Schlegel 1843)</i>	native
<i>Epinephelus fasciatus</i>	<i>(Forsskål 1775)</i>	native
<i>Epinephelus fuscoguttatus</i>	<i>(Forsskål 1775)</i>	native
<i>Epinephelus heniochus</i>	<i>Fowler 1904</i>	native
<i>Epinephelus hexagonatus</i>	<i>(Forster 1801)</i>	native
<i>Epinephelus howlandi</i>	<i>(Günther 1873)</i>	native
<i>Epinephelus lanceolatus</i>	<i>(Bloch 1790)</i>	native
<i>Epinephelus latifasciatus</i>	<i>(Temminck &amp; Schlegel 1842)</i>	native
<i>Epinephelus macrospilos</i>	<i>(Bleeker 1855)</i>	native
<i>Epinephelus maculatus</i>	<i>(Bloch 1790)</i>	native
<i>Epinephelus magniscuttis</i>	<i>Postel, Fourmanoir &amp; Guézé 1963</i>	native
<i>Epinephelus malabaricus</i>	<i>(Bloch &amp; Schneider 1801)</i>	native
<i>Epinephelus melanostigma</i>	<i>Schultz in Schultz et al. 1953</i>	native
<i>Epinephelus merra</i>	<i>Bloch 1793</i>	native
<i>Epinephelus miliaris</i>	<i>(Valenciennes 1830)</i>	native
<i>Epinephelus morrhua</i>	<i>(Valenciennes 1833)</i>	native
<i>Epinephelus multinotatus</i>	<i>(Peters 1876)</i>	native
<i>Epinephelus ongus</i>	<i>(Bloch 1790)</i>	native
<i>Epinephelus polyphkadion</i>	<i>(Bleeker 1849)</i>	native
<i>Epinephelus polystigma</i>	<i>(Bleeker 1853)</i>	native
<i>Epinephelus quoyanus</i>	<i>(Valenciennes 1830)</i>	native
<i>Epinephelus radiatus</i>	<i>(Day 1868)</i>	native
<i>Epinephelus retouti</i>	<i>Bleeker 1868</i>	native
<i>Epinephelus rivulatus</i>	<i>(Valenciennes 1830)</i>	native
<i>Epinephelus sexfasciatus</i>	<i>(Valenciennes 1828)</i>	native
<i>Epinephelus spilotoceps</i>	<i>Schultz in Schultz et al. 1953</i>	native
<i>Epinephelus stictus</i>	<i>Randall &amp; Allen 1987</i>	native
<i>Epinephelus tauvina</i>	<i>(Forsskål 1775)</i>	native
<i>Epinephelus timorensis</i>	<i>Randall &amp; Allen 1987</i>	native

Genus Species	Author	Type
<i>Epinephelus trophis</i>	Randall & Allen 1987	native
<i>Epinephelus tukula</i>	Morgans 1959	native
<i>Epinephelus undulatostratus</i>	(Peters 1866)	endemic
<i>Eptatretus alastairi</i>	Mincarone & Fernholm 2010	native
<i>Eptatretus cirrhatus</i>	(Forster 1801)	native
<i>Eptatretus gomoni</i>	Mincarone & Fernholm 2010	native
<i>Eptatretus longipinnis</i>	Strahan 1975	native
<i>Eptatretus strahani</i>	McMillan & Wisner 1984	native
<i>Equulites elongatus</i>	(Günther 1874)	native
<i>Equulites leuciscus</i>	(Günther 1860)	native
<i>Equulites lineolatus</i>	(Valenciennes 1835)	native
<i>Equulites moretoniensis</i>	(Ogilby 1912)	native
<i>Erisphex aniarus</i>	(Thomson 1967)	native
<i>Erosa erosa</i>	(Cuvier 1829)	native
<i>Escualosa thoracata</i>	(Valenciennes 1847)	native
<i>Etelis carbunculus</i>	Cuvier in Cuvier & Valenciennes 1828	native
<i>Etelis coruscans</i>	Valenciennes 1862	native
<i>Etelis radiusus</i>	Anderson 1981	native
<i>Etmopterus bigelowi</i>	Shirai & Tachikawa 1993	native
<i>Etmopterus brachyurus</i>	Smith & Radcliffe in Smith 1912	native
<i>Etmopterus dianthus</i>	Last, Burgess & Séret 2002	native
<i>Etmopterus dislineatus</i>	Last, Burgess & Séret 2002	native
<i>Etmopterus evansi</i>	Last, Burgess & Séret 2002	native
<i>Etmopterus fusus</i>	Last, Burgess & Séret 2002	native
<i>Etmopterus granulosus</i>	(Günther 1880)	native
<i>Etmopterus lucifer</i>	Jordan & Snyder 1902	native
<i>Etmopterus molleri</i>	(Whitley 1939)	native
<i>Etmopterus pusillus</i>	(Lowe 1839)	native
<i>Etmopterus unicolor</i>	(Engelhardt 1912)	native
<i>Etrumeus sadina</i>	(Mitchill 1814)	native
<i>Eubalichthys bucephalus</i>	(Whitley 1931)	native
<i>Eubalichthys caeruleoguttatus</i>	Hutchins 1977	native
<i>Eubalichthys cyanoura</i>	Hutchins 1987	native
<i>Eubalichthys gunnii</i>	(Günther 1870)	native
<i>Eubalichthys mosaicus</i>	(Ramsay & Ogilby 1886)	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Eubalichthys quadrispinis</i>	<i>Hutchins 1977</i>	native
<i>Eubleekeria jonesi</i>	<i>(James 1971)</i>	native
<i>Eubleekeria splendens</i>	<i>(Cuvier 1829)</i>	native
<i>Euclichthys polynemus</i>	<i>McCulloch 1926</i>	native
<i>Eucrossorhinus dasyopogon</i>	<i>(Bleeker 1867)</i>	native
<i>Eugnathogobius mindora</i>	<i>(Herre 1945)</i>	native
<i>Eugnathogobius polylepis</i>	<i>(Wu &amp; Ni 1985)</i>	native
<i>Eugnathogobius stictos</i>	<i>Larson 2009</i>	native
<i>Euleptorhamphus viridis</i>	<i>(van Hasselt 1823)</i>	native
<i>Eumecichthys fiski</i>	<i>(Günther 1890)</i>	native
<i>Eumegistus illustris</i>	<i>Jordan &amp; Jordan 1922</i>	native
<i>Eupetrichthys angustipes</i>	<i>Ramsay &amp; Ogilby 1888</i>	native
<i>Eupogonesthes xenicus</i>	<i>Parin &amp; Borodulina 1993</i>	native
<i>Euprotomicrus bispinatus</i>	<i>(Quoy &amp; Gaimard 1824)</i>	native
<i>Euristhmus lepturus</i>	<i>(Günther 1864)</i>	native
<i>Euristhmus microceps</i>	<i>(Richardson 1845)</i>	endemic
<i>Euristhmus microphthalmus</i>	<i>Murdy &amp; Ferraris 2006</i>	native
<i>Euristhmus nudiceps</i>	<i>(Günther 1880)</i>	native
<i>Euristhmus sandrae</i>	<i>Murdy &amp; Ferraris 2006</i>	native
<i>Eurypegasus draconis</i>	<i>(Linnaeus 1766)</i>	native
<i>Eurypharynx pelecانoides</i>	<i>Vaillant 1882</i>	native
<i>Eurypleuron owasianum</i>	<i>(Matsubara 1953)</i>	native
<i>Eusphyra blochii</i>	<i>(Cuvier 1816)</i>	native
<i>Eustomias achirus</i>	<i>Parin &amp; Pokhil'skaya 1974</i>	native
<i>Eustomias australensis</i>	<i>Gibbs, Clarke &amp; Gomon 1983</i>	endemic
<i>Eustomias bifilis</i>	<i>Gibbs 1960</i>	native
<i>Eustomias bulbornatus</i>	<i>Gibbs 1960</i>	native
<i>Eustomias cryptobulbus</i>	<i>Clarke 2001</i>	native
<i>Eustomias enbarbatus</i>	<i>Welsh 1923</i>	native
<i>Eustomias macronema</i>	<i>Regan &amp; Trewavas 1930</i>	native
<i>Eustomias macrurus</i>	<i>Regan &amp; Trewavas 1930</i>	native
<i>Eustomias multifilis</i>	<i>Parin &amp; Pokhil'skaya 1978</i>	endemic
<i>Eustomias parini</i>	<i>Clarke 2001</i>	native
<i>Eustomias satterleei</i>	<i>Beebe 1933</i>	native
<i>Eustomias schmidtii</i>	<i>Regan &amp; Trewavas 1930</i>	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Eustomias trewavasae</i>	<i>Norman 1930</i>	native
<i>Eustomias vitiazi</i>	<i>Parin &amp; Pokhil'skaya 1974</i>	native
<i>Eustomias vulgaris</i>	<i>Clarke 2001</i>	native
<i>Eusurculus pistillum</i>	<i>Schwarzahns &amp; Møller 2007</i>	native
<i>Euthynnus affinis</i>	<i>(Cantor 1849)</i>	native
<i>Evermannella balbo</i>	<i>(Risso 1820)</i>	native
<i>Evermannella indica</i>	<i>Brauer 1906</i>	native
<i>Eviota afelei</i>	<i>Jordan &amp; Seale 1906</i>	native
<i>Eviota albolineata</i>	<i>Jewett &amp; Lachner 1983</i>	native
<i>Eviota bifasciata</i>	<i>Lachner &amp; Karnella 1980</i>	native
<i>Eviota bimaculata</i>	<i>Lachner &amp; Karnella 1980</i>	native
<i>Eviota cometa</i>	<i>Jewett &amp; Lachner 1983</i>	native
<i>Eviota distigma</i>	<i>Jordan &amp; Seale 1906</i>	native
<i>Eviota fasciola</i>	<i>Karnella &amp; Lachner 1981</i>	native
<i>Eviota herrei</i>	<i>Jordan &amp; Seale 1906</i>	native
<i>Eviota hoesei</i>	<i>Gill &amp; Jewett 2004</i>	native
<i>Eviota infulata</i>	<i>(Smith 1957)</i>	native
<i>Eviota inutilis</i>	<i>Whitley 1943</i>	native
<i>Eviota lachdeberei</i>	<i>Giltay 1933</i>	native
<i>Eviota latifasciata</i>	<i>Jewett &amp; Lachner 1983</i>	native
<i>Eviota melasma</i>	<i>Lachner &amp; Karnella 1980</i>	native
<i>Eviota monostigma</i>	<i>Fourmanoir 1971</i>	native
<i>Eviota nebulosa</i>	<i>Smith 1958</i>	native
<i>Eviota nigriventris</i>	<i>Giltay 1933</i>	native
<i>Eviota pellucida</i>	<i>Larson 1976</i>	native
<i>Eviota prasina</i>	<i>(Klunzinger 1871)</i>	native
<i>Eviota prasites</i>	<i>Jordan &amp; Seale 1906</i>	native
<i>Eviota punctulata</i>	<i>Jewett &amp; Lachner 1983</i>	native
<i>Eviota queenslandica</i>	<i>Whitley 1932</i>	native
<i>Eviota readerae</i>	<i>Gill &amp; Jewett 2004</i>	native
<i>Eviota sebreei</i>	<i>Jordan &amp; Seale 1906</i>	native
<i>Eviota sigillata</i>	<i>Jewett &amp; Lachner 1983</i>	native
<i>Eviota smaragdus</i>	<i>Jordan &amp; Seale 1906</i>	native
<i>Eviota sparsa</i>	<i>Jewett &amp; Lachner 1983</i>	native
<i>Eviota spilota</i>	<i>Lachner &amp; Karnella 1980</i>	native

Genus Species	Author	Type
<i>Eviota storthynx</i>	(Rofen 1959)	native
<i>Eviota variola</i>	Lachner & Karnella 1980	native
<i>Eviota zebrina</i>	Lachner & Karnella 1978	native
<i>Eviota zonura</i>	Jordan & Seale 1906	native
<i>Evistias acutirostris</i>	(Temminck & Schlegel 1844)	native
<i>Exallias brevis</i>	(Kner 1868)	native
<i>Exocoetus gibbosus</i>	Parin & Shakhovskoy 2000	native
<i>Exocoetus monocirrhus</i>	Richardson 1846	native
<i>Exocoetus obtusirostris</i>	Günther 1866	native
<i>Exocoetus volitans</i>	Linnaeus 1758	native
<i>Exyrias akihito</i>	Allen & Randall 2005	native
<i>Exyrias belissimus</i>	(Smith 1959)	native
<i>Exyrias puntang</i>	(Bleeker 1851)	native
<i>Favonigobius exquisitus</i>	Whitley 1950	native
<i>Favonigobius lateralis</i>	(Macleay 1881)	native
<i>Favonigobius lentiginosus</i>	(Richardson 1844)	native
<i>Favonigobius punctatus</i>	(Gill & Miller 1990)	native
<i>Feia nota</i>	Gill & Mooi 1999	native
<i>Feia nympa</i>	Smith 1959	native
<i>Feroxodon multistriatus</i>	(Richardson 1854)	native
<i>Festucalex cinctus</i>	(Ramsay 1882)	endemic
<i>Festucalex gibbsi</i>	Dawson 1977	native
<i>Festucalex scalaris</i>	(Günther 1870)	endemic
<i>Fibramia lateralis</i>	(Valenciennes 1832)	native
<i>Fibramia thermalis</i>	(Cuvier 1829)	native
<i>Figaro boardmani</i>	(Whitley 1928)	endemic
<i>Figaro striatus</i>	Gledhill, Last & White 2008	native
<i>Filicampus tigris</i>	(Castelnau 1879)	native
<i>Filimanus heptadactyla</i>	(Cuvier 1829)	native
<i>Filimanus sealei</i>	(Jordan & Richardson 1910)	native
<i>Fiordichthys paxtoni</i>	(Nielsen & Cohen 1986)	native
<i>Fistularia commersonii</i>	Rüppell 1838	native
<i>Fistularia petimba</i>	Lacepède (ex Commerson) 1803	native
<i>Flagellostomias boureei</i>	(Zugmayer 1913)	native
<i>Foa albimaculosa</i>	Kailola 1976	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Foa brachygramma</i>	(Jenkins 1903)	native
<i>Foa fo</i>	Jordan & Seale 1905	native
<i>Forcipiger flavissimus</i>	Jordan & McGregor in Jordan & Evermann 1898	native
<i>Forcipiger longirostris</i>	(Broussonet 1782)	native
<i>Forsterygion gymnotum</i>	Scott 1977	native
<i>Forsterygion lapillum</i>	Hardy 1989	native
<i>Forsterygion varium</i>	(Forster 1801)	native
<i>Fowleria aurita</i>	(Valenciennes 1831)	native
<i>Fowleria marmorata</i>	(Alleyne & Macleay 1877)	native
<i>Fowleria punctulata</i>	(Rüppell 1838)	native
<i>Fowleria vaiulae</i>	(Jordan & Seale 1906)	native
<i>Fowleria variegata</i>	(Valenciennes 1832)	native
<i>Fraudella carassiops</i>	Whitley 1935	native
<i>Furgaleus macki</i>	(Whitley 1943)	endemic
<i>Fusigobius aureus</i>	Chen & Shao 1997	native
<i>Fusigobius duospilus</i>	Hoese & Reader 1985	native
<i>Fusigobius gracilis</i>	(Randall 2001)	native
<i>Fusigobius humeralis</i>	(Randall 2001)	native
<i>Fusigobius inframesulatus</i>	(Randall 1994)	native
<i>Fusigobius longispinus</i>	Goren 1978	native
<i>Fusigobius melacron</i>	(Randall 2001)	native
<i>Fusigobius neophytus</i>	(Günther 1877)	native
<i>Fusigobius signipinnis</i>	Hoese & Obika 1988	native
<i>Gadella jordani</i>	(Böhlke & Mead 1951)	native
<i>Gadella macrura</i>	Sazonov & Shcherbachev 2000	native
<i>Gadomus aoteanus</i>	McCann & McKnight 1980	native
<i>Gadomus introniger</i>	Gilbert & Hubbs 1920	native
<i>Gadomus pepperi</i>	Iwamoto & Williams 1999	native
<i>Gadopsis bispinosus</i>	Sanger 1984	endemic
<i>Gadopsis marmoratus</i>	Richardson 1848	endemic
<i>Gadus chalcogrammus</i>	Pallas (ex Steller) 1814	native
<i>Gadus macrocephalus</i>	Tilesius 1810	native
<i>Gadus morhua</i>	Linnaeus 1758	native
<i>Gaidropsarus novaezealandiae</i>	(Hector 1874)	native
<i>Galaxias auratus</i>	Johnston 1883	endemic

Genus Species	Author	Type
<i>Galaxias brevipinnis</i>	<i>Günther 1866</i>	native
<i>Galaxias fontanus</i>	<i>Fulton 1978</i>	endemic
<i>Galaxias johnstoni</i>	<i>Scott 1936</i>	endemic
<i>Galaxias maculatus</i>	<i>(Jenyns 1842)</i>	native
<i>Galaxias niger</i>	<i>Andrews 1985</i>	native
<i>Galaxias occidentalis</i>	<i>Ogilby 1899</i>	endemic
<i>Galaxias olidus</i>	<i>Günther 1866</i>	endemic
<i>Galaxias parvus</i>	<i>Frankenberg 1968</i>	endemic
<i>Galaxias pedderensis</i>	<i>Frankenberg 1968</i>	endemic
<i>Galaxias rostratus</i>	<i>Klunzinger 1872</i>	endemic
<i>Galaxias tanycephalus</i>	<i>Fulton 1978</i>	endemic
<i>Galaxias truttaceus</i>	<i>Valenciennes (ex Cuvier) in Cuvier &amp; Valenciennes 1846</i>	native
<i>Galaxiella munda</i>	<i>McDowall 1978</i>	endemic
<i>Galaxiella nigrostriata</i>	<i>(Shipway 1953)</i>	endemic
<i>Galaxiella pusilla</i>	<i>(Mack 1936)</i>	endemic
<i>Galeocerdo cuvier</i>	<i>(Péron &amp; Lesueur 1822)</i>	native
<i>Galeorhinus galeus</i>	<i>(Linnaeus 1758)</i>	native
<i>Galeus gracilis</i>	<i>Compagno &amp; Stevens 1993</i>	endemic
<i>Gambusia affinis</i>	<i>(Baird &amp; Girard 1853)</i>	introduced
<i>Gambusia dominicensis</i>	<i>Regan 1913</i>	introduced
<i>Gambusia holbrooki</i>	<i>Girard (ex Agassiz) 1859</i>	introduced
<i>Gargariscus prionocephalus</i>	<i>(Duméril 1869)</i>	native
<i>Gasterochisma melampus</i>	<i>Richardson 1845</i>	native
<i>Gavialiceps javanicus</i>	<i>Karmovskaya 1993</i>	native
<i>Gazza dentex</i>	<i>(Valenciennes 1835)</i>	native
<i>Gazza minuta</i>	<i>(Bloch 1795)</i>	native
<i>Gazza rhombea</i>	<i>Kimura, Yamashita &amp; Iwatsuki 2000</i>	native
<i>Gempylus serpens</i>	<i>Cuvier 1829</i>	native
<i>Genicanthus lamarek</i>	<i>(Lacepède 1802)</i>	native
<i>Genicanthus melanospilos</i>	<i>(Bleeker 1857)</i>	native
<i>Genicanthus semicinctus</i>	<i>(Waite 1900)</i>	native
<i>Genicanthus watanabei</i>	<i>(Yasuda &amp; Tominaga 1970)</i>	native
<i>Genypterus blacodes</i>	<i>(Forster 1801)</i>	native
<i>Genypterus tigerinus</i>	<i>Klunzinger 1872</i>	native
<i>Geotria australis</i>	<i>Gray 1851</i>	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Gephyroberyx darwini</i>	<i>(Johnson 1866)</i>	native
<i>Gerlachea australis</i>	<i>Dollo 1900</i>	native
<i>Gerres erythrourus</i>	<i>(Bloch 1791)</i>	native
<i>Gerres filamentosus</i>	<i>Cuvier 1829</i>	native
<i>Gerres longirostris</i>	<i>(Lacepède 1801)</i>	native ?
<i>Gerres macracanthus</i>	<i>Bleeker 1854</i>	native
<i>Gerres oblongus</i>	<i>Cuvier in Cuvier &amp; Valenciennes 1830</i>	native
<i>Gerres oyena</i>	<i>(Forsskål 1775)</i>	native
<i>Gerres subfasciatus</i>	<i>Cuvier in Cuvier &amp; Valenciennes 1830</i>	native
<i>Gigantactis elsmanni</i>	<i>Bertelsen, Pietsch &amp; Lavenberg 1981</i>	native
<i>Gigantactis gargantua</i>	<i>Bertelsen, Pietsch &amp; Lavenberg 1981</i>	native
<i>Gigantactis krefftii</i>	<i>Bertelsen, Pietsch &amp; Lavenberg 1981</i>	native
<i>Gigantactis meadi</i>	<i>Bertelsen, Pietsch &amp; Lavenberg 1981</i>	native
<i>Gigantactis paxtoni</i>	<i>Bertelsen, Pietsch &amp; Lavenberg 1981</i>	native
<i>Gigantactis vanhoeffeni</i>	<i>Brauer 1902</i>	native
<i>Gigantura chuni</i>	<i>Brauer 1901</i>	native
<i>Gigantura indica</i>	<i>Brauer 1901</i>	native
<i>Girella cyanea</i>	<i>Macleay 1881</i>	native
<i>Girella elevata</i>	<i>Macleay 1881</i>	native
<i>Girella tephraeops</i>	<i>(Richardson 1846)</i>	native
<i>Girella tricuspidata</i>	<i>(Quoy &amp; Gaimard 1824)</i>	native
<i>Girella zebra</i>	<i>(Richardson 1846)</i>	native
<i>Girella zonata</i>	<i>Günther 1859</i>	native
<i>Giuris margaritacea</i>	<i>(Valenciennes in Cuvier &amp; Valenciennes 1837)</i>	native
<i>Glaucosoma buergeri</i>	<i>Richardson 1845</i>	native
<i>Glaucosoma hebraicum</i>	<i>Richardson 1845</i>	native
<i>Glaucosoma magnificum</i>	<i>(Ogilby 1915)</i>	endemic
<i>Glaucosoma scapulare</i>	<i>Ramsay in Macleay 1881</i>	endemic
<i>Glaucostegus halavi</i>	<i>(Forsskål 1775)</i>	native
<i>Glaucostegus typus</i>	<i>(Anonymous [Bennett] 1830)</i>	native
<i>Glossamia aprion</i>	<i>(Richardson 1842)</i>	native
<i>Glossanodon australis</i>	<i>Kobyliansky 1998</i>	native
<i>Glossanodon elongatus</i>	<i>Kobyliansky 1998</i>	native
<i>Glossanodon pseudolineatus</i>	<i>Kobyliansky 1998</i>	native
<i>Glossanodon struhsakeri</i>	<i>Cohen 1970</i>	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Glossogobius aureus</i>	<i>Akihito &amp; Meguro 1975</i>	native
<i>Glossogobius bellendenensis</i>	<i>Hoese &amp; Allen 2009</i>	native
<i>Glossogobius bicirrhosus</i>	<i>(Weber 1894)</i>	native
<i>Glossogobius celebius</i>	<i>(Valenciennes 1837)</i>	native
<i>Glossogobius circumspectus</i>	<i>(Macleay 1883)</i>	native
<i>Glossogobius concavifrons</i>	<i>(Ramsay &amp; Ogilby 1886)</i>	native
<i>Glossogobius giuris</i>	<i>(Hamilton 1822)</i>	native
<i>Glyphis garricki</i>	<i>Compagno, White &amp; Last 2008</i>	native
<i>Glyphis glyphis</i>	<i>(Müller &amp; Henle 1839)</i>	native
<i>Glyptauchen panduratus</i>	<i>(Richardson 1850)</i>	endemic
<i>Glyptoparus delicatulus</i>	<i>Smith 1959</i>	native
<i>Glyptophidium japonicum</i>	<i>Kamohara 1936</i>	native
<i>Glyptophidium lucidum</i>	<i>Smith &amp; Radcliffe in Radcliffe 1913</i>	native
<i>Glyptophidium oceanium</i>	<i>Smith &amp; Radcliffe in Radcliffe 1913</i>	native
<i>Gnathanacanthus goetzei</i>	<i>Bleeker 1855</i>	endemic
<i>Gnathanodon speciosus</i>	<i>(Forsskål 1775)</i>	native
<i>Gnathodentex aureolineatus</i>	<i>(Lacepède 1802)</i>	native
<i>Gnatholepis anjerensis</i>	<i>(Bleeker 1851)</i>	native
<i>Gnatholepis argus</i>	<i>Larson &amp; Buckle 6597 2005</i>	native
<i>Gnatholepis cauerensis</i>	<i>(Bleeker 1853)</i>	native
<i>Gnatholepis gymnocara</i>	<i>Randall &amp; Greenfield 2001</i>	native
<i>Gnathophis castlei</i>	<i>Karmovskaya &amp; Paxton 2000</i>	native
<i>Gnathophis grahami</i>	<i>Karmovskaya &amp; Paxton 2000</i>	native
<i>Gnathophis habenatus</i>	<i>(Richardson 1848)</i>	native
<i>Gnathophis longicauda</i>	<i>(Ramsay &amp; Ogilby 1888)</i>	native
<i>Gnathophis macroporis</i>	<i>Karmovskaya &amp; Paxton 2000</i>	native
<i>Gnathophis melanocoelus</i>	<i>Karmovskaya &amp; Paxton 2000</i>	native
<i>Gnathophis microps</i>	<i>Karmovskaya &amp; Paxton 2000</i>	native
<i>Gnathophis nasutus</i>	<i>Karmovskaya &amp; Paxton 2000</i>	native
<i>Gnathophis umbrellabius</i>	<i>(Whitley 1948)</i>	native
<i>Gobiodon acicularis</i>	<i>Harold &amp; Winterbottom 1995</i>	native
<i>Gobiodon albofasciatus</i>	<i>Sawada &amp; Arai 1972</i>	native
<i>Gobiodon axillaris</i>	<i>De Vis 1884</i>	native
<i>Gobiodon brochus</i>	<i>Harold &amp; Winterbottom 1999</i>	native
<i>Gobiodon ceramensis</i>	<i>(Bleeker 1852)</i>	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Gobiodon citrinus</i>	<i>(Rüppell 1838)</i>	native
<i>Gobiodon heterospilos</i>	<i>Bleeker 1856</i>	native
<i>Gobiodon histrio</i>	<i>(Valenciennes 1837)</i>	native
<i>Gobiodon micropus</i>	<i>Günther 1861</i>	native
<i>Gobiodon oculolineatus</i>	<i>Wu 1979</i>	native
<i>Gobiodon okinawae</i>	<i>Sawada, Arai &amp; Abe 1972</i>	native
<i>Gobiodon quinquestrigatus</i>	<i>(Valenciennes 1837)</i>	native
<i>Gobiodon rivulatus</i>	<i>(Rüppell 1830)</i>	native
<i>Gobiodon spilophthalmus</i>	<i>Fowler 1944</i>	native
<i>Gobiodon unicolor</i>	<i>(Castelnau 1873)</i>	native
<i>Gobiomorphus australis</i>	<i>(Krefft 1864)</i>	endemic
<i>Gobiomorphus coxii</i>	<i>(Krefft 1864)</i>	endemic
<i>Gobiopsis angustifrons</i>	<i>Lachner &amp; McKinney 1978</i>	native
<i>Gobiopsis arenaria</i>	<i>(Snyder 1908)</i>	native
<i>Gobiopsis bravoii</i>	<i>(Herre 1940)</i>	native
<i>Gobiopsis liolepis</i>		native
<i>Gobiopsis macrostoma</i>	<i>Steindachner 1861</i>	native
<i>Gobiopsis malekulae</i>	<i>(Herre 1935)</i>	native
<i>Gobiopterus brachypterus</i>	<i>(Bleeker 1855)</i>	native
<i>Gobiopterus mindanensis</i>	<i>(Herre 1944)</i>	native
<i>Gobiopterus semivestitus</i>	<i>(Munro 1949)</i>	native
<i>Gollum attenuatus</i>	<i>(Garrick 1954)</i>	native
<i>Gomphosus varius</i>	<i>Lacepède (ex Commerson) 1801</i>	native
<i>Gonichthys barnesi</i>	<i>Whitley 1943</i>	native
<i>Gonorynchus greyi</i>	<i>(Richardson 1845)</i>	native
<i>Gonostoma atlanticum</i>	<i>Norman 1930</i>	native
<i>Gonostoma elongatum</i>	<i>Günther 1878</i>	native
<i>Gorgasia galzini</i>	<i>Castle &amp; Randall 1999</i>	native
<i>Gorgasia preclara</i>	<i>Böhlke &amp; Randall 1981</i>	native
<i>Gracila albomarginata</i>	<i>(Fowler &amp; Bean 1930)</i>	native
<i>Grammatobothus pennatus</i>	<i>(Ogilby 1913)</i>	native
<i>Grammatobothus polyophthalmus</i>	<i>(Bleeker 1865)</i>	native
<i>Grammatorcynus bicarinatus</i>	<i>(Quoy &amp; Gaimard 1825)</i>	native
<i>Grammatorcynus bilineatus</i>	<i>(Rüppell 1836)</i>	native
<i>Grammicolepis brachiusculus</i>	<i>Poey 1873</i>	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Grammistes sexlineatus</i>	(Thunberg 1792)	native
<i>Grammistops ocellatus</i>	Schultz in Schultz et al. 1953	native
<i>Grammonus robustus</i>	Smith & Radcliffe in Radcliffe 1913	native
<i>Gunnellichthys copleyi</i>	(Smith 1951)	native
<i>Gunnellichthys curiosus</i>	Dawson 1968	native
<i>Gunnellichthys irideus</i>	Smith 1958	native
<i>Gunnellichthys monostigma</i>	Smith 1958	native
<i>Gunnellichthys pleurotaenia</i>	Bleeker 1858	native
<i>Gunnellichthys viridescens</i>	Dawson 1968	native
<i>Guttigadus globiceps</i>	(Gilchrist 1906)	native
<i>Guttigadus globosus</i>	(Paulin 1986)	native
<i>Guttigadus kongi</i>	(Markle & Meléndez C. 1988)	native
<i>Guyu wujalwujalensis</i>	Pusey & Kennard 2001	native
<i>Gvozdarus svetovidovi</i>	Balushkin 1989	native
<i>Gymnapistes marmoratus</i>	(Cuvier 1829)	endemic
<i>Gymnapogon annona</i>	(Whitley 1936)	native
<i>Gymnapogon philippinus</i>	(Herre 1939)	native
<i>Gymnapogon urospilotus</i>	Lachner 1953	native
<i>Gymnapogon vanderbilti</i>	(Fowler 1938)	native
<i>Gymnocranius audleyi</i>	Ogilby 1916	native
<i>Gymnocranius elongatus</i>	Senta 1973	native
<i>Gymnocranius euanus</i>	(Günther 1879)	native
<i>Gymnocranius grandoculis</i>	(Valenciennes 1830)	native
<i>Gymnocranius griseus</i>	(Temminck & Schlegel 1843)	native
<i>Gymnocranius microdon</i>	(Bleeker 1851)	native
<i>Gymnodraco acuticeps</i>	Boulenger 1902	native
<i>Gymnomuraena zebra</i>	(Shaw 1797)	native
<i>Gymnosarda unicolor</i>	(Rüppell 1836)	native
<i>Gymnoscopelus braueri</i>	(Lönnberg 1905)	native
<i>Gymnoscopelus hintonoides</i>	Hulley 1981	native
<i>Gymnoscopelus microlampas</i>	Hulley 1981	native
<i>Gymnoscopelus nicholsi</i>	(Gilbert 1911)	native
<i>Gymnoscopelus opisthopterus</i>	Fraser-Brunner 1949	native
<i>Gymnoscopelus piabilis</i>	(Whitley 1931)	native
<i>Gymnothorax annasona</i>	Whitley 1937	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Gymnothorax atolli</i>	<i>(Pietschmann 1935)</i>	native
<i>Gymnothorax australicola</i>	<i>Lavenberg 1992</i>	native
<i>Gymnothorax austrinus</i>	<i>Böhlke &amp; McCosker 2001</i>	native
<i>Gymnothorax buroensis</i>	<i>(Bleeker 1857)</i>	native
<i>Gymnothorax castlei</i>	<i>Böhlke &amp; Randall 1999</i>	native
<i>Gymnothorax cephalospilus</i>	<i>Böhlke &amp; McCosker 2001</i>	native
<i>Gymnothorax chilospilus</i>	<i>Bleeker 1864</i>	native
<i>Gymnothorax cribroris</i>	<i>Whitley 1932</i>	native
<i>Gymnothorax enigmaticus</i>	<i>McCosker &amp; Randall 1982</i>	native
<i>Gymnothorax eurostus</i>	<i>(Abbott 1860)</i>	native
<i>Gymnothorax favagineus</i>	<i>Bloch &amp; Schneider 1801</i>	native
<i>Gymnothorax fimbriatus</i>	<i>(Bennett 1832)</i>	native
<i>Gymnothorax flavimarginatus</i>	<i>(Rüppell 1830)</i>	native
<i>Gymnothorax fuscomaculatus</i>	<i>(Schultz 1953)</i>	native
<i>Gymnothorax gracilicauda</i>	<i>Jenkins 1903</i>	native
<i>Gymnothorax intesi</i>	<i>(Fourmanoir &amp; Rivaton 1979)</i>	native
<i>Gymnothorax javanicus</i>	<i>(Bleeker 1859)</i>	native
<i>Gymnothorax kidako</i>	<i>(Temminck &amp; Schlegel 1846)</i>	native
<i>Gymnothorax longinquus</i>	<i>(Whitley 1948)</i>	native
<i>Gymnothorax margaritophorus</i>	<i>Bleeker 1864</i>	native
<i>Gymnothorax mccoskeri</i>	<i>Smith &amp; Böhlke 1997</i>	native
<i>Gymnothorax melatremus</i>	<i>Schultz in Schultz et al. 1953</i>	native
<i>Gymnothorax meleagris</i>	<i>(Shaw 1795)</i>	native
<i>Gymnothorax microstictus</i>	<i>Böhlke 2000</i>	native
<i>Gymnothorax minor</i>	<i>(Temminck &amp; Schlegel 1846)</i>	native
<i>Gymnothorax moluccensis</i>	<i>(Bleeker 1864)</i>	native
<i>Gymnothorax monochrous</i>	<i>(Bleeker 1856)</i>	native
<i>Gymnothorax nubilus</i>	<i>(Richardson 1848)</i>	native
<i>Gymnothorax nudivomer</i>	<i>(Günther 1867)</i>	native
<i>Gymnothorax obesus</i>	<i>(Whitley 1932)</i>	native
<i>Gymnothorax pictus</i>	<i>(Ahl 1789)</i>	native
<i>Gymnothorax pindae</i>	<i>Smith 1962</i>	native
<i>Gymnothorax polyuranodon</i>	<i>(Bleeker 1853)</i>	native
<i>Gymnothorax porphyreus</i>	<i>(Guichenot 1848)</i>	native
<i>Gymnothorax prasinus</i>	<i>(Richardson 1848)</i>	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Gymnothorax prionodon</i>	<b>Ogilby 1895</b>	native
<i>Gymnothorax pseudoherrei</i>	<b>Böhlke 2000</b>	native
<i>Gymnothorax pseudothyroideus</i>	<b>(Bleeker 1852)</b>	native
<i>Gymnothorax reticularis</i>	<b>Bloch 1795</b>	native
<i>Gymnothorax richardsonii</i>	<b>(Bleeker 1852)</b>	native
<i>Gymnothorax robinsi</i>	<b>Böhlke 1997</b>	native
<i>Gymnothorax rueppelliae</i>	<b>(McClelland 1844)</b>	native ?
<i>Gymnothorax thyroideus</i>	<b>(Richardson 1845)</b>	native
<i>Gymnothorax undulatus</i>	<b>(Lacepède 1803)</b>	native
<i>Gymnothorax woodwardi</i>	<b>McCulloch 1912</b>	endemic
<i>Gymnothorax zonipectis</i>	<b>Seale 1906</b>	native
<i>Gymnura australis</i>	<b>(Ramsay &amp; Ogilby 1886)</b>	native
<i>Gyrinomimus grahami</i>	<b>Richardson &amp; Garrick 1964</b>	native
<i>Gyrinomimus myersi</i>	<b>Parr 1934</b>	native
<i>Gyrinomimus parri</i>	<b>Bigelow 1961</b>	native
<i>Halaelurus boesemani</i>	<b>Springer &amp; D'Aubrey 1972</b>	native
<i>Halaelurus buergeri</i>	<b>(Müller &amp; Henle 1838)</b>	native
<i>Halaelurus sellus</i>	<b>White, Last &amp; Stevens 2007</b>	native
<i>Halaphritis platycephala</i>	<b>Last, Balushkin &amp; Hutchins 2002</b>	native
<i>Halargyreus johnsonii</i>	<b>Günther 1862</b>	native
<i>Haletta semifasciata</i>	<b>(Valenciennes 1840)</b>	native
<i>Halicampus boothae</i>	<b>(Whitley 1964)</b>	native
<i>Halicampus brocki</i>	<b>(Herald 1953)</b>	native
<i>Halicampus dunckeri</i>	<b>(Chabanaud 1929)</b>	native
<i>Halicampus grayi</i>	<b>Kaup 1856</b>	native
<i>Halicampus macrorhynchus</i>	<b>Bamber 1915</b>	native
<i>Halicampus mataafae</i>	<b>(Jordan &amp; Seale 1906)</b>	native
<i>Halicampus nitidus</i>	<b>(Günther 1873)</b>	native
<i>Halicampus spinirostris</i>	<b>(Dawson &amp; Allen 1981)</b>	native
<i>Halichoeres argus</i>	<b>(Bloch &amp; Schneider 1801)</b>	native
<i>Halichoeres biocellatus</i>	<b>Schultz in Schultz et al. 1960</b>	native
<i>Halichoeres brownfieldi</i>	<b>(Whitley 1945)</b>	native
<i>Halichoeres chloropterus</i>	<b>(Bloch 1791)</b>	native
<i>Halichoeres chrysus</i>	<b>Randall 1981</b>	native
<i>Halichoeres claudia</i>	<b>Randall &amp; Rocha 2009</b>	native

Genus Species	Author	Type
<i>Halichoeres hartzfeldii</i>	(Bleeker 1852)	native
<i>Halichoeres hortulanus</i>	(Lacepède 1801)	native
<i>Halichoeres leucurus</i>	(Walbaum 1792)	native
<i>Halichoeres margaritaceus</i>	(Valenciennes 1839)	native
<i>Halichoeres marginatus</i>	Rüppell 1835	native
<i>Halichoeres melanochir</i>	Fowler & Bean 1928	native
<i>Halichoeres melanurus</i>	(Bleeker 1851)	native
<i>Halichoeres melasmapomus</i>	Randall 1981	native
<i>Halichoeres miniatus</i>	(Valenciennes 1839)	native
<i>Halichoeres nebulosus</i>	(Valenciennes 1839)	native
<i>Halichoeres nigrescens</i>	(Bloch & Schneider 1801)	native
<i>Halichoeres ornatissimus</i>	(Garrett 1863)	native
<i>Halichoeres prosopeion</i>	(Bleeker 1853)	native
<i>Halichoeres scapularis</i>	(Bennett 1832)	native
<i>Halichoeres trimaculatus</i>	(Quoy & Gaimard 1834)	native
<i>Halichoeres zeylonicus</i>	(Bennett 1833)	native
<i>Halicometus niger</i>	Ho, Endo & Sakamaki 2008	native
<i>Halieutaea brevicauda</i>	Ogilby 1910	native
<i>Halieutaea coccinea</i>	Alcock 1889	native
<i>Halieutaea fumosa</i>	Alcock 1894	native
<i>Halieutaea stellata</i>	(Vahl 1797)	native
<i>Haliichthys taeniophorus</i>	Gray 1859	native
<i>Halimochirurgus alcocki</i>	Weber 1913	native
<i>Halimochirurgus centriscooides</i>	Alcock 1899	native
<i>Halophryne diemensis</i>	(Lesueur 1824)	native
<i>Halophryne ocellatus</i>	Hutchins 1974	endemic
<i>Halophryne queenslandiae</i>	(De Vis 1882)	native
<i>Halosauropsis macrochir</i>	(Günther 1878)	native
<i>Halosaurus ovenii</i>	Johnson 1864	native
<i>Halosaurus pectoralis</i>	McCulloch 1926	native
<i>Hannia greenwayi</i>	Vari 1978	endemic
<i>Hapalogenys dampieriensis</i>	Iwatsuki & Russell 2006	native
<i>Hapalogenys kishinouyei</i>	Smith & Pope 1906	native
<i>Haplomacrourus nudirostris</i>	Trunov 1980	native
<i>Haplophryne mollis</i>	(Brauer 1902)	native

Genus Species	Author	Type
<i>Harpadon nehereus</i>	(Hamilton 1822)	native
<i>Harpadon translucens</i>	Saville-Kent 1889	native
<i>Harriotta haeckeli</i>	Karrer 1972	native
<i>Harriotta raleighana</i>	Goode & Bean 1895	native
<i>Hastatobythites arafurensis</i>	Machida 1997	native
<i>Hazeus elati</i>	(Goren 1984)	native
<i>Helcogramma decurrens</i>	McCulloch & Waite 1918	native
<i>Helcogramma ellioti</i>	(Herre 1944)	native
<i>Helcogramma gymnauchen</i>	(Weber 1909)	native
<i>Helcogramma springeri</i>	Hansen 1986	native
<i>Helcogramma striata</i>	Hansen 1986	native
<i>Helicolenus barathri</i>	(Hector 1875)	native
<i>Helicolenus dactylopterus</i>	(Delaroche 1809)	native
<i>Helicolenus percoides</i>	(Richardson & Solander 1842)	native
<i>Helotes octolineatus</i>	Jenyns 1840	native
<i>Helotes sexlineatus</i>	(Quoy & Gaimard 1825)	native
<i>Hemiarius dioctes</i>	(Kailola 2000)	native
<i>Hemichromis bimaculatus</i>	Gill 1862	introduced
<i>Hemigaleus australiensis</i>	White, Last & Compagno 2005	native
<i>Hemigaleus microstoma</i>	Bleeker 1852	native
<i>Hemiglyphidodon plagiometopon</i>	(Bleeker 1852)	native
<i>Hemigobius hoevenii</i>	(Bleeker 1851)	native
<i>Hemigymnus fasciatus</i>	(Bloch 1792)	native
<i>Hemigymnus melapterus</i>	(Bloch 1791)	native
<i>Hemipristis elongata</i>	(Klunzinger 1871)	native
<i>Hemiramphus far</i>	(Forsskål 1775)	native
<i>Hemiramphus robustus</i>	Günther 1866	native
<i>Hemiscyllium ocellatum</i>	(Bonnaterre 1788)	native
<i>Hemiscyllium trispeculare</i>	Richardson 1843	native
<i>Hemitaurichthys polylepis</i>	(Bleeker 1857)	native
<i>Hemitriakis abdita</i>	Compagno & Stevens 1993	native
<i>Hemitriakis falcata</i>	Compagno & Stevens 1993	native
<i>Heniochus acuminatus</i>	(Linnaeus 1758)	native
<i>Heniochus chrysostomus</i>	Cuvier (ex Parkinson) in Cuvier & Valenciennes 1831	native
<i>Heniochus diphreutes</i>	Jordan 1903	native

Genus Species	Author	Type
<i>Heniochus monoceros</i>	<i>Cuvier in Cuvier &amp; Valenciennes 1831</i>	native
<i>Heniochus singularius</i>	<i>Smith &amp; Radcliffe 1911</i>	native
<i>Heniochus varius</i>	<i>(Cuvier 1829)</i>	native
<i>Hephaestus carbo</i>	<i>(Ogilby &amp; McCulloch 1916)</i>	endemic
<i>Hephaestus epirrhinos</i>	<i>Vari &amp; Hutchins 1978</i>	endemic
<i>Hephaestus fuliginosus</i>	<i>(Macleay 1883)</i>	endemic
<i>Hephaestus jenkinsi</i>	<i>(Whitley 1945)</i>	native
<i>Hephaestus tulliensis</i>	<i>De Vis 1884</i>	native
<i>Heptranchias perlo</i>	<i>(Bonnaterre 1788)</i>	native
<i>Heraldia nocturna</i>	<i>Paxton 1975</i>	native
<i>Herklotsichthys blackburni</i>	<i>(Whitley 1948)</i>	endemic
<i>Herklotsichthys castelnaui</i>	<i>(Ogilby 1897)</i>	native
<i>Herklotsichthys collettei</i>	<i>Wongratana 1987</i>	native
<i>Herklotsichthys gotoi</i>	<i>Wongratana 1983</i>	native
<i>Herklotsichthys koningsbergi</i>	<i>(Weber &amp; de Beaufort 1912)</i>	native
<i>Herklotsichthys lippa</i>	<i>(Whitley 1931)</i>	native
<i>Herklotsichthys quadrimaculatus</i>	<i>(Rüppell 1837)</i>	native
<i>Herwigia krefftii</i>	<i>(Nielsen &amp; Larsen 1970)</i>	native
<i>Heteroclinus adelaidae</i>	<i>Castelnau 1872</i>	native
<i>Heteroclinus antinectes</i>	<i>(Günther 1861)</i>	native
<i>Heteroclinus eckloniae</i>	<i>(McKay 1970)</i>	native
<i>Heteroclinus equiradiatus</i>	<i>(Milward 1960)</i>	native
<i>Heteroclinus heptaeolus</i>	<i>(Ogilby 1885)</i>	native
<i>Heteroclinus johnstoni</i>	<i>(Saville-Kent 1886)</i>	native
<i>Heteroclinus kuiteri</i>	<i>Hoese &amp; Rennis 2006</i>	native
<i>Heteroclinus macrophthalmus</i>	<i>Hoese 1976</i>	native
<i>Heteroclinus nasutus</i>	<i>(Günther 1861)</i>	native
<i>Heteroclinus perspicillatus</i>	<i>(Valenciennes 1836)</i>	native
<i>Heteroclinus puellarum</i>	<i>(Scott 1955)</i>	native
<i>Heteroclinus roseus</i>	<i>(Günther 1861)</i>	native
<i>Heteroclinus tristis</i>	<i>(Klunzinger 1872)</i>	native
<i>Heteroclinus whiteleggii</i>	<i>(Ogilby 1894)</i>	native
<i>Heteroclinus wilsoni</i>	<i>(Lucas 1891)</i>	native
<i>Heteroconger hassi</i>	<i>(Klausewitz &amp; Eibl-Eibesfeldt 1959)</i>	native
<i>Heterodontus galeatus</i>	<i>(Günther 1870)</i>	endemic

Genus Species	Author	Type
<i>Heterodontus portusjacksoni</i>	(Meyer 1793)	native
<i>Heterodontus zebra</i>	(Gray 1831)	native
<i>Heteromycteris hartzfeldii</i>	(Bleeker 1853)	native
<i>Heterophotus ophistoma</i>	Regan & Trewavas 1929	native
<i>Heteropriacanthus cruentatus</i>	(Lacepède 1801)	native
<i>Heteroscarus acroptilus</i>	(Richardson 1846)	native
<i>Hexanchus griseus</i>	(Bonnaterre 1788)	native
<i>Hexanchus nakamurai</i>	Teng 1962	native
<i>Hexanemichthys mastersi</i>	(Ogilby 1898)	native
<i>Hexanemichthys sagor</i>	(Hamilton 1822)	native
<i>Hexatrygon bickelli</i>	Heemstra & Smith 1980	native
<i>Himantolophus albinares</i>	Maul 1961	native
<i>Himantolophus appeli</i>	(Clarke 1878)	native
<i>Himantolophus maui</i>	Bertelsen & Krefft 1988	native
<i>Himantura astra</i>	Last, Manjaji-Matsumoto & Pogonoski 2008	native
<i>Himantura dalyensis</i>	Last & Manjaji-Matsumoto 2008	native
<i>Himantura fai</i>	Jordan & Seale 1906	native
<i>Himantura granulata</i>	(Macleay 1883)	native
<i>Himantura jenkinsii</i>	(Annandale 1909)	native
<i>Himantura leoparda</i>	Manjaji-Matsumoto & Last 2008	native
<i>Himantura polylepis</i>	(Bleeker 1852)	native
<i>Himantura toshi</i>	Whitley 1939	native
<i>Himantura uarnak</i>	(Gmelin (ex Forsskål) 1789)	native
<i>Himantura undulata</i>	(Bleeker 1852)	native
<i>Hime curtirostris</i>	(Thomson 1967)	native
<i>Hime japonica</i>	(Günther 1877)	native
<i>Hippichthys cyanospilos</i>	(Bleeker 1854)	native
<i>Hippichthys heptagonus</i>	Bleeker 1849	native
<i>Hippichthys parvicarinatus</i>	(Dawson 1978)	endemic
<i>Hippichthys penicillus</i>	(Cantor 1849)	native
<i>Hippichthys spicifer</i>	(Rüppell 1838)	native
<i>Hippocampus abdominalis</i>	Lesson 1827	native
<i>Hippocampus alatus</i>	Kuiter 2001	native
<i>Hippocampus angustus</i>	Günther 1870	endemic
<i>Hippocampus bargibanti</i>	Whitley 1970	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Hippocampus biocellatus</i>	<b>Kuiter 2001</b>	native
<i>Hippocampus bleekeri</i>	<b>Fowler 1907</b>	native
<i>Hippocampus breviceps</i>	<b>Peters 1869</b>	endemic
<i>Hippocampus colemani</i>	<b>Kuiter 2003</b>	native
<i>Hippocampus dahli</i>	<b>Ogilby 1908</b>	native
<i>Hippocampus denise</i>	<b>Lourie &amp; Randall 2003</b>	native
<i>Hippocampus fisheri</i>	<b>Jordan &amp; Evermann 1903</b>	---
<i>Hippocampus grandiceps</i>	<b>Kuiter 2001</b>	native
<i>Hippocampus hendriki</i>	<b>Kuiter 2001</b>	native
<i>Hippocampus histrix</i>	<b>Kaup 1856</b>	native
<i>Hippocampus jugumus</i>	<b>Kuiter 2001</b>	native
<i>Hippocampus kampylotrachelos</i>	<b>Bleeker 1854</b>	native
<i>Hippocampus kelloggi</i>	<b>Jordan &amp; Snyder 1901</b>	---
<i>Hippocampus kuda</i>	<b>Bleeker 1852</b>	native
<i>Hippocampus minotaur</i>	<b>Gomon 1997</b>	native
<i>Hippocampus montebelloensis</i>	<b>Kuiter 2001</b>	native
<i>Hippocampus multispinus</i>	<b>Kuiter 2001</b>	native
<i>Hippocampus paradoxus</i>	<b>Foster &amp; Gomon 2010</b>	native
<i>Hippocampus planifrons</i>	<b>Peters 1877</b>	native
<i>Hippocampus procerus</i>	<b>Kuiter 2001</b>	native
<i>Hippocampus queenslandicus</i>	<b>Horne 2001</b>	native
<i>Hippocampus semispinosus</i>	<b>Kuiter 2001</b>	native
<i>Hippocampus spinosissimus</i>	<b>Weber 1913</b>	native
<i>Hippocampus subelongatus</i>	<b>Castelnau 1873</b>	endemic
<i>Hippocampus taeniopterus</i>	<b>Bleeker 1852</b>	native
<i>Hippocampus trimaculatus</i>	<b>Leach in Leach &amp; Nodder 1814</b>	native
<i>Hippocampus tristis</i>	<b>Castelnau 1872</b>	native
<i>Hippocampus tuberculatus</i>	<b>Castelnau 1875</b>	native
<i>Hippocampus whitei</i>	<b>Bleeker 1855</b>	native
<i>Hippocampus zebra</i>	<b>Whitley 1964</b>	native
<i>Hipposcarus longiceps</i>	<b>(Valenciennes 1840)</b>	native
<i>Hipposcorpaena filamentosus</i>	<b>Fowler 1938</b>	native
<i>Hirculops cornifer</i>	<b>(Rüppell 1830)</b>	native
<i>Hirundichthys oxycephalus</i>	<b>(Bleeker 1852)</b>	native
<i>Hirundichthys rondeletii</i>	<b>(Valenciennes 1847)</b>	native

Genus Species	Author	Type
<i>Hirundichthys rufipinnis</i>	(Valenciennes 1847)	native
<i>Hirundichthys speculiger</i>	(Valenciennes 1847)	native
<i>Histiobranchus australis</i>	(Regan 1913)	native
<i>Histiobranchus bathybius</i>	(Günther 1877)	native
<i>Histiobranchus bruuni</i>	Castle 1964	native
<i>Histiodraco velifer</i>	(Regan 1914)	native
<i>Histiogamphelus briggsii</i>	McCulloch 1914	native
<i>Histiogamphelus cristatus</i>	(Macleay 1881)	native
<i>Histiophryne bougainvilli</i>	(Valenciennes 1837)	native
<i>Histiophryne cryptacanthus</i>	(Weber 1913)	native
<i>Histiophryne maggiewalker</i>	Arnold & Pietsch 2011	native
<i>Histioporus typus</i>	Temminck & Schlegel 1844	native
<i>Histrion histrio</i>	(Linnaeus 1758)	native
<i>Holcomycteronus brucei</i>	(Dollo 1906)	native
<i>Hologymnosus annulatus</i>	(Lacepède 1801)	native
<i>Hologymnosus doliatus</i>	(Lacepède 1801)	native
<i>Hologymnosus longipes</i>	(Günther 1862)	native
<i>Hologymnosus rhodonotus</i>	Randall & Yamakawa 1988	native
<i>Holtbyrnia laticauda</i>	Sazonov 1976	native
<i>Homostolus acer</i>	Smith & Radcliffe in Radcliffe 1913	native
<i>Hoplichthys citrinus</i>	Gilbert 1905	native
<i>Hoplichthys filamentosus</i>	Matsubara & Ochiai 1950	native
<i>Hoplichthys haswelli</i>	McCulloch 1907	native
<i>Hoplichthys ogilbyi</i>	McCulloch 1914	endemic
<i>Hoplichthys regani</i>	Jordan (ex Regan) 1908	native
<i>Hoplobrotula armata</i>	(Temminck & Schlegel 1846)	native
<i>Hoplolatilus chlupatyi</i>	Klausewitz, McCosker, Randall & Zetzsche 1978	native
<i>Hoplolatilus cuniculus</i>	Randall & Dooley 1974	native
<i>Hoplolatilus starcki</i>	Randall & Dooley 1974	native
<i>Hoplostethus atlanticus</i>	Collett 1889	native
<i>Hoplostethus gigas</i>	McCulloch 1914	native
<i>Hoplostethus latus</i>	McCulloch 1914	native
<i>Hoplostethus mediterraneus</i>	Cuvier in Cuvier & Valenciennes 1829	native
<i>Hoplostethus melanopus</i>	(Weber 1913)	native
<i>Hoplostethus ravurictus</i>	Gomon 2008	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Hoplostethus shubnikovi</i>	<b>Kotlyar 1980</b>	native
<i>Howella brodiei</i>	<b>Ogilby 1899</b>	native
<i>Howella sherborni</i>	<b>(Norman 1930)</b>	native
<i>Hydrolagus homonycteris</i>	<b>Didier 2008</b>	native
<i>Hydrolagus lemures</i>	<b>(Whitley 1939)</b>	endemic
<i>Hydrolagus marmoratus</i>	<b>Didier 2008</b>	native
<i>Hydrolagus novaezealandiae</i>	<b>(Fowler 1911)</b>	native
<i>Hydrolagus ogilbyi</i>	<b>(Waite 1898)</b>	endemic
<i>Hydrolagus trolli</i>	<b>Didier &amp; Séret 2002</b>	native
<i>Hydrolagus waitei</i>	<b>Fowler 1907</b>	native
<i>Hygophum hanseni</i>	<b>(Tåning 1932)</b>	native
<i>Hygophum hygomii</i>	<b>(Lütken 1892)</b>	native
<i>Hygophum macrochir</i>	<b>(Günther 1864)</b>	native
<i>Hygophum proximum</i>	<b>Becker 1965</b>	native
<i>Hygophum reinhardtii</i>	<b>(Lütken 1892)</b>	native
<i>Hymenocephalus aeger</i>	<b>Gilbert &amp; Hubbs 1920</b>	native
<i>Hymenocephalus aterrimus</i>	<b>Gilbert 1905</b>	native
<i>Hymenocephalus longibarbis</i>	<b>(Günther 1887)</b>	native
<i>Hymenocephalus longiceps</i>	<b>Smith &amp; Radcliffe in Radcliffe 1912</b>	native
<i>Hymenocephalus megalops</i>	<b>Iwamoto &amp; Merrett 1997</b>	native
<i>Hymenocephalus nascens</i>	<b>Gilbert &amp; Hubbs 1920</b>	native
<i>Hymenogadus gracilis</i>	<b>(Gilbert &amp; Hubbs 1920)</b>	native
<i>Hyperlophus translucidus</i>	<b>McCulloch 1917</b>	endemic
<i>Hyperlophus vittatus</i>	<b>(Castelnau 1875)</b>	endemic
<i>Hyperoglyphe antarctica</i>	<b>(Carmichael 1819)</b>	native
<i>Hypnos monopterygius</i>	<b>(Shaw 1795)</b>	endemic
<i>Hypoatherina barnesi</i>	<b>Schultz in Schultz et al. 1953</b>	native
<i>Hypoatherina ovalaua</i>	<b>(Herre 1935)</b>	native
<i>Hypoatherina temminckii</i>	<b>(Bleeker 1853)</b>	native
<i>Hypoatherina tropicalis</i>	<b>(Whitley 1948)</b>	native
<i>Hypogaleus hyugaensis</i>	<b>(Miyosi 1939)</b>	native
<i>Hypoplectrodes annulatus</i>	<b>(Günther 1859)</b>	native
<i>Hypoplectrodes cardinalis</i>	<b>Allen &amp; Randall 1990</b>	native
<i>Hypoplectrodes huntii</i>	<b>(Hector 1875)</b>	native
<i>Hypoplectrodes jamesoni</i>	<b>Ogilby 1908</b>	native

Genus Species	Author	Type
<i>Hypoplectrodes maccullochi</i>	(Whitley 1929)	native
<i>Hypoplectrodes nigroruber</i>	(Cuvier 1828)	native
<i>Hypoplectrodes semicinctum</i>	(Valenciennes 1833)	native
<i>Hypoplectrodes wilsoni</i>	(Allen & Moyer 1980)	native
<i>Hypopleuron caninum</i>	Smith & Radcliffe in Radcliffe 1913	native
<i>Hypopterus macropterus</i>	(Günther 1859)	endemic
<i>Hyporhamphus affinis</i>	(Günther 1866)	native
<i>Hyporhamphus australis</i>	(Steindachner 1866)	endemic
<i>Hyporhamphus dussumieri</i>	(Valenciennes 1847)	native
<i>Hyporhamphus melanochir</i>	(Valenciennes 1847)	endemic
<i>Hyporhamphus neglectissimus</i>	Parin, Collette & Shcherbachev 1980	native
<i>Hyporhamphus neglectus</i>	(Bleeker 1866)	native
<i>Hyporhamphus quoyi</i>	(Valenciennes 1847)	native
<i>Hyporhamphus regularis</i>	(Günther 1866)	native
<i>Hyporhamphus regularis regularis</i>	(Günther 1866)	endemic
<i>Hyporthodus ergastularius</i>	Whitley 1930	native
<i>Hyporthodus octofasciatus</i>	Griffin 1926	native
<i>Hyporthodus perplexus</i>	Randall, Hoese & Last 1991	native
<i>Hyporthodus septemfasciatus</i>	Thunberg 1793	native
<i>Hypseleotris aurea</i>	(Shipway 1950)	endemic
<i>Hypseleotris barrawayi</i>	Larson 2007	native
<i>Hypseleotris compressa</i>	(Kreffit 1864)	native
<i>Hypseleotris ejuncida</i>	Hoese & Allen in Allen 1982	endemic
<i>Hypseleotris galii</i>	(Ogilby 1898)	endemic
<i>Hypseleotris kimberleyensis</i>	Hoese & Allen in Allen 1982	endemic
<i>Hypseleotris klunzingeri</i>	(Ogilby 1898)	native
<i>Hypseleotris regalis</i>	Hoese & Allen in Allen 1982	endemic
<i>Hypselognathus horridus</i>	Dawson & Glover 1982	native
<i>Hypselognathus rostratus</i>	(Waite & Hale 1921)	native
<i>Iago garricki</i>	Fourmanoir & Rivaton 1979	native
<i>Ichthyapus vulturis</i>	(Weber & de Beaufort 1916)	native
<i>Ichthyococcus australis</i>	Mukhacheva 1980	native
<i>Ichthyococcus intermedius</i>	Mukhacheva 1980	native
<i>Ichthyococcus ovatus</i>	(Cocco 1838)	native
<i>Ichthyoscopus barbatus</i>	Mees 1960	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Ichthyoscopus fasciatus</i>	<b>Haysom 1957</b>	native
<i>Ichthyoscopus insperatus</i>	<b>Mees 1960</b>	endemic
<i>Ichthyoscopus nigripinnis</i>	<b>Gomon &amp; Johnson 1999</b>	native
<i>Ichthyoscopus sannio</i>	<b>Whitley 1936</b>	native
<i>Ichthyoscopus spinosus</i>	<b>Mees 1960</b>	native
<i>Ichthyops australis</i>	<b>Haedrich 1966</b>	native
<i>Idiacanthus atlanticus</i>	<b>Brauer 1906</b>	native
<i>Idiacanthus fasciola</i>	<b>Peters 1877</b>	native
<i>Idiophorhynchus andriashevi</i>	<b>Sazonov 1981</b>	native
<i>Idiotropiscis australe</i>	<b>(Waite &amp; Hale 1921)</b>	native
<i>Idiotropiscis larsonae</i>	<b>(Dawson 1984)</b>	native
<i>Idiotropiscis lumnitzeri</i>	<b>Kuiter 2004</b>	native
<i>Ilisha elongata</i>	<b>(Anonymous [Bennett] 1830)</b>	native
<i>Ilisha lunula</i>	<b>Kailola 1986</b>	native
<i>Ilisha melastoma</i>	<b>(Bloch &amp; Schneider 1801)</b>	native
<i>Ilisha striatula</i>	<b>Wongratana 1983</b>	native
<i>Ilyophis brunneus</i>	<b>Gilbert 1891</b>	native
<i>Incara multisquamatus</i>	<b>Rao 1971</b>	native
<i>Inegocia harrisii</i>	<b>(McCulloch 1914)</b>	native
<i>Inegocia japonica</i>	<b>(Cuvier (ex Tilesius) in Cuvier &amp; Valenciennes 1829)</b>	native
<i>Iniistius aneitensis</i>	<b>(Günther 1862)</b>	native
<i>Iniistius dea</i>	<b>(Temminck &amp; Schlegel 1845)</b>	native
<i>Iniistius jacksonensis</i>	<b>(Ramsay 1881)</b>	native
<i>Iniistius pavo</i>	<b>(Valenciennes 1840)</b>	native
<i>Iniistius pentadactylus</i>	<b>(Linnaeus 1758)</b>	native
<i>Iniistius twistii</i>	<b>(Bleeker 1856)</b>	native
<i>Inimicus caledonicus</i>	<b>(Sauvage 1878)</b>	native
<i>Inimicus didactylus</i>	<b>(Pallas 1769)</b>	native
<i>Inimicus sinensis</i>	<b>(Valenciennes 1833)</b>	native
<i>Insentiraja laxipella</i>	<b>(Yearsley &amp; Last 1992)</b>	native
<i>Insentiraja subtilispinosa</i>	<b>(Stehmann 1989)</b>	native
<i>Ipnops agassizii</i>	<b>Garman 1899</b>	native
<i>Ipnops murrayi</i>	<b>Günther 1878</b>	native
<i>Iriatherina werneri</i>	<b>Meinken 1974</b>	native
<i>Irolita waitii</i>	<b>(McCulloch 1911)</b>	endemic

Genus Species	Author	Type
<i>Irolita westraliensis</i>	Last & Gledhill 2008	native
<i>Isistius brasiliensis</i>	(Quoy & Gaimard 1824)	native
<i>Isistius plutodus</i>	Garrick & Springer 1964	native
<i>Iso rhotophilus</i>	(Ogilby 1895)	native
<i>Istiblennius dussumieri</i>	(Valenciennes 1836)	native
<i>Istiblennius edentulus</i>	(Forster & Schneider 1801)	native
<i>Istiblennius lineatus</i>	(Valenciennes 1836)	native
<i>Istiblennius meleagris</i>	(Valenciennes 1836)	native
<i>Istigobius decoratus</i>	(Herre 1927)	native
<i>Istigobius diadema</i>	(Steindachner 1876)	native
<i>Istigobius goldmanni</i>	(Bleeker 1852)	native
<i>Istigobius hoesei</i>	Murdy & McEachran 1982	native
<i>Istigobius nigroocellatus</i>	(Günther 1873)	native
<i>Istigobius ornatus</i>	(Rüppell 1830)	native
<i>Istigobius rigilius</i>	(Herre 1953)	native
<i>Istigobius spence</i>	(Smith 1947)	native
<i>Istiompax indica</i>	(Cuvier 1832)	native
<i>Istiophorus platypterus</i>	(Shaw 1792)	native
<i>Isurus oxyrinchus</i>	Rafinesque 1810	native
<i>Isurus paucus</i>	Guitart Manday 1966	native
<i>Japonolaeops dentatus</i>	Amaoka 1969	native
<i>Jaydia argyrogaster</i>	Weber 1909	native
<i>Jaydia melanopus</i>	(Weber 1911)	native
<i>Jaydia truncata</i>		native
<i>Johnius amblycephalus</i>	(Bleeker 1855)	native
<i>Johnius australis</i>	(Günther 1880)	native
<i>Johnius belangerii</i>	(Cuvier 1830)	native
<i>Johnius borneensis</i>	(Bleeker 1851)	native
<i>Johnius coitor</i>	(Hamilton 1822)	native
<i>Johnius laevis</i>	Sasaki & Kailola 1991	native
<i>Johnius macropterus</i>	(Bleeker 1853)	native
<i>Johnius novaeguineae</i>	(Nichols 1950)	native
<i>Johnius novaehollandiae</i>	(Steindachner 1866)	native
<i>Jordanella floridae</i>	Goode & Bean in Goode 1879	native
<i>Kajikia albida</i>	(Poey 1860)	native

Genus Species	Author	Type
<i>Kajikia audax</i>	(Philippi 1887)	native
<i>Kali kerberti</i>	(Weber 1913)	native
<i>Kali macrura</i>	(Parr 1933)	native
<i>Kali parri</i>	Johnson & Cohen 1974	native
<i>Kamoharaia megastoma</i>	(Kamohara 1936)	native
<i>Kanekonia queenslandica</i>	Whitley 1952	endemic
<i>Karalla dussumieri</i>	(Valenciennes in Cuvier & Valenciennes 1835)	native
<i>Kathetostoma canaster</i>	Gomon & Last 1987	native
<i>Kathetostoma laeve</i>	(Bloch & Schneider 1801)	native
<i>Kathetostoma nigrofasciatum</i>	Waite & McCulloch 1915	native
<i>Katsuwonus pelamis</i>	(Linnaeus 1758)	native
<i>Kaupichthys atronasus</i>	Schultz in Schultz et al. 1953	native
<i>Kaupichthys brachyichirus</i>	Schultz in Schultz et al. 1953	native
<i>Kaupichthys diodontus</i>	Schultz 1943	native
<i>Kaupichthys hyoproroides</i>	(Strömman 1896)	native
<i>Kaupus costatus</i>	(Waite & Hale 1921)	native
<i>Kentrocopros flavofasciatus</i>	(Kamohara 1938)	native
<i>Kestratherina brevisrostris</i>	Pavlov, Ivantsoff, Last & Crowley 1988	native
<i>Kestratherina esox</i>	(Klunzinger 1872)	endemic
<i>Kimberleyeleotris hutchinsi</i>	Hoese & Allen 1987	endemic
<i>Kimberleyeleotris notata</i>	Hoese & Allen 1987	endemic
<i>Kimblaeus bassensis</i>	Dawson 1980	native
<i>Kopua kuiteri</i>	Hutchins 1991	native
<i>Koumansetta hectori</i>	(Smith 1957)	native
<i>Koumansetta rainfordi</i>	Whitley 1940	native
<i>Kraemeria merensis</i>	Whitley 1935	native
<i>Kraemeria samoensis</i>	Steindachner 1906	native
<i>Krefflichthys anderssoni</i>	(Lönnberg 1905)	native
<i>Kuhlia marginata</i>	(Cuvier in Cuvier & Valenciennes 1829)	native
<i>Kuhlia mugil</i>	(Forster 1801)	native
<i>Kuhlia munda</i>	(De Vis 1884)	native
<i>Kuhlia rupestris</i>	(Lacepède 1802)	native
<i>Kuiterichthys furcipilis</i>	(Cuvier 1817)	endemic
<i>Kumba gymnorhynchus</i>	Iwamoto & Sazonov 1994	native
<i>Kumococius rodericensis</i>	(Cuvier 1829)	native

Genus Species	Author	Type
<i>Kuronezumia bubonis</i>	(Iwamoto 1974)	native
<i>Kuronezumia leonis</i>	(Barnard 1925)	native
<i>Kuronezumia pallida</i>	Sazonov & Iwamoto 1992	native
<i>Kurtus gulliveri</i>	Castelnau 1878	native
<i>Kyphosus bigibbus</i>	Lacepède (ex Commerson) 1801	native
<i>Kyphosus cinerascens</i>	(Forsskål 1775)	native
<i>Kyphosus cornelii</i>	(Whitley 1944)	native
<i>Kyphosus pacificus</i>	Sakai & Nakabo 2004	native
<i>Kyphosus sectatrix</i>	(Linnaeus 1766)	native
<i>Kyphosus sydneyanus</i>	(Günther 1886)	native
<i>Kyphosus vaigiensis</i>	(Quoy & Gaimard 1825)	native
<i>Labichthys yanoi</i>	(Mead & Rubinoff 1966)	native
<i>Labracinus cyclophthalmus</i>	(Müller & Troschel 1849)	native
<i>Labracinus lineatus</i>	(Castelnau 1875)	endemic
<i>Labracoglossa nitida</i>	McCulloch & Waite 1916	native
<i>Labrichthys unilineatus</i>	(Guichenot 1847)	native
<i>Labroides bicolor</i>	Fowler & Bean 1928	native
<i>Labroides dimidiatus</i>	(Valenciennes 1839)	native
<i>Labroides pectoralis</i>	Randall & Springer 1975	native
<i>Labropsis australis</i>	Randall 1981	native
<i>Labropsis manabei</i>	Schmidt 1931	native
<i>Labropsis xanthonota</i>	Randall 1981	native
<i>Lactarius lactarius</i>	(Bloch & Schneider 1801)	native
<i>Lactoria cornuta</i>	(Linnaeus 1758)	native
<i>Lactoria diaphana</i>	(Bloch & Schneider 1801)	native
<i>Lactoria fornasini</i>	(Bianconi 1846)	native
<i>Laemonema robustum</i>	Johnson 1862	native
<i>Laeops kitaharae</i>	(Smith & Pope 1906)	native
<i>Laeops lanceolata</i>	Franz 1910	native
<i>Laeops parviceps</i>	Günther 1880	native
<i>Lagocephalus cheesemani</i>	(Clarke 1897)	native
<i>Lagocephalus guentheri</i>	Miranda Ribeiro 1915	native
<i>Lagocephalus inermis</i>	(Temminck & Schlegel 1850)	native
<i>Lagocephalus lagocephalus</i>	(Linnaeus 1758)	native
<i>Lagocephalus lunaris</i>	(Bloch & Schneider 1801)	native

Genus Species	Author	Type
<i>Lagocephalus sceleratus</i>	(Gmelin 1789)	native
<i>Lagocephalus spadiceus</i>	(Richardson 1845)	native
<i>Laiphognathus multimaculatus</i>	Smith 1955	native
<i>Lamna nasus</i>	(Bonnaterre 1788)	native
<i>Lampadena chavesi</i>	Collett 1905	native
<i>Lampadena luminosa</i>	(Garman 1899)	native
<i>Lampadena notialis</i>	Nafpaktitis & Paxton 1968	native
<i>Lampadena speculigera</i>	Goode & Bean 1896	native
<i>Lampadena urophaos</i>	Paxton 1963	native
<i>Lampadena urophaos urophaos</i>	Paxton 1963	native
<i>Lampanyctodes hectoris</i>	(Günther 1876)	native
<i>Lampanyctus alatus</i>	Goode & Bean 1896	native
<i>Lampanyctus australis</i>	Tåning 1932	native
<i>Lampanyctus festivus</i>	Tåning 1928	native
<i>Lampanyctus intricarius</i>	Tåning 1928	native
<i>Lampanyctus lepidolychnus</i>	Becker 1967	native
<i>Lampanyctus macdonaldi</i>	(Goode & Bean 1896)	native
<i>Lampanyctus nobilis</i>	Tåning 1928	native
<i>Lampanyctus pusillus</i>	(Johnson 1890)	native
<i>Lampichthys procerus</i>	(Brauer 1904)	native
<i>Lampris guttatus</i>	(Brünnich 1788)	native
<i>Lampris immaculatus</i>	Gilchrist 1904	native
<i>Lamprogrammus brunswigi</i>	(Brauer 1906)	native
<i>Lamprogrammus niger</i>	Alcock 1891	native
<i>Lamprogrammus shcherbachevi</i>	Cohen & Rohr 1993	native
<i>Larimichthys pamoides</i>	(Munro 1964)	native
<i>Larimichthys polyactis</i>	(Bleeker 1877)	native
<i>Larsonella pumila</i>	(Larson & Hoese 1980)	native
<i>Lateolabrax japonicus</i>	(Cuvier 1828)	introduced
<i>Lates calcarifer</i>	(Bloch 1790)	native
<i>Lates niloticus</i>	(Linnaeus 1758)	native
<i>Latridopsis ciliaris</i>	(Forster in Bloch & Schneider 1801)	native
<i>Latridopsis forsteri</i>	(Castelnau 1872)	native
<i>Latris lineata</i>	(Forster 1801)	native
<i>Latropiscis purpurissatus</i>	(Richardson 1843)	endemic

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Leiognathus brevirostris</i>	(Valenciennes 1835)	native
<i>Leiognathus equula</i>	(Forsskål 1775)	native
<i>Leiopotherapon aheneus</i>	(Mees 1963)	endemic
<i>Leiopotherapon macrolepis</i>	Vari 1978	endemic
<i>Leiopotherapon unicolor</i>	(Günther 1859)	endemic
<i>Leiuranus semicinctus</i>	(Lay & Bennett 1839)	native
<i>Leiuranus versicolor</i>	(Richardson 1848)	native
<i>Lepadichthys caritus</i>	Briggs 1969	native
<i>Lepadichthys frenatus</i>	Waite 1904	native
<i>Lepadichthys sandaracatus</i>	Whitley 1943	native
<i>Lepidion inosimae</i>	(Günther 1887)	native
<i>Lepidion microcephalus</i>	Cowper 1956	native
<i>Lepidion schmidti</i>	Svetovidov 1936	native
<i>Lepidoblennius haplodactylus</i>	Steindachner 1867	native
<i>Lepidoblennius marmoratus</i>	(Macleay 1878)	native
<i>Lepidoblepharon ophthalmolepis</i>	Weber 1913	native
<i>Lepidocybium flavobrunneum</i>	(Smith 1843)	native
<i>Lepidogalaxias salamandroides</i>	Mees 1961	endemic
<i>Lepidonotothen squamifrons</i>	(Günther 1880)	native
<i>Lepidoperca brochata</i>	Katayama & Fujii 1982	native
<i>Lepidoperca caesiopercula</i>	Whitley 1951	native
<i>Lepidoperca filamenta</i>	Roberts 1987	native
<i>Lepidoperca magna</i>	Katayama & Fujii 1982	native
<i>Lepidoperca occidentalis</i>	Whitley 1951	endemic
<i>Lepidoperca pulchella</i>	(Waite 1899)	native
<i>Lepidoperca tasmanica</i>	Norman 1937	endemic
<i>Lepidopus caudatus</i>	(Euphrasen 1788)	native
<i>Lepidorhynchus denticulatus</i>	Richardson 1846	native
<i>Lepidotrigla argus</i>	Ogilby 1910	native
<i>Lepidotrigla calodactyla</i>	Ogilby 1910	native
<i>Lepidotrigla grandis</i>	Ogilby 1910	native
<i>Lepidotrigla larsoni</i>	del Cerro & Lloris 1997	native
<i>Lepidotrigla modesta</i>	Waite 1899	native
<i>Lepidotrigla mulhalli</i>	Macleay 1884	native
<i>Lepidotrigla papilio</i>	(Cuvier 1829)	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Lepidotrigla pleuracanthica</i>	(Richardson 1845)	native
<i>Lepidotrigla punctipectoralis</i>	Fowler 1938	native
<i>Lepidotrigla russelli</i>	del Cerro & Lloris 1995	native
<i>Lepidotrigla spiloptera</i>	Günther 1880	native
<i>Lepidotrigla spinosa</i>	Gomon 1987	native
<i>Lepidotrigla umbrosa</i>	Ogilby 1910	endemic
<i>Lepidotrigla vanessa</i>	(Richardson 1839)	native
<i>Lepidozygus tapeinosoma</i>	(Bleeker 1856)	native
<i>Leptachirus darwinensis</i>	Randall 2007	native
<i>Leptachirus klunzingeri</i>	(Weber 1907)	native
<i>Leptachirus polylepis</i>	Randall 2007	native
<i>Leptachirus triramus</i>	Randall 2007	native
<i>Leptatherina presbyteroides</i>	(Richardson 1843)	endemic
<i>Leptatherina wallacei</i>	(Prince, Ivantsoff & Potter 1982)	endemic
<i>Leptobrama muelleri</i>	Steindachner 1878	native
<i>Leptochilichthys microlepis</i>	Machida & Shioyaki 1988	native
<i>Leptochilichthys pinguis</i>	(Vaillant 1886)	native
<i>Leptoderma affinis</i>	Alcock 1899	native
<i>Leptoderma lubricum</i>	Abe, Marumo & Kawaguchi 1965	native
<i>Leptoichthys fistularius</i>	Kaup 1853	endemic
<i>Leptojulius cyanopleura</i>	(Bleeker 1853)	native
<i>Leptomelanosoma indicum</i>	(Shaw 1804)	native
<i>Leptoscarus vaigiensis</i>	(Quoy & Gaimard 1824)	native
<i>Leptoscopus macropygus</i>	(Richardson 1846)	native
<i>Lepturacanthus savala</i>	(Cuvier 1829)	native
<i>Lestidiops indopacifica</i>	(Ege 1953)	native
<i>Lestidiops jayakari</i>	(Boulenger 1889)	native
<i>Lestidium atlanticum</i>	Borodin 1928	native
<i>Lestidium nudum</i>	Gilbert 1905	native
<i>Lestrolepis japonica</i>	(Tanaka 1908)	native
<i>Lesueurina platycephala</i>	Fowler 1908	native
<i>Lethrinus amboinensis</i>	Bleeker 1854	native
<i>Lethrinus atkinsoni</i>	Seale 1910	native
<i>Lethrinus erythracanthus</i>	Valenciennes in Cuvier & Valenciennes 1830	native
<i>Lethrinus erythropterus</i>	Valenciennes in Cuvier & Valenciennes 1830	native

Genus Species	Author	Type
<i>Lethrinus genivittatus</i>	<i>Valenciennes in Cuvier &amp; Valenciennes 1830</i>	native
<i>Lethrinus harak</i>	<i>(Forsskål 1775)</i>	native
<i>Lethrinus laticaudis</i>	<i>Alleyne &amp; Macleay 1877</i>	native
<i>Lethrinus lentjan</i>	<i>(Lacepède 1802)</i>	native
<i>Lethrinus mahsena</i>	<i>(Forsskål 1775)</i>	native
<i>Lethrinus microdon</i>	<i>Valenciennes in Cuvier &amp; Valenciennes 1830</i>	native
<i>Lethrinus miniatus</i>	<i>(Forster 1801)</i>	native
<i>Lethrinus nebulosus</i>	<i>(Forsskål 1775)</i>	native
<i>Lethrinus obsoletus</i>	<i>(Forsskål 1775)</i>	native
<i>Lethrinus olivaceus</i>	<i>Valenciennes in Cuvier &amp; Valenciennes 1830</i>	native
<i>Lethrinus ornatus</i>	<i>Valenciennes in Cuvier &amp; Valenciennes 1830</i>	native
<i>Lethrinus ravus</i>	<i>Carpenter &amp; Randall 2003</i>	native
<i>Lethrinus rubrioperculatus</i>	<i>Sato 1978</i>	native
<i>Lethrinus semicinctus</i>	<i>Valenciennes in Cuvier &amp; Valenciennes 1830</i>	native
<i>Lethrinus variegatus</i>	<i>Valenciennes (ex Ehrenberg) in Cuvier &amp; Valenciennes 1830</i>	native
<i>Lethrinus xanthochilus</i>	<i>Klunzinger 1870</i>	native
<i>Leucoraja pristispina</i>	<i>Last, Stehmann &amp; Séret 2008</i>	native
<i>Leviprora inops</i>	<i>(Jenyns 1840)</i>	endemic
<i>Liachirus melanospilos</i>	<i>(Bleeker 1854)</i>	native
<i>Liachirus whitleyi</i>	<i>Chabanaud 1950</i>	native
<i>Limnichthys fasciatus</i>	<i>Waite 1904</i>	native
<i>Limnichthys nitidus</i>	<i>Smith 1958</i>	native
<i>Linophryne densiramus</i>	<i>Imai 1941</i>	native
<i>Linophryne indica</i>	<i>(Brauer 1902)</i>	native
<i>Liocranium pleurostigma</i>	<i>(Weber 1913)</i>	native
<i>Liocranium praepositum</i>	<i>Ogilby 1903</i>	native
<i>Liopropoma mitratum</i>	<i>Lubbock &amp; Randall 1978</i>	native
<i>Liopropoma multilineatum</i>	<i>Randall &amp; Taylor 1988</i>	native
<i>Liopropoma susumi</i>	<i>(Jordan &amp; Seale 1906)</i>	native
<i>Lioscorpius longiceps</i>	<i>Günther 1880</i>	native
<i>Lioscorpius trifasciatus</i>	<i>Last, Yearsley &amp; Motomura 2005</i>	native
<i>Lipocheilus carnolabrum</i>	<i>(Chan 1970)</i>	native
<i>Lipogenys gillii</i>	<i>Goode &amp; Bean 1895</i>	native
<i>Lipolagus ochotensis</i>	<i>(Schmidt 1938)</i>	native
<i>Lissocampus caudalis</i>	<i>Waite &amp; Hale 1921</i>	endemic

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Lissocampus fatiloquus</i>	(Whitley 1943)	endemic
<i>Lissocampus runa</i>	(Whitley 1931)	native
<i>Liza alata</i>	(Steindachner 1892)	native
<i>Liza argentea</i>	(Quoy & Gaimard 1825)	native
<i>Liza macrolepis</i>	(Smith 1846)	native
<i>Liza melinoptera</i>	(Valenciennes 1836)	native
<i>Liza parmatius</i>	(Cantor 1849)	native
<i>Liza subviridis</i>	(Valenciennes 1836)	native
<i>Lobianchia dofleini</i>	(Zugmayer 1911)	native
<i>Lobianchia gemellarii</i>	(Cocco 1838)	native
<i>Lobotes surinamensis</i>	(Bloch 1790)	native
<i>Lobulogobius morrigan</i>	Larson 1983	native
<i>Lobulogobius omanensis</i>	Koumans in Blegvad & Lo/ppenthin 1944	native
<i>Lophichthys boschmai</i>	Boeseman 1964	native
<i>Lophiocharon hutchinsi</i>	Pietsch 2004	native
<i>Lophiocharon trisignatus</i>	(Richardson 1844)	native
<i>Lophiodes endoi</i>	Ho & Shao 2008	native
<i>Lophiodes infrabrunneus</i>	Smith & Radcliffe in Radcliffe 1912	native
<i>Lophiodes mutilus</i>	(Alcock 1894)	native
<i>Lophiodes naresi</i>	(Günther 1880)	native
<i>Lophiomus setigerus</i>	(Vahl 1797)	native
<i>Lophodiodon calori</i>	(Bianconi 1854)	native
<i>Lophogobius bleekeri</i>	Popta 1921	native
<i>Lophonectes gallus</i>	Günther 1880	native
<i>Lophotus lacepede</i>	Giorna 1809	native
<i>Lotella phycis</i>	(Temminck & Schlegel 1846)	native
<i>Lotella rhacina</i>	(Forster 1801)	native
<i>Lotilia graciliosa</i>	Klausewitz 1960	native
<i>Lovettia sealii</i>	(Johnston 1883)	endemic
<i>Loweina rara</i>	(Lütken 1892)	native
<i>Loxodon macrorhinus</i>	Müller & Henle 1839	native
<i>Lubbockichthys multisquamatus</i>	(Allen 1987)	native
<i>Lubricogobius ornatus</i>	Fourmanoir 1966	native
<i>Lucigadus microlepis</i>	(Günther 1878)	native
<i>Lucigadus nigromaculatus</i>	(McCulloch 1907)	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Lucigadus ori</i>	(Smith 1968)	native
<i>Luciosudis normani</i>	Fraser-Brunner 1931	native
<i>Lumiconger arafura</i>	Castle & Paxton 1984	endemic
<i>Luposicya lupus</i>	Smith 1959	native
<i>Lutjanus adetii</i>	(Castelnau 1873)	native
<i>Lutjanus argentimaculatus</i>	(Forsskål 1775)	native
<i>Lutjanus biguttatus</i>	(Valenciennes 1830)	native
<i>Lutjanus bitaeniatus</i>	(Valenciennes 1830)	native
<i>Lutjanus bohar</i>	(Forsskål 1775)	native
<i>Lutjanus bouton</i>	(Lacepède 1802)	native
<i>Lutjanus carponotatus</i>	(Richardson 1842)	native
<i>Lutjanus decussatus</i>	(Cuvier 1828)	native
<i>Lutjanus ehrenbergii</i>	(Peters 1869)	native
<i>Lutjanus erythropterus</i>	Bloch 1790	native
<i>Lutjanus fulviflamma</i>	(Forsskål 1775)	native
<i>Lutjanus fulvus</i>	(Forster 1801)	native
<i>Lutjanus gibbus</i>	(Forsskål 1775)	native
<i>Lutjanus johnii</i>	(Bloch 1792)	native
<i>Lutjanus kasmira</i>	(Forsskål 1775)	native
<i>Lutjanus lemniscatus</i>	(Valenciennes 1828)	native
<i>Lutjanus lutjanus</i>	Bloch 1790	native
<i>Lutjanus malabaricus</i>	(Bloch & Schneider 1801)	native
<i>Lutjanus monostigma</i>	(Cuvier 1828)	native
<i>Lutjanus quinquelineatus</i>	(Bloch 1790)	native
<i>Lutjanus rivulatus</i>	(Cuvier 1828)	native
<i>Lutjanus rufolineatus</i>	(Valenciennes 1830)	native
<i>Lutjanus russellii</i>	(Bleeker 1849)	native
<i>Lutjanus sanguineus</i>	(Cuvier 1828)	native
<i>Lutjanus sebae</i>	(Cuvier 1816)	native
<i>Lutjanus semicinctus</i>	Quoy & Gaimard 1824	native
<i>Lutjanus timoriensis</i>	(Quoy & Gaimard 1824)	native
<i>Lutjanus vitta</i>	(Quoy & Gaimard 1824)	native
<i>Luvarus imperialis</i>	Rafinesque 1810	native
<i>Luzonichthys waitei</i>	(Fowler 1931)	native
<i>Lycodes terraenovae</i>	Collett 1896	native

Genus Species	Author	Type
<i>Lycodichthys dearborni</i>	(DeWitt 1962)	native
<i>Maccullochella ikei</i>	Rowland 1986	endemic
<i>Maccullochella macquariensis</i>	(Cuvier 1829)	endemic
<i>Maccullochella mariensis</i>	Rowland 1993	native
<i>Maccullochella peelii</i>	(Mitchell 1838)	endemic
<i>Maccullochella peelii peelii</i>	(Mitchell 1838)	endemic
<i>Macolor macularis</i>	Fowler 1931	native
<i>Macolor niger</i>	(Forsskål 1775)	native
<i>Macquaria ambigua</i>	(Richardson 1845)	endemic
<i>Macquaria australasica</i>	Cuvier in Cuvier & Valenciennes 1830	endemic
<i>Macquaria colonorum</i>	(Günther 1863)	native
<i>Macquaria novemaculeata</i>	(Steindachner 1866)	endemic
<i>Macrocephenchelys brevirostris</i>	(Chen & Weng 1967)	native
<i>Macrocephenchelys soela</i>	Castle 1990	native
<i>Macrodonogobius wilburi</i>	Herre 1936	native
<i>Macrognaathus aculeatus</i>	(Bloch 1786)	native
<i>Macrognaathus siamensis</i>	(Günther 1861)	native
<i>Macroparalepis macrogeneion</i>	Post 1973	native
<i>Macropharyngodon choati</i>	Randall 1978	native
<i>Macropharyngodon kuiteri</i>	Randall 1978	native
<i>Macropharyngodon meleagris</i>	(Valenciennes 1839)	native
<i>Macropharyngodon negrosensis</i>	Herre 1932	native
<i>Macropharyngodon ornatus</i>	Randall 1978	native
<i>Macroramphosus gracilis</i>	(Lowe 1839)	native
<i>Macroramphosus scolopax</i>	(Linnaeus 1758)	native
<i>Macrorhamphosodes platycheilus</i>	Fowler 1934	native
<i>Macrorhamphosodes uradoi</i>	(Kamohara 1933)	native
<i>Macrouroides inflaticeps</i>	Smith & Radcliffe in Radcliffe 1912	native
<i>Macrourus carinatus</i>	(Günther 1878)	native
<i>Macrourus whitsoni</i>	(Regan 1913)	native
<i>Macrurocyttus acanthopodus</i>	Fowler 1934	native
<i>Macruonus novaezelandiae</i>	(Hector 1871)	native
<i>Magnisudis atlantica</i>	(Krøyer 1868)	native
<i>Magnisudis prionosa</i>	(Rofen 1963)	native
<i>Mahidolia mystacina</i>	(Valenciennes 1837)	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Makaira nigricans</i>	<i>Lacepède 1802</i>	native
<i>Malacanthus brevirostris</i>	<i>Guichenot 1848</i>	native
<i>Malacanthus latovittatus</i>	<i>(Lacepède 1801)</i>	native
<i>Malacocephalus laevis</i>	<i>(Lowe 1843)</i>	native
<i>Malacosteus australis</i>	<i>Kenaley 2007</i>	native
<i>Malacosteus niger</i>	<i>Ayres 1848</i>	native
<i>Malakichthys barbatus</i>	<i>Yamanoue &amp; Yoseda 2001</i>	native
<i>Malakichthys elegans</i>	<i>Matsubara &amp; Yamaguti 1943</i>	native
<i>Malakichthys griseus</i>	<i>Döderlein in Steindachner &amp; Döderlein 1883</i>	native
<i>Malakichthys levis</i>	<i>Yamanoue &amp; Matsuura 2002</i>	native
<i>Malakichthys mochizuki</i>	<i>Yamanoue &amp; Matsuura 2002</i>	native
<i>Malthopsis gigas</i>	<i>Ho &amp; Shao 2010</i>	native
<i>Malthopsis kobayashii</i>	<i>Tanaka 1916</i>	native
<i>Malthopsis lutea</i>	<i>Alcock 1891</i>	native
<i>Malvoliophis pinguis</i>	<i>(Günther 1872)</i>	native
<i>Mancopsetta maculata</i>	<i>(Günther 1880)</i>	native
<i>Manonichthys paranox</i>	<i>(Lubbock &amp; Goldman 1976)</i>	native
<i>Manonichthys splendens</i>	<i>(Fowler 1931)</i>	native
<i>Manta alfredi</i>	<i>(Kreffit 1868)</i>	native
<i>Manta birostris</i>	<i>(Walbaum 1792)</i>	native
<i>Margrethia obtusirostra</i>	<i>Jespersen &amp; Tåning 1919</i>	native
<i>Marilyna darwinii</i>	<i>(Castelnau 1873)</i>	native
<i>Marilyna meraukensis</i>	<i>(de Beaufort 1955)</i>	native
<i>Marilyna pleurosticta</i>	<i>(Günther 1872)</i>	native
<i>Maroubra perserrata</i>	<i>Whitley 1948</i>	endemic
<i>Masturus lanceolatus</i>	<i>(Liénard 1840)</i>	native
<i>Mataeocephalus acipenserinus</i>	<i>(Gilbert &amp; Cramer 1897)</i>	native
<i>Mataeocephalus adustus</i>	<i>Smith &amp; Radcliffe in Radcliffe 1912</i>	native
<i>Mataeocephalus kotlyari</i>	<i>Sazonov, Shcherbachev &amp; Iwamoto 2003</i>	native
<i>Matsubaraea fusiforme</i>	<i>(Fowler 1943)</i>	native
<i>Matsubarichthys inusitatus</i>	<i>Poss &amp; Johnson 1991</i>	native
<i>Maulisia acuticeps</i>	<i>Sazonov 1976</i>	native
<i>Maulisia maui</i>	<i>Parr 1960</i>	native
<i>Maulisia microlepis</i>	<i>Sazonov &amp; Golovan 1976</i>	native
<i>Maurolicus australis</i>	<i>Hector 1875</i>	native

Genus Species	Author	Type
<i>Maurolicus javanicus</i>	Parin & Kobylansky 1993	native
<i>Maurolicus muelleri</i>	(Gmelin 1789)	native
<i>Maxillicosta lopholepis</i>	Eschmeyer & Poss 1976	endemic
<i>Maxillicosta meridianus</i>	Motomura, Last & Gomon 2006	native
<i>Maxillicosta raoulensis</i>	Eschmeyer & Poss 1976	native
<i>Maxillicosta scabriceps</i>	Whitley 1935	endemic
<i>Maxillicosta whitleyi</i>	Eschmeyer & Poss 1976	endemic
<i>Mecaenichthys immaculatus</i>	(Ogilby 1885)	native
<i>Megachasma pelagios</i>	Taylor, Compagno & Struhsaker 1983	native
<i>Megalaspis cordyla</i>	(Linnaeus 1758)	native
<i>Megalops cyprinoides</i>	(Broussonet 1782)	native
<i>Meiacanthus atrodorsalis</i>	(Günther 1877)	native
<i>Meiacanthus ditrema</i>	Smith-Vaniz 1976	native
<i>Meiacanthus grammistes</i>	(Valenciennes 1836)	native
<i>Meiacanthus lineatus</i>	(De Vis 1884)	endemic
<i>Meiacanthus luteus</i>	Smith-Vaniz 1987	native
<i>Meiacanthus naevius</i>	Smith-Vaniz 1987	native
<i>Meiacanthus phaeus</i>	Smith-Vaniz 1976	native
<i>Meiacanthus reticulatus</i>	Smith-Vaniz 1976	native
<i>Melamphaes longivelis</i>	Parr 1933	native
<i>Melamphaes suborbitalis</i>	(Gill 1883)	native
<i>Melanocetus johnsonii</i>	Günther 1864	native
<i>Melanocetus murrayi</i>	Günther 1887	native
<i>Melanocetus rossi</i>	Balushkin & Fedorov 1981	native
<i>Melanogrammus aeglefinus</i>	(Linnaeus 1758)	native
<i>Melanolagus bericoides</i>	(Borodin 1929)	native
<i>Melanonus gracilis</i>	Günther 1878	native
<i>Melanonus zugmayeri</i>	Norman 1930	native
<i>Melanostigma gelatinosum</i>	Günther 1881	native
<i>Melanostomias globulifer</i>	Fowler 1934	native
<i>Melanostomias macrophotus</i>	Regan & Trewavas 1930	native
<i>Melanostomias niger</i>	Gilchrist & von Bonde 1924	native
<i>Melanostomias paucilateratus</i>	Parin & Pokhil'skaya 1978	native
<i>Melanostomias pauciradius</i>	Matsubara 1938	native
<i>Melanostomias tentaculatus</i>	(Regan & Trewavas 1930)	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Melanostomias valdiviae</i>	<b>Brauer 1902</b>	native
<i>Melanotaenia australis</i>	<b>(Castelnau 1875)</b>	native
<i>Melanotaenia duboulayi</i>	<b>(Castelnau 1878)</b>	endemic
<i>Melanotaenia eachamensis</i>	<b>Allen &amp; Cross 1982</b>	endemic
<i>Melanotaenia exquisita</i>	<b>Allen 1978</b>	endemic
<i>Melanotaenia fluviatilis</i>	<b>(Castelnau 1878)</b>	endemic
<i>Melanotaenia goldiei</i>	<b>(Macleay 1883)</b>	native
<i>Melanotaenia gracilis</i>	<b>Allen 1978</b>	endemic
<i>Melanotaenia maccullochi</i>	<b>Ogilby 1915</b>	native
<i>Melanotaenia nigrans</i>	<b>(Richardson 1843)</b>	endemic
<i>Melanotaenia pygmaea</i>	<b>Allen 1978</b>	endemic
<i>Melanotaenia splendida</i>	<b>(Peters 1866)</b>	endemic
<i>Melanotaenia trifasciata</i>	<b>(Rendahl 1922)</b>	endemic
<i>Melanotaenia utcheensis</i>	<b>McGuigan 2001</b>	native
<i>Melichthys niger</i>	<b>(Bloch 1786)</b>	native
<i>Melichthys vidua</i>	<b>(Richardson 1845)</b>	native
<i>Mendosoma lineatum</i>	<b>Guichenot 1848</b>	native
<i>Mene maculata</i>	<b>(Bloch &amp; Schneider 1801)</b>	native
<i>Merlangius merlangus</i>	<b>(Linnaeus 1758)</b>	native
<i>Merluccius australis</i>	<b>(Hutton 1872)</b>	native
<i>Merluccius capensis</i>	<b>Castelnau 1861</b>	native
<i>Merluccius gayi</i>	<b>(Guichenot 1848)</b>	native
<i>Merluccius hubbsi</i>	<b>Marini 1933</b>	native
<i>Merluccius merluccius</i>	<b>(Linnaeus 1758)</b>	native
<i>Merluccius paradoxus</i>	<b>Franca 1960</b>	native
<i>Merluccius productus</i>	<b>(Ayres 1855)</b>	native
<i>Merluccius tasmanicus</i>	<b>Matallanas &amp; Lloris 2006</b>	native
<i>Mesobius antipodum</i>	<b>Hubbs &amp; Iwamoto 1977</b>	native
<i>Mesobius berryi</i>	<b>Hubbs &amp; Iwamoto 1977</b>	native
<i>Mesopristes argenteus</i>	<b>(Cuvier 1829)</b>	native
<i>Metavelifer multiradiatus</i>	<b>(Regan 1907)</b>	native
<i>Metelectrona herwigi</i>	<b>Hulley 1981</b>	native
<i>Metelectrona ventralis</i>	<b>(Becker 1963)</b>	native
<i>Meuschenia australis</i>	<b>(Donovan 1824)</b>	native
<i>Meuschenia flavolineata</i>	<b>Hutchins 1977</b>	native

Genus Species	Author	Type
<i>Meuschenia freycineti</i>	(Quoy & Gaimard 1824)	native
<i>Meuschenia galii</i>	(Waite 1905)	native
<i>Meuschenia hippocrepis</i>	(Quoy & Gaimard 1824)	native
<i>Meuschenia scaber</i>	(Forster 1801)	native
<i>Meuschenia trachylepis</i>	(Günther 1870)	native
<i>Meuschenia venusta</i>	Hutchins 1977	native
<i>Microbrotula bentleyi</i>	Anderson 2005	native
<i>Microbrotula queenslandica</i>	Anderson 2005	native
<i>Microcanthus strigatus</i>	(Cuvier 1831)	native
<i>Micrognathus andersonii</i>	(Bleeker 1858)	native
<i>Micrognathus brevirostris</i>	(Rüppell 1838)	native
<i>Micrognathus erugatus</i>	Herald & Dawson 1974	native
<i>Micrognathus micronotopterus</i>	(Fowler 1938)	native
<i>Micrognathus natans</i>	Dawson 1982	native
<i>Micrognathus pygmaeus</i>	Fritzsche 1981	native
<i>Micromesistius australis</i>	Norman 1937	native
<i>Microphis brachyurus</i>	(Bleeker 1854)	native
<i>Microphis brachyurus brachyurus</i>	(Bleeker 1853)	native
<i>Microphis manadensis</i>	(Bleeker 1856)	native
<i>Microphotolepis schmidti</i>	(Angel & Verrier 1931)	native
<i>Microstoma microstoma</i>	(Risso 1810)	native
<i>Milyeringa veritas</i>	Whitley 1945	endemic
<i>Mimoblennius atrocinctus</i>	(Regan 1909)	native
<i>Minous coccineus</i>	Alcock 1890	native
<i>Minous trachycephalus</i>	(Bleeker 1854)	native
<i>Minous versicolor</i>	Ogilby 1910	native
<i>Minysicya caudimaculata</i>	Larson 2002	native
<i>Mirognathus normani</i>	Parr 1951	native
<i>Misgurnus anguillicaudatus</i>	(Cantor 1842)	introduced
<i>Mitotichthys meraculus</i>	(Whitley 1948)	native
<i>Mitotichthys mollisoni</i>	(Scott 1955)	native
<i>Mitotichthys semistriatus</i>	(Kaup 1856)	native
<i>Mitotichthys tuckeri</i>	(Scott 1942)	native
<i>Mitsukurina owstoni</i>	Jordan 1898	native
<i>Mobula diabolus</i>	(Shaw 1804)	native

Genus Species	Author	Type
<i>Mobula eregoodootenkee</i>	(Bleeker 1859)	native
<i>Mobula japanica</i>	(Müller & Henle 1841)	native
<i>Mobula thurstoni</i>	(Lloyd 1908)	native
<i>Mogurnda adspersa</i>	(Castelnau 1878)	endemic
<i>Mogurnda clivicola</i>	Allen & Jenkins 1999	native
<i>Mogurnda larapintae</i>	(Zietz 1896)	native
<i>Mogurnda mogurnda</i>	(Richardson 1844)	native
<i>Mogurnda oligolepis</i>	Allen & Jenkins 1999	native
<i>Mogurnda thermophila</i>	Allen & Jenkins 1999	native
<i>Mola mola</i>	(Linnaeus 1758)	native
<i>Mola ramsayi</i>	(Giglioli 1883)	native
<i>Monacanthus chinensis</i>	(Osbeck 1765)	native
<i>Monocentris japonica</i>	(Houttuyn 1782)	native
<i>Monodactylus argenteus</i>	(Linnaeus 1758)	native
<i>Monomitopus garmani</i>	(Smith & Radcliffe 1913)	native
<i>Monomitopus vitiazi</i>	(Nielsen 1971)	native
<i>Monopterus albus</i>	(Zuiew 1793)	native
<i>Monotaxis grandoculis</i>	(Forsskål 1775)	native
<i>Monothrix polylepis</i>	Ogilby 1897	endemic
<i>Moolgarda buchani</i>	(Bleeker 1853)	native
<i>Moolgarda cunnesius</i>	(Valenciennes 1836)	native
<i>Moolgarda engeli</i>	(Bleeker 1858-59)	native
<i>Moolgarda perusii</i>	(Valenciennes in Cuvier & Valenciennes 1836)	native
<i>Moolgarda seheli</i>	(Forsskål 1775)	native
<i>Mora moro</i>	(Risso 1810)	native
<i>Mordacia mordax</i>	(Richardson 1846)	endemic
<i>Mordacia praecox</i>	Potter 1968	endemic
<i>Moringua abbreviata</i>	(Bleeker 1863)	native
<i>Moringua ferruginea</i>	Bliss 1883	native
<i>Moringua javanica</i>	(Kaup 1856)	native
<i>Moringua microchir</i>	Bleeker 1853	native
<i>Mugil broussonnetii</i>	Valenciennes in Cuvier & Valenciennes 1836	native
<i>Mugil cephalus</i>	Linnaeus 1758	native
<i>Mugilogobius filifer</i>	Larson 2001	native
<i>Mugilogobius littoralis</i>	Larson 2001	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Mugilogobius mertoni</i>	(Weber 1911)	native
<i>Mugilogobius notospilus</i>	(Günther 1877)	native
<i>Mugilogobius platynotus</i>	(Günther 1861)	native
<i>Mugilogobius platystomus</i>	(Günther 1872)	native
<i>Mugilogobius rivulus</i>	Larson 2001	native
<i>Mugilogobius stigmaticus</i>	(De Vis 1884)	native
<i>Mugilogobius wilsoni</i>	Larson 2001	native
<i>Mulloidichthys flavolineatus</i>	(Lacepède 1801)	native
<i>Mulloidichthys vanicolensis</i>	(Valenciennes 1831)	native
<i>Muraena helena</i>	Linnaeus 1758	native
<i>Muraenesox bagio</i>	(Hamilton 1822)	native
<i>Muraenesox cinereus</i>	(Forsskål 1775)	native
<i>Muraenichthys thompsoni</i>	Jordan & Richardson 1908	native
<i>Muraenolepis marmorata</i>	Günther 1880	native
<i>Muraenolepis orangiensis</i>	Vaillant 1888	native
<i>Mustelus antarcticus</i>	Günther 1870	endemic
<i>Mustelus asterias</i>	Cloquet 1819	native
<i>Mustelus lenticulatus</i>	Phillipps 1932	native
<i>Mustelus ravidus</i>	White & Last 2006	native
<i>Mustelus stevensi</i>	White & Last 2008	native
<i>Mustelus walkeri</i>	White & Last 2008	native
<i>Myctophum asperum</i>	Richardson 1845	native
<i>Myctophum brachygnathum</i>	(Bleeker 1856)	native
<i>Myctophum nitidulum</i>	Garman 1899	native
<i>Myctophum obtusirostre</i>	Tåning 1928	native
<i>Myctophum orientale</i>	(Gilbert 1913)	native
<i>Myctophum phengodes</i>	(Lütken 1892)	native
<i>Myctophum punctatum</i>	Rafinesque 1810	native
<i>Myctophum selenops</i>	Tåning 1928	native
<i>Myctophum spinosum</i>	(Steindachner 1867)	native
<i>Myersina macrostoma</i>	Herre 1934	native
<i>Myersina nigrivirgata</i>	Akihito & Meguro 1983	native
<i>Myliobatis australis</i>	Macleay 1881	native
<i>Myliobatis hamlyni</i>	Ogilby 1911	native
<i>Myrichthys colubrinus</i>	(Boddaert 1781)	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Myrichthys maculosus</i>	(Cuvier 1816)	native
<i>Myripristis adusta</i>	Bleeker 1853	native
<i>Myripristis amaena</i>	(Castelnau 1873)	native
<i>Myripristis berndti</i>	Jordan & Evermann 1903	native
<i>Myripristis botche</i>	Cuvier 1829	native
<i>Myripristis chryseres</i>	Jordan & Evermann 1903	native
<i>Myripristis hexagona</i>	(Lacepède 1802)	native
<i>Myripristis kuntee</i>	Valenciennes in Cuvier & Valenciennes 1831	native
<i>Myripristis murdjan</i>	(Forsskål 1775)	native
<i>Myripristis pralinia</i>	Cuvier 1829	native
<i>Myripristis violacea</i>	Bleeker 1851	native
<i>Myripristis vittata</i>	Valenciennes 1831	native
<i>Myrophis microchir</i>	(Bleeker 1864)	native
<i>Myxus elongatus</i>	Günther 1861	native
<i>Nannatherina balstoni</i>	Regan 1906	endemic
<i>Nannobranchium achirus</i>	(Andriashev 1962)	native
<i>Nannobranchium atrum</i>	(Tåning 1928)	native
<i>Nannocampus lindemanensis</i>	(Whitley 1948)	native
<i>Nannocampus pictus</i>	(Duncker 1915)	native
<i>Nannocampus subosseus</i>	Günther 1870	native
<i>Nannoperca australis</i>	Günther 1861	endemic
<i>Nannoperca obscura</i>	(Klunzinger 1872)	endemic
<i>Nannoperca oxleyana</i>	Whitley 1940	endemic
<i>Nannoperca variegata</i>	Kuiter & Allen 1986	endemic
<i>Nannoperca vittata</i>	(Castelnau 1873)	native
<i>Nannosalarias nativitatis</i>	(Regan 1909)	native
<i>Nansenia ardesiaca</i>	Jordan & Thompson 1914	native
<i>Narcetes lloydi</i>	Fowler 1934	native
<i>Narcetes stomias</i>	(Gilbert 1890)	native
<i>Narcine lasti</i>	Carvalho & Séret 2002	native
<i>Narcine nelsoni</i>	Carvalho 2008	native
<i>Narcine ornata</i>	Carvalho 2008	native
<i>Narcine tasmaniensis</i>	Richardson 1841	endemic
<i>Narcine westraliensis</i>	McKay 1966	native
<i>Naso annulatus</i>	(Quoy & Gaimard 1825)	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Naso brachycentron</i>	(Valenciennes 1835)	native
<i>Naso brevirostris</i>	(Cuvier 1829)	native
<i>Naso caeruleacauda</i>	Randall 1994	native
<i>Naso caesioides</i>	Randall & Bell 1992	native
<i>Naso fageni</i>	Morrow 1954	native
<i>Naso hexacanthus</i>	(Bleeker 1855)	native
<i>Naso lituratus</i>	(Forster 1801)	native
<i>Naso lopezi</i>	Herre 1927	native
<i>Naso maculatus</i>	Randall & Struhsaker 1981	native
<i>Naso mcdadei</i>	Johnson 2002	native
<i>Naso minor</i>	(Smith 1966)	native
<i>Naso reticulatus</i>	Randall 2001	native
<i>Naso thynnoides</i>	(Cuvier 1829)	native
<i>Naso tonganus</i>	(Valenciennes 1835)	native
<i>Naso tuberosus</i>	Lacepède (ex Commerson) 1801	native
<i>Naso unicornis</i>	(Forsskål 1775)	native
<i>Naso vlamingii</i>	(Valenciennes 1835)	native
<i>Naucrates ductor</i>	(Linnaeus 1758)	native
<i>Nealotus tripes</i>	Johnson 1865	native
<i>Neamia articycla</i>	Fraser & Allen 2006	native
<i>Neamia octospina</i>	Smith & Radcliffe in Radcliffe 1912	native
<i>Neatypus obliquus</i>	Waite 1905	native
<i>Nebrius ferrugineus</i>	(Lesson 1831)	native
<i>Nectamia bandanensis</i>	(Bleeker 1854)	native
<i>Nectamia fusca</i>	(Quoy & Gaimard 1825)	native
<i>Nectamia luxuria</i>	Fraser 2008	native
<i>Nectamia savayensis</i>	(Günther 1872)	native
<i>Nectamia viria</i>	Fraser 2008	native
<i>Neenchelys cheni</i>	(Chen & Weng 1967)	native
<i>Negaprion acutidens</i>	(Rüppell 1837)	native
<i>Nelusetta ayraud</i>	(Quoy & Gaimard 1824)	native
<i>Nemadactylus douglasii</i>	(Hector 1875)	native
<i>Nemadactylus macropterus</i>	(Forster 1801)	native
<i>Nemadactylus monodactylus</i>	(Carmichael 1819)	native
<i>Nemadactylus valenciennesi</i>	(Whitley 1937)	native

Genus Species	Author	Type
<i>Nemapteryx armiger</i>	(De Vis 1884)	native
<i>Nematalosa come</i>	(Richardson 1846)	native
<i>Nematalosa erebi</i>	(Günther 1868)	native
<i>Nematalosa vlaminghi</i>	(Munro 1956)	endemic
<i>Nemateleotris decora</i>	Randall & Allen 1973	native
<i>Nemateleotris magnifica</i>	Fowler 1938	native
<i>Nematops macrochirus</i>	Norman 1931	native
<i>Nematops microstoma</i>	Günther 1880	native
<i>Nemichthys curvirostris</i>	(Strömman 1896)	native
<i>Nemichthys scolopaceus</i>	Richardson 1848	native
<i>Nemipterus aurifilum</i>	(Ogilby 1910)	native
<i>Nemipterus balinensis</i>	(Bleeker 1859)	native
<i>Nemipterus balinensoides</i>	(Popta 1918)	native
<i>Nemipterus bathybius</i>	Snyder 1911	native
<i>Nemipterus celebicus</i>	(Bleeker 1854)	native
<i>Nemipterus furcosus</i>	(Valenciennes 1830)	native
<i>Nemipterus hexodon</i>	(Quoy & Gaimard 1824)	native
<i>Nemipterus isacanthus</i>	(Bleeker 1873)	native
<i>Nemipterus marginatus</i>	(Valenciennes 1830)	native
<i>Nemipterus mesoprion</i>	(Bleeker 1853)	native
<i>Nemipterus nematopus</i>	(Bleeker 1851)	native
<i>Nemipterus peronii</i>	(Valenciennes 1830)	native
<i>Nemipterus tambuloides</i>	(Bleeker 1853)	native
<i>Nemipterus theodori</i>	Ogilby 1916	endemic
<i>Nemipterus virgatus</i>	(Houttuyn 1782)	native
<i>Nemipterus zysron</i>	(Bleeker 1857)	native
<i>Neochirosetta milfordi</i>	(Penrith 1965)	native
<i>Neoploactis tridorsalis</i>	Eschmeyer & Allen 1978	native
<i>Neoarius berneyi</i>	(Whitley 1941)	native
<i>Neoarius graeffei</i>	(Kner & Steindachner 1867)	native
<i>Neoarius midgleyi</i>	(Kailola & Pierce 1988)	native
<i>Neoarius pectoralis</i>	(Kailola 2000)	native
<i>Neobythites australiensis</i>	Nielsen 2002	native
<i>Neobythites bimaculatus</i>	Nielsen 1997	native
<i>Neobythites franzi</i>	Nielsen 2002	native

Genus Species	Author	Type
<i>Neobythites longipes</i>	<i>Smith &amp; Radcliffe in Radcliffe 1913</i>	native
<i>Neobythites macrops</i>	<i>Günther 1887</i>	native
<i>Neobythites nigriventris</i>	<i>Nielsen 2002</i>	native
<i>Neobythites pallidus</i>	<i>Nielsen 1997</i>	native
<i>Neobythites purus</i>	<i>Smith &amp; Radcliffe 1913</i>	native
<i>Neobythites soelae</i>	<i>Nielsen 2002</i>	native
<i>Neobythites unimaculatus</i>	<i>Smith &amp; Radcliffe 1913</i>	native
<i>Neocentropogon aeglefinus</i>	<i>(Weber 1913)</i>	native
<i>Neocentropogon trimaculatus</i>	<i>Chan 1966</i>	native
<i>Neoceratias spinifer</i>	<i>Pappenheim 1914</i>	native
<i>Neoceratodus forsteri</i>	<i>(Krefft 1870)</i>	endemic
<i>Neochanna cleaveri</i>	<i>(Scott 1934)</i>	native
<i>Neocirrhites armatus</i>	<i>Castelnau 1873</i>	native
<i>Neoconger tuberculatus</i>	<i>(Castle 1965)</i>	endemic
<i>Neocyttus psilorhynchus</i>	<i>Yearsley &amp; Last 1998</i>	native
<i>Neocyttus rhomboidalis</i>	<i>Gilchrist 1906</i>	native
<i>Neopinnula orientalis</i>	<i>(Gilchrist &amp; von Bonde 1924)</i>	native
<i>Neoglyphidodon melas</i>	<i>(Valenciennes 1830)</i>	native
<i>Neoglyphidodon nigroris</i>	<i>(Cuvier 1830)</i>	native
<i>Neoglyphidodon oxyodon</i>	<i>(Bleeker 1858)</i>	native
<i>Neoglyphidodon polyacanthus</i>	<i>(Ogilby 1889)</i>	native
<i>Neolaeops microphthalmus</i>	<i>(von Bonde 1922)</i>	native
<i>Neomerinthe amplisquamiceps</i>	<i>(Fowler 1938)</i>	native
<i>Neomerinthe megalepis</i>	<i>(Fowler 1938)</i>	native
<i>Neomerinthe procurva</i>	<i>Chen 1981</i>	native
<i>Neomerinthe rotunda</i>	<i>Chen 1981</i>	native
<i>Neonesthes capensis</i>	<i>(Gilchrist &amp; von Bonde 1924)</i>	native
<i>Neonesthes microcephalus</i>	<i>Norman 1930</i>	native
<i>Neoniphon argenteus</i>	<i>(Valenciennes 1831)</i>	native
<i>Neoniphon aurolineatus</i>	<i>(Liénard 1839)</i>	native
<i>Neoniphon opercularis</i>	<i>(Valenciennes 1831)</i>	native
<i>Neoniphon sammara</i>	<i>(Forsskål 1775)</i>	native
<i>Neoodax balteatus</i>	<i>(Valenciennes 1840)</i>	native
<i>Neopagetopsis ionah</i>	<i>Nybelin 1947</i>	native
<i>Neopataecus waterhousii</i>	<i>(Castelnau 1872)</i>	endemic

Genus Species	Author	Type
<i>Neopomacentrus azysron</i>	(Bleeker 1877)	native
<i>Neopomacentrus bankieri</i>	(Richardson 1846)	native
<i>Neopomacentrus cyanomos</i>	(Bleeker 1856)	native
<i>Neopomacentrus filamentosus</i>	(Macleay 1882)	native
<i>Neopomacentrus nemurus</i>	(Bleeker 1857)	native
<i>Neopomacentrus taeniurus</i>	(Bleeker 1856)	native
<i>Neopomacentrus violascens</i>	(Bleeker 1848)	native
<i>Neosalanx brevirostris</i>	(Pellegrin 1923)	native
<i>Neoscopelus macrolepidotus</i>	Johnson 1863	native
<i>Neoscopelus microchir</i>	Matsubara 1943	native
<i>Neoscopelus porosus</i>	Arai 1969	native
<i>Neosebastes bougainvillii</i>	(Cuvier 1829)	native
<i>Neosebastes entaxis</i>	Jordan & Starks 1904	native
<i>Neosebastes incisipinnis</i>	Ogilby 1910	endemic
<i>Neosebastes johnsoni</i>	Motomura 2004	native
<i>Neosebastes longirostris</i>	Motomura 2004	native
<i>Neosebastes nigropunctatus</i>	McCulloch 1915	endemic
<i>Neosebastes occidentalis</i>	Motomura 2004	native
<i>Neosebastes pandus</i>	(Richardson 1842)	endemic
<i>Neosebastes scorpaenoides</i>	Guichenot 1867	native
<i>Neosebastes thetidis</i>	(Waite 1899)	native
<i>Neosiluroides cooperensis</i>	Allen & Feinberg 1998	native
<i>Neosilurus ater</i>	(Perugia 1894)	native
<i>Neosilurus brevidorsalis</i>	(Günther 1867)	native
<i>Neosilurus gloveri</i>	Allen & Feinberg 1998	endemic
<i>Neosilurus hyrtlii</i>	Steindachner 1867	endemic
<i>Neosilurus mollespiculum</i>	Allen & Feinberg 1998	native
<i>Neosilurus pseudospinosus</i>	Allen & Feinberg 1998	native
<i>Neotrygon annotata</i>	(Last 1987)	native
<i>Neotrygon kuhlii</i>	(Müller & Henle 1841)	native
<i>Neotrygon leylandi</i>	(Last 1987)	native
<i>Neotrygon ningalooensis</i>	Last, White & Puckridge 2010	native
<i>Neotrygon picta</i>	Last & White 2008	native
<i>Nesiarchus nasutus</i>	Johnson 1862	native
<i>Nesogobius greeni</i>	Hoese & Larson 2006	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Nesogobius hinsbyi</i>	<i>(McCulloch &amp; Ogilby 1919)</i>	endemic
<i>Nesogobius maccullochi</i>	<i>Hoese &amp; Larson 2006</i>	native
<i>Nesogobius pulchellus</i>	<i>(Castelnau 1872)</i>	native
<i>Nessorhamphus danae</i>	<i>Schmidt 1931</i>	native
<i>Nessorhamphus ingolfianus</i>	<i>(Schmidt 1912)</i>	native
<i>Nettastoma melanurum</i>	<i>Rafinesque 1810</i>	native
<i>Nettastoma parviceps</i>	<i>Günther 1877</i>	native
<i>Nettastoma solitarium</i>	<i>Castle &amp; Smith in Smith, Böhlke &amp; Castle 1981</i>	native
<i>Nettenchelys gephyra</i>	<i>Castle &amp; Smith in Smith, Böhlke &amp; Castle 1981</i>	native
<i>Netuma bilineata</i>	<i>(Valenciennes in Cuvier &amp; Valenciennes 1840)</i>	native
<i>Netuma thalassina</i>	<i>(Rüppell 1837)</i>	native
<i>Nezumia coheni</i>	<i>Iwamoto &amp; Merrett 1997</i>	native
<i>Nezumia kapala</i>	<i>Iwamoto &amp; Williams 1999</i>	native
<i>Nezumia leucoura</i>	<i>Iwamoto &amp; Williams 1999</i>	native
<i>Nezumia loricata</i>	<i>(Garman 1899)</i>	native
<i>Nezumia merretti</i>	<i>Iwamoto &amp; Williams 1999</i>	native
<i>Nezumia namatahi</i>	<i>McCann &amp; McKnight 1980</i>	native
<i>Nezumia propinqua</i>	<i>(Gilbert &amp; Cramer 1897)</i>	native
<i>Nezumia soela</i>	<i>Iwamoto &amp; Williams 1999</i>	native
<i>Nezumia spinosa</i>	<i>(Gilbert &amp; Hubbs 1916)</i>	native
<i>Nezumia wularnia</i>	<i>Iwamoto &amp; Williams 1999</i>	native
<i>Nibea leptolepis</i>	<i>(Ogilby 1918)</i>	endemic
<i>Nibea microgenys</i>	<i>Sasaki 1992</i>	endemic
<i>Nibea soldado</i>	<i>(Lacepède 1802)</i>	native
<i>Nibea squamosa</i>	<i>Sasaki 1992</i>	native
<i>Nomeus gronovii</i>	<i>(Gmelin 1789)</i>	native
<i>Norfolkia brachylepis</i>	<i>(Schultz 1960)</i>	native
<i>Norfolkia leeuwin</i>	<i>Fricke 1994</i>	endemic
<i>Norfolkia squamiceps</i>	<i>(McCulloch &amp; Waite 1916)</i>	native
<i>Norfolkia thomasi</i>	<i>Whitley 1964</i>	native
<i>Notacanthus chemnitzii</i>	<i>Bloch 1788</i>	native
<i>Notacanthus sexspinis</i>	<i>Richardson 1846</i>	native
<i>Notacanthus spinosus</i>	<i>Garman 1899</i>	native
<i>Notesthes robusta</i>	<i>(Günther 1860)</i>	endemic
<i>Notiocampus ruber</i>	<i>(Ramsay &amp; Ogilby 1886)</i>	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Notocirrhitis splendens</i>	<i>(Ogilby 1889)</i>	native
<i>Notograptus gregoryi</i>	<i>Whitley 1941</i>	native
<i>Notograptus guttatus</i>	<i>Günther 1867</i>	native
<i>Notolabrus celidotus</i>	<i>(Bloch &amp; Schneider 1801)</i>	native
<i>Notolabrus fucicola</i>	<i>(Richardson 1840)</i>	native
<i>Notolabrus gymnogenis</i>	<i>(Günther 1862)</i>	native
<i>Notolabrus inscriptus</i>	<i>(Richardson 1848)</i>	native
<i>Notolabrus parilus</i>	<i>(Richardson 1850)</i>	native
<i>Notolabrus tetricus</i>	<i>(Richardson 1840)</i>	native
<i>Notolepis coatsi</i>	<i>Dollo 1908</i>	native
<i>Notolychnus valdiviae</i>	<i>(Brauer 1904)</i>	native
<i>Notophyscis marginata</i>	<i>(Günther 1878)</i>	native
<i>Notopogon fernandezianus</i>	<i>(Delfin 1899)</i>	native
<i>Notopogon lilliei</i>	<i>Regan 1914</i>	native
<i>Notopogon xenosoma</i>	<i>Regan 1914</i>	native
<i>Notoraja azurea</i>	<i>McEachran &amp; Last 2008</i>	native
<i>Notoraja hirticauda</i>	<i>Last &amp; McEachran 2006</i>	native
<i>Notoraja ochroderma</i>	<i>McEachran &amp; Last 1994</i>	native
<i>Notoraja sticta</i>	<i>McEachran &amp; Last 2008</i>	native
<i>Notorynchus cepedianus</i>	<i>(Péron 1807)</i>	native
<i>Notoscopelus caudispinosus</i>	<i>(Johnson 1863)</i>	native
<i>Notoscopelus resplendens</i>	<i>(Richardson 1845)</i>	native
<i>Notothenia coriiceps</i>	<i>Richardson 1844</i>	native
<i>Nototheniops larseni</i>	<i>(Lönnberg 1905)</i>	native
<i>Novaculichthys taeniourus</i>	<i>(Lacepède 1801)</i>	native
<i>Novaculoides macrolepidotus</i>	<i>(Bloch 1791)</i>	native
<i>Nuchequula blochii</i>	<i>(Valenciennes 1835)</i>	native
<i>Nuchequula gerreoides</i>	<i>(Bleeker 1851)</i>	native
<i>Nuchequula glenysae</i>	<i>Kimura, Kimura &amp; Ikejima 2008</i>	native
<i>Odontanthias grahami</i>	<i>Randall &amp; Heemstra 2006</i>	native
<i>Odontaspis ferox</i>	<i>(Risso 1810)</i>	native
<i>Odonteleotris macrodon</i>	<i>(Bleeker 1854)</i>	native
<i>Odontesthes smitti</i>	<i>(Lahille 1929)</i>	native
<i>Odontomacrus murrayi</i>	<i>Norman 1939</i>	native
<i>Odontostilbe pulchra</i>	<i>(Gill 1858)</i>	native

Genus Species	Author	Type
<i>Odonus niger</i>	(Rüppell 1836)	native
<i>Oedalechilus labiosus</i>	(Valenciennes 1836)	native
<i>Ogilbyina novaehollandiae</i>	(Steindachner 1879)	native
<i>Ogilbyina queenslandiae</i>	(Saville-Kent 1893)	native
<i>Okamejei arafurensis</i>	Last & Gledhill 2008	native
<i>Okamejei leptoura</i>	Last & Gledhill 2008	native
<i>Oligolepis acutipennis</i>	(Valenciennes 1837)	native
<i>Oligolepis stomias</i>	(Smith 1941)	native
<i>Olisthops cyanomelas</i>	Richardson 1850	native
<i>Omegophora armilla</i>	(Waite & McCulloch 1915)	native
<i>Omegophora cyanopunctata</i>	Hardy & Hutchins 1981	native
<i>Omobranchus anolius</i>	(Valenciennes 1836)	native
<i>Omobranchus elongatus</i>	(Peters 1855)	native
<i>Omobranchus ferox</i>	(Herre 1927)	native
<i>Omobranchus germaini</i>	(Sauvage 1883)	native
<i>Omobranchus lineolatus</i>	(Kner 1868)	native
<i>Omobranchus punctatus</i>	(Valenciennes 1836)	native
<i>Omobranchus robertsi</i>	Springer 1981	native
<i>Omobranchus rotundiceps</i>	(Macleay 1881)	native
<i>Omobranchus verticalis</i>	Springer & Gomon 1975	native
<i>Omosudis lowii</i>	Günther 1887	native
<i>Omox biporos</i>	Springer 1972	native
<i>Oncorhynchus mykiss</i>	(Walbaum 1792)	introduced
<i>Oncorhynchus tshawytscha</i>	(Walbaum 1792)	introduced
<i>Oneirodes eschrichtii</i>	Lütken 1871	native
<i>Oneirodes krefftii</i>	Pietsch 1974	native
<i>Oneirodes notius</i>	Pietsch 1974	native
<i>Oneirodes placionema</i>	Pietsch & Seigel 1980	native
<i>Oneirodes sabex</i>	Pietsch & Seigel 1980	native
<i>Onigocia bimaculata</i>	Knapp, Imamura & Sakashita 2000	native
<i>Onigocia grandisquama</i>	(Regan 1908)	native
<i>Onigocia lacrimalis</i>	Imamura & Knapp 2009	native
<i>Onigocia macrolepis</i>	(Bleeker 1854)	native
<i>Onigocia oligolepis</i>	(Regan 1908)	native
<i>Onigocia pedimacula</i>	(Regan 1908)	native

Genus Species	Author	Type
<i>Onigocia spinosa</i>	(Temminck & Schlegel 1843)	native
<i>Onuxodon fowleri</i>	(Smith 1955)	native
<i>Onuxodon margaritiferae</i>	(Rendahl 1921)	native
<i>Onuxodon parvibrachium</i>	(Fowler 1927)	native
<i>Ophichthus alleni</i>	McCosker 2010	native
<i>Ophichthus altipennis</i>	(Kaup 1856)	native
<i>Ophichthus bonaparti</i>	(Kaup 1856)	endemic
<i>Ophichthus cephalozona</i>	Bleeker 1864	native
<i>Ophichthus lithinus</i>	(Jordan & Richardson 1908)	native
<i>Ophichthus rutidoderma</i>	(Bleeker 1853)	native
<i>Ophichthus urolophus</i>	(Temminck & Schlegel 1846)	native
<i>Ophiclinops hutchinsi</i>	George & Springer 1980	native
<i>Ophiclinops pardalis</i>	(McCulloch & Waite 1918)	native
<i>Ophiclinops varius</i>	(McCulloch & Waite 1918)	endemic
<i>Ophiclinus antarcticus</i>	Castelnau 1872	native
<i>Ophiclinus brevipinnis</i>	George & Springer 1980	native
<i>Ophiclinus gabrieli</i>	Waite 1906	native
<i>Ophiclinus gracilis</i>	Waite 1906	native
<i>Ophiclinus ningulus</i>	George & Springer 1980	native
<i>Ophiclinus pectoralis</i>	George & Springer 1980	native
<i>Ophidion genyopus</i>	(Ogilby 1897)	native
<i>Ophidion muraenolepis</i>	Günther 1880	native
<i>Ophidion smithi</i>	(Fowler 1934)	native
<i>Ophiocara porocephala</i>	(Valenciennes 1837)	native
<i>Ophisternon bengalense</i>	McClelland 1844	native
<i>Ophisternon candidum</i>	(Mees 1962)	endemic
<i>Ophisternon gutturale</i>	(Richardson 1845)	native
<i>Ophisurus serpens</i>	(Linnaeus 1758)	native
<i>Ophthalmolepis lineolata</i>	(Valenciennes 1839)	native
<i>Ophthalmolycus amberensis</i>	(Tomo, Marschoff & Torno 1977)	native
<i>Ophthalmolycus bothriocephalus</i>	(Pappenheim 1912)	native
<i>Opisthoproctus grimaldii</i>	Zugmayer 1911	native
<i>Opistognathus alleni</i>	Smith-Vaniz 2004	native
<i>Opistognathus castelnaui</i>	Bleeker 1860	native
<i>Opistognathus darwiniensis</i>	Macleay 1878	native

Genus Species	Author	Type
<i>Opistognathus elizabethensis</i>	<i>Smith-Vaniz 2004</i>	native
<i>Opistognathus eximius</i>	<i>(Ogilby 1908)</i>	native
<i>Opistognathus inornatus</i>	<i>Ramsay &amp; Ogilby 1887</i>	native
<i>Opistognathus jacksoniensis</i>	<i>Macleay 1881</i>	native
<i>Opistognathus latitabundus</i>	<i>(Whitley 1937)</i>	native
<i>Opistognathus macrolepis</i>	<i>Peters 1866</i>	native
<i>Opistognathus papuensis</i>	<i>Bleeker 1868</i>	native
<i>Opistognathus reticeps</i>	<i>Smith-Vaniz 2004</i>	native
<i>Opistognathus reticulatus</i>	<i>(McKay 1969)</i>	native
<i>Opistognathus rufilineatus</i>	<i>Smith-Vaniz &amp; Allen 2007</i>	native
<i>Opistognathus seminudus</i>	<i>Smith-Vaniz 2004</i>	native
<i>Opistognathus stigosus</i>	<i>Smith-Vaniz 2004</i>	native
<i>Opistognathus verecundus</i>	<i>Smith-Vaniz 2004</i>	native
<i>Oplegnathus conwayi</i>	<i>Richardson 1840</i>	native
<i>Oplegnathus woodwardi</i>	<i>Waite 1900</i>	native
<i>Oplopomops diacanthus</i>	<i>(Schultz 1943)</i>	native
<i>Oplopomus caninoides</i>	<i>(Bleeker 1852)</i>	native
<i>Oplopomus oplopomus</i>	<i>(Valenciennes 1837)</i>	native
<i>Opostomias micripnus</i>	<i>(Günther 1878)</i>	native
<i>Optivus agastos</i>	<i>Gomon 2004</i>	native
<i>Optivus agrammus</i>	<i>Gomon 2004</i>	native
<i>Optivus elongatus</i>	<i>(Günther 1859)</i>	native
<i>Orbonymus rameus</i>	<i>(McCulloch 1926)</i>	native
<i>Orectolobus floridus</i>	<i>Last &amp; Chidlow 2008</i>	native
<i>Orectolobus halei</i>	<i>Whitley 1940</i>	native
<i>Orectolobus hutchinsi</i>	<i>Last, Chidlow &amp; Compagno 2006</i>	native
<i>Orectolobus maculatus</i>	<i>(Bonnaterre 1788)</i>	native
<i>Orectolobus ornatus</i>	<i>(De Vis 1883)</i>	native
<i>Orectolobus parvimaculatus</i>	<i>Last &amp; Chidlow 2008</i>	native
<i>Orectolobus reticulatus</i>	<i>Last, Pogonoski &amp; White 2008</i>	native
<i>Orectolobus wardi</i>	<i>Whitley 1939</i>	native
<i>Oreochromis mossambicus</i>	<i>(Peters 1852)</i>	introduced
<i>Oreochromis niloticus</i>	<i>(Linnaeus 1758)</i>	native
<i>Oreochromis urolepis</i>	<i>(Norman 1922)</i>	native
<i>Oreosoma atlanticum</i>	<i>Cuvier in Cuvier &amp; Valenciennes 1829</i>	native

Genus Species	Author	Type
<i>Ostichthys acanthorhinus</i>	Randall, Shimizu & Yamakawa 1982	native
<i>Ostichthys japonicus</i>	(Cuvier 1829)	native
<i>Ostichthys kaianus</i>	(Günther 1880)	native
<i>Ostorhinchus angustatus</i>	(Smith & Radcliffe 1911)	native
<i>Ostorhinchus apogonoides</i>	(Bleeker 1856)	native ?
<i>Ostorhinchus atrogaster</i>	(Smith & Radcliffe 1912)	native
<i>Ostorhinchus aureus</i>	(Lacepède (ex Commerson) 1802)	native
<i>Ostorhinchus bryx</i>	(Fraser 1998)	native
<i>Ostorhinchus cavitensis</i>	(Jordan & Seale 1907)	native
<i>Ostorhinchus chrysopomus</i>	(Bleeker 1854)	native
<i>Ostorhinchus chrysoaenia</i>	(Bleeker 1851)	native
<i>Ostorhinchus cladophilos</i>	(Allen & Randall 2002)	native
<i>Ostorhinchus compressus</i>	(Smith & Radcliffe 1911)	native
<i>Ostorhinchus cookii</i>	Macleay 1881	native
<i>Ostorhinchus cyanosoma</i>	(Bleeker 1853)	native
<i>Ostorhinchus endekataenia</i>	(Bleeker 1852)	native
<i>Ostorhinchus fasciatus</i>	(Shaw 1790)	native
<i>Ostorhinchus fleurieu</i>	Lacepède 1802	native
<i>Ostorhinchus hartzfeldii</i>	(Bleeker 1852)	native
<i>Ostorhinchus hoevenii</i>	(Bleeker 1854)	native
<i>Ostorhinchus jenkinsi</i>	(Evermann & Seale 1907)	native
<i>Ostorhinchus kiensis</i>	(Jordan & Snyder 1901)	native
<i>Ostorhinchus moluccensis</i>	(Valenciennes 1832)	native
<i>Ostorhinchus monopilus</i>	(Fraser, Randall & Allen 2002)	native
<i>Ostorhinchus neotes</i>	(Allen, Kuiter & Randall 1994)	native
<i>Ostorhinchus nigrofasciatus</i>	(Lachner 1953)	native
<i>Ostorhinchus novemfasciatus</i>	(Cuvier 1828)	native
<i>Ostorhinchus properuptus</i>	(Whitley 1964)	native
<i>Ostorhinchus rubrimacula</i>	(Randall & Kulbicki 1998)	native
<i>Ostorhinchus rueppellii</i>	(Günther 1859)	native
<i>Ostorhinchus sealei</i>	Fowler 1918	native
<i>Ostorhinchus selas</i>	(Randall & Hayashi 1990)	native
<i>Ostorhinchus taeniophorus</i>	(Regan 1908)	native
<i>Ostorhinchus talboti</i>	(Smith 1961)	native
<i>Ostorhinchus wassinki</i>	(Bleeker 1861)	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Ostracion cubicus</i>	<i>Linnaeus 1758</i>	native
<i>Ostracion meleagris</i>	<i>Shaw in Shaw &amp; Nodder 1796</i>	native
<i>Ostracion nasus</i>	<i>Bloch 1785</i>	native
<i>Ostracion rhinorhynchos</i>	<i>Bleeker 1851</i>	native
<i>Ostracion solorensis</i>	<i>Bleeker 1853</i>	native
<i>Ostracoberyx paxtoni</i>	<i>Quéro &amp; Ozouf-Costaz 1991</i>	native
<i>Othos dentex</i>	<i>(Cuvier 1828)</i>	endemic
<i>Otolithes ruber</i>	<i>(Bloch &amp; Schneider 1801)</i>	native
<i>Owstonia maccullochi</i>	<i>Whitley 1934</i>	native
<i>Owstonia totomiensis</i>	<i>Tanaka 1908</i>	native
<i>Oxuderces wirzi</i>	<i>(Koumans 1937)</i>	native
<i>Oxycercichthys veliferus</i>	<i>(Lubbock 1980)</i>	native
<i>Oxycheilinus bimaculatus</i>	<i>(Valenciennes 1840)</i>	native
<i>Oxycheilinus celebicus</i>	<i>(Bleeker 1853)</i>	native
<i>Oxycheilinus digramma</i>	<i>(Lacepède 1801)</i>	native
<i>Oxycheilinus nigromarginatus</i>	<i>Randall, Westneat &amp; Gomon 2003</i>	native
<i>Oxycheilinus orientalis</i>	<i>(Günther 1862)</i>	native
<i>Oxycheilinus unifasciatus</i>	<i>(Streets 1877)</i>	native
<i>Oxycirrhites typus</i>	<i>Bleeker 1857</i>	native
<i>Oxyconger leptognathus</i>	<i>(Bleeker 1858)</i>	native
<i>Oxyeleotris aruensis</i>	<i>(Weber 1911)</i>	native
<i>Oxyeleotris fimbriata</i>	<i>(Weber 1907)</i>	native
<i>Oxyeleotris lineolata</i>	<i>(Steindachner 1867)</i>	native
<i>Oxyeleotris marmorata</i>	<i>(Bleeker 1852)</i>	native
<i>Oxyeleotris nullipora</i>	<i>Roberts 1978</i>	native
<i>Oxyeleotris selheimi</i>	<i>(Macleay 1884)</i>	native
<i>Oxymetopon typus</i>	<i>Bleeker 1861</i>	native
<i>Oxymonacanthus longirostris</i>	<i>(Bloch &amp; Schneider 1801)</i>	native
<i>Oxynotus bruniensis</i>	<i>(Ogilby 1893)</i>	native
<i>Oxyporhamphus micropterus</i>	<i>(Valenciennes 1847)</i>	native
<i>Oxyurichthys auchenolepis</i>	<i>Bleeker 1876</i>	native
<i>Oxyurichthys cornutus</i>	<i>McCulloch &amp; Waite 1918</i>	native
<i>Oxyurichthys microlepis</i>	<i>(Bleeker 1849)</i>	native
<i>Oxyurichthys ophthalmonema</i>	<i>(Bleeker 1856)</i>	native
<i>Oxyurichthys papuensis</i>	<i>(Valenciennes 1837)</i>	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Oxyurichthys uronema</i>	(Weber 1909)	native
<i>Pachycara brachycephalum</i>	(Pappenheim 1912)	native
<i>Pachystomias microdon</i>	(Günther 1878)	native
<i>Paedogobius kimurai</i>	Iwata, Hosoya & Larson 2001	native
<i>Pagetopsis macropterus</i>	(Boulenger 1907)	native
<i>Pagetopsis maculatus</i>	Barsukov & Permitin 1958	native
<i>Pagothenia borchgrevinki</i>	(Boulenger 1902)	native
<i>Pagothenia brachysoma</i>	(Pappenheim 1912)	native
<i>Pagrus auratus</i>	(Forster 1801)	native
<i>Palutrus pruinosa</i>	(Jordan & Seale 1906)	native
<i>Pampus argenteus</i>	(Euphrasen 1788)	native
<i>Pampus chinensis</i>	(Euphrasen 1788)	native
<i>Pandaka lidwilli</i>	(McCulloch 1917)	native
<i>Pandaka rouxi</i>	(Weber 1911)	native
<i>Pangasianodon gigas</i>	Chevey 1931	native
<i>Pangasianodon hypophthalmus</i>	(Sauvage 1878)	native
<i>Pangasius bocourti</i>	Sauvage 1880	native
<i>Pangasius conchophilus</i>	Roberts & Vidthayanon 1991	native
<i>Pangasius djambal</i>	Bleeker 1846	native
<i>Pangasius pangasius</i>	(Hamilton 1822)	native
<i>Pangasius sanitwongsei</i>	Smith 1931	native
<i>Pantolabus radiatus</i>	(Macleay 1881)	native
<i>Papillogobius melanobranchus</i>	(Fowler 1934)	native
<i>Papuengraulis micropinna</i>	Munro 1964	native
<i>Parablennius intermedius</i>	(Ogilby 1915)	native
<i>Parablennius laticlavius</i>	(Griffin 1926)	native
<i>Parablennius postoculomaculatus</i>	Bath & Hutchins 1986	native
<i>Parablennius tasmanianus</i>	(Richardson 1842)	native
<i>Parabothus coarctatus</i>	(Gilbert 1905)	native
<i>Parabothus kiensis</i>	(Tanaka 1918)	native
<i>Parabothus polylepis</i>	(Alcock 1889)	native
<i>Parabothus taiwanensis</i>	Amaoka & Shen 1993	native
<i>Parabrotula plagiophthalma</i>	Zugmayer 1911	native
<i>Paracaesio gonzalesi</i>	Fourmanoir & Rivaton 1979	native
<i>Paracaesio kusakarii</i>	Abe 1960	native

Genus Species	Author	Type
<i>Paracaesio sordida</i>	<i>Abe &amp; Shinohara 1962</i>	native
<i>Paracaesio stonei</i>	<i>Raj &amp; Seeto 1983</i>	native
<i>Paracaesio xanthura</i>	<i>(Bleeker 1869)</i>	native
<i>Paracanthurus hepatus</i>	<i>(Linnaeus 1766)</i>	native
<i>Paracentropogon longispinis</i>	<i>(Cuvier 1829)</i>	native
<i>Paracentropogon vespa</i>	<i>Ogilby 1910</i>	endemic
<i>Paracentropyge multifasciata</i>	<i>(Smith &amp; Radcliffe 1911)</i>	native
<i>Parachaetodon ocellatus</i>	<i>(Cuvier 1831)</i>	native
<i>Parachaeturichthys polynema</i>	<i>(Bleeker 1853)</i>	native
<i>Paracheilinus filamentosus</i>	<i>Allen 1974</i>	native
<i>Paracheilinus flavianalis</i>	<i>Kuiter &amp; Allen 1999</i>	native
<i>Paracheilinus mccooskeri</i>	<i>Randall &amp; Harmelin-Vivien 1977</i>	native
<i>Paracirrhites arcatus</i>	<i>(Cuvier 1829)</i>	native
<i>Paracirrhites forsteri</i>	<i>(Schneider 1801)</i>	native
<i>Paracirrhites hemistictus</i>	<i>(Günther 1874)</i>	native
<i>Paradicula setifer</i>	<i>(Paradice in Paradice &amp; Whitley 1927)</i>	native
<i>Paradiplospinus gracilis</i>	<i>(Brauer 1906)</i>	native
<i>Paragalaxias dissimilis</i>	<i>(Regan 1906)</i>	endemic
<i>Paragalaxias eleotroides</i>	<i>McDowall &amp; Fulton 1978</i>	endemic
<i>Paragalaxias julianus</i>	<i>McDowall &amp; Fulton 1978</i>	endemic
<i>Paragalaxias mesotes</i>	<i>McDowall &amp; Fulton 1978</i>	endemic
<i>Paragobiodon echinocephalus</i>	<i>(Rüppell 1830)</i>	native
<i>Paragobiodon lacunicolus</i>	<i>(Kendall &amp; Goldsborough 1911)</i>	native
<i>Paragobiodon melanosoma</i>	<i>(Bleeker 1852)</i>	native
<i>Paragobiodon modestus</i>	<i>(Regan 1908)</i>	native
<i>Paragobiodon xanthosoma</i>	<i>(Bleeker 1853)</i>	native
<i>Paragunnellichthys seychellensis</i>	<i>Dawson 1967</i>	native
<i>Paraliparis andriashevi</i>	<i>Stein &amp; Tompkins 1989</i>	native
<i>Paraliparis antarcticus</i>	<i>Regan 1914</i>	native
<i>Paraliparis anthracinus</i>	<i>Stein, Chernova &amp; Andriashev 2001</i>	native
<i>Paraliparis ater</i>	<i>Stein, Chernova &amp; Andriashev 2001</i>	native
<i>Paraliparis atrolabiatus</i>	<i>Stein, Chernova &amp; Andriashev 2001</i>	native
<i>Paraliparis auriculatus</i>	<i>Stein, Chernova &amp; Andriashev 2001</i>	native
<i>Paraliparis australiensis</i>	<i>Stein, Chernova &amp; Andriashev 2001</i>	native
<i>Paraliparis avellaneus</i>	<i>Stein, Chernova &amp; Andriashev 2001</i>	native

Genus Species	Author	Type
<i>Paraliparis badius</i>	Stein, Chernova & Andriashev 2001	native
<i>Paraliparis brunneocaudatus</i>	Stein, Chernova & Andriashev 2001	native
<i>Paraliparis brunneus</i>	Stein, Chernova & Andriashev 2001	native
<i>Paraliparis coracinus</i>	Stein, Chernova & Andriashev 2001	native
<i>Paraliparis costatus</i>	Stein, Chernova & Andriashev 2001	native
<i>Paraliparis csiroi</i>	Stein, Chernova & Andriashev 2001	native
<i>Paraliparis delphis</i>	Stein, Chernova & Andriashev 2001	native
<i>Paraliparis devriesi</i>	Andriashev 1980	native
<i>Paraliparis dewitti</i>	Stein, Chernova & Andriashev 2001	native
<i>Paraliparis eastmani</i>	Stein, Chernova & Andriashev 2001	native
<i>Paraliparis fuscolingua</i>	Stein & Tompkins 1989	native
<i>Paraliparis gomoni</i>	Stein, Chernova & Andriashev 2001	native
<i>Paraliparis hobarti</i>	Stein, Chernova & Andriashev 2001	native
<i>Paraliparis impariporus</i>	Stein, Chernova & Andriashev 2001	native
<i>Paraliparis infeliciter</i>	Stein, Chernova & Andriashev 2001	native
<i>Paraliparis labiatus</i>	Stein, Chernova & Andriashev 2001	native
<i>Paraliparis lasti</i>	Stein, Chernova & Andriashev 2001	native
<i>Paraliparis macrocephalus</i>	Chernova & Eastman 2001	native
<i>Paraliparis obtusirostris</i>	Stein, Chernova & Andriashev 2001	native
<i>Paraliparis piceus</i>	Stein, Chernova & Andriashev 2001	native
<i>Paraliparis plagiostomus</i>	Stein, Chernova & Andriashev 2001	native
<i>Paraliparis retrodorsalis</i>	Stein, Chernova & Andriashev 2001	native
<i>Paraliparis rossi</i>	Chernova & Eastman 2001	native
<i>Paraliparis tasmaniensis</i>	Stein, Chernova & Andriashev 2001	native
<i>Paraliparis terraenovae</i>	Regan 1916	native
<i>Paraluteres prionurus</i>	(Bleeker 1851)	native
<i>Parambassis gulliveri</i>	(Castelnau 1878)	native
<i>Paramonacanthus choirocephalus</i>	(Bleeker 1852)	native
<i>Paramonacanthus filicauda</i>	(Günther 1880)	endemic
<i>Paramonacanthus japonicus</i>	(Tilesius 1809)	native
<i>Paramonacanthus lowei</i>	Hutchins 1997	native
<i>Paramonacanthus oblongus</i>	(Temminck & Schlegel 1850)	native
<i>Paramonacanthus otisensis</i>	Whitley 1931	native
<i>Paramonacanthus pusillus</i>	(Rüppell 1829)	native
<i>Paramugil georgii</i>	Ogilby 1897	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Paranotothenia dewitti</i>	<b>Balushkin 1990</b>	native
<i>Paranotothenia magellanica</i>	<b>(Forster 1801)</b>	native
<i>Parapercis alboguttata</i>	<b>(Günther 1872)</b>	native
<i>Parapercis allporti</i>	<b>(Günther 1876)</b>	native
<i>Parapercis australis</i>	<b>Randall 2003</b>	native
<i>Parapercis binivirgata</i>	<b>(Waite 1904)</b>	native
<i>Parapercis biordinis</i>	<b>Allen 1976</b>	native
<i>Parapercis clathrata</i>	<b>Ogilby 1910</b>	native
<i>Parapercis colemani</i>	<b>Randall &amp; Francis 1993</b>	native
<i>Parapercis colias</i>	<b>(Forster 1801)</b>	native
<i>Parapercis cylindrica</i>	<b>(Bloch 1792)</b>	native
<i>Parapercis diplospilus</i>	<b>Gomon 1981</b>	native
<i>Parapercis flavolabiata</i>	<b>Johnson 2006</b>	native
<i>Parapercis haackei</i>	<b>(Steindachner 1884)</b>	native
<i>Parapercis hexophthalma</i>	<b>(Cuvier 1829)</b>	native
<i>Parapercis lineopunctata</i>	<b>Randall 2003</b>	native
<i>Parapercis macrophthalma</i>	<b>(Pietschmann 1911)</b>	native
<i>Parapercis millepunctata</i>	<b>(Günther 1860)</b>	native
<i>Parapercis multiplicata</i>	<b>Randall 1984</b>	native
<i>Parapercis naevosa</i>	<b>Serventy 1937</b>	native
<i>Parapercis nebulosa</i>	<b>(Quoy &amp; Gaimard 1825)</b>	native
<i>Parapercis pacifica</i>	<b>Imamura &amp; Yoshino 2007</b>	native
<i>Parapercis queenslandica</i>	<b>Imamura &amp; Yoshino 2007</b>	native
<i>Parapercis ramsayi</i>	<b>(Steindachner 1883)</b>	native
<i>Parapercis schauinslandii</i>	<b>(Steindachner 1900)</b>	native
<i>Parapercis sexlorata</i>	<b>Johnson 2006</b>	native
<i>Parapercis snyderi</i>	<b>Jordan &amp; Starks 1905</b>	native
<i>Parapercis somaliensis</i>	<b>Schultz 1968</b>	native
<i>Parapercis stricticeps</i>	<b>(De Vis 1884)</b>	native
<i>Parapercis striolata</i>	<b>(Weber 1913)</b>	native
<i>Parapercis xanthozona</i>	<b>(Bleeker 1849)</b>	native
<i>Paraplagusia bilineata</i>	<b>(Bloch 1787)</b>	native
<i>Paraplagusia guttata</i>	<b>(Macleay 1878)</b>	native
<i>Paraplagusia longirostris</i>	<b>Chapleau, Renaud &amp; Kailola 1991</b>	native
<i>Paraplagusia sinerama</i>	<b>Chapleau &amp; Renaud 1993</b>	native

Genus Species	Author	Type
<i>Paraplesiops alisonae</i>	<i>Hoese &amp; Kuiter 1984</i>	endemic
<i>Paraplesiops bleekeri</i>	<i>(Günther 1861)</i>	endemic
<i>Paraplesiops meleagris</i>	<i>(Peters 1869)</i>	endemic
<i>Paraplesiops poweri</i>	<i>Ogilby 1908</i>	native
<i>Paraplesiops sinclairi</i>	<i>Hutchins 1987</i>	native
<i>Paraploactis intonsa</i>	<i>Poss &amp; Eschmeyer 1978</i>	endemic
<i>Paraploactis pulvinus</i>	<i>Poss &amp; Eschmeyer 1978</i>	native
<i>Paraploactis trachyderma</i>	<i>Bleeker 1865</i>	endemic
<i>Paraplotosus albilabris</i>	<i>(Valenciennes 1840)</i>	native
<i>Paraplotosus butleri</i>	<i>Allen 1998</i>	native
<i>Paraplotosus muelleri</i>	<i>(Klunzinger 1879)</i>	native
<i>Parapolyneumus verekeri</i>	<i>(Saville-Kent 1889)</i>	native
<i>Parapriacanthus dispar</i>	<i>(Herre 1935)</i>	native
<i>Parapriacanthus elongatus</i>	<i>(McCulloch 1911)</i>	native
<i>Parapriacanthus ransonneti</i>	<i>Steindachner 1870</i>	native
<i>Parascolopsis eriomma</i>	<i>(Jordan &amp; Richardson 1909)</i>	native
<i>Parascolopsis inermis</i>	<i>(Temminck &amp; Schlegel 1843)</i>	native
<i>Parascolopsis rufomaculatus</i>	<i>Russell 1986</i>	endemic
<i>Parascolopsis tanyactis</i>	<i>Russell 1986</i>	native
<i>Parascolopsis tosenis</i>	<i>(Kamohara 1938)</i>	native
<i>Parascorpaena aurita</i>	<i>(Rüppell 1838)</i>	native
<i>Parascorpaena maculipinnis</i>	<i>Smith 1957</i>	native
<i>Parascorpaena mcadamsi</i>	<i>(Fowler 1938)</i>	native
<i>Parascorpaena mossambica</i>	<i>(Peters 1855)</i>	native
<i>Parascorpaena moultoni</i>	<i>(Whitley 1961)</i>	native
<i>Parascorpaena picta</i>	<i>(Cuvier 1829)</i>	native
<i>Parascyllium collare</i>	<i>Ramsay &amp; Ogilby 1888</i>	endemic
<i>Parascyllium elongatum</i>	<i>Last &amp; Stevens 2008</i>	native
<i>Parascyllium ferrugineum</i>	<i>McCulloch 1911</i>	endemic
<i>Parascyllium sparsimaculatum</i>	<i>Goto &amp; Last 2002</i>	native
<i>Parascyllium variolatum</i>	<i>(Duméril 1853)</i>	endemic
<i>Parastromateus niger</i>	<i>(Bloch 1795)</i>	native
<i>Parataeniophorus brevis</i>	<i>Bertelsen &amp; Marshall 1956</i>	native
<i>Paratrachichthys macleayi</i>	<i>(Johnston 1881)</i>	native
<i>Paratrachichthys novaezelandicus</i>	<i>Kotlyar 1980</i>	native

Genus Species	Author	Type
<i>Paratrachichthys trilli</i>	(Hutton 1875)	native
<i>Paratriacanthodes herrei</i>	Myers 1934	native
<i>Paratriacanthodes retrospinis</i>	Fowler 1934	native
<i>Paratrypauchen microcephalus</i>	(Bleeker 1860)	native
<i>Paraulopus balteatus</i>	Gomon 2010	native
<i>Paraulopus longianalis</i>	Sato, Gomon & Nakabo 2010	native
<i>Paraulopus maculatus</i>	(Kotthaus 1967)	native
<i>Paraulopus melanogrammus</i>	Gomon & Sato 2004	native
<i>Paraulopus melanostomus</i>	Sato, Gomon & Nakabo 2010	native
<i>Paraulopus nigripinnis</i>	(Günther 1878)	native
<i>Paraulopus okamurai</i>	Sato & Nakabo 2002	native
<i>Parazanclistius hutchinsi</i>	Hardy 1983	native
<i>Parazen pacificus</i>	Kamohara 1935	native
<i>Pardachirus hedleyi</i>	Ogilby 1916	native
<i>Pardachirus pavoninus</i>	(Lacepède 1802)	native
<i>Pardachirus poropterus</i>	(Bleeker 1851)	native
<i>Pardachirus rautheri</i>	(Chabanaud 1931)	native
<i>Parenchelyurus hepburni</i>	(Snyder 1908)	native
<i>Parenchelyurus hyena</i>	(Whitley 1953)	native
<i>Parequula melbournensis</i>	(Castelnau 1872)	native
<i>Parexocoetus brachypterus</i>	(Richardson 1846)	native
<i>Parexocoetus mento</i>	(Valenciennes 1847)	native
<i>Parioglossus formosus</i>	(Smith 1931)	native
<i>Parioglossus marginalis</i>	Rennis & Hoese 1985	native
<i>Parioglossus palustris</i>	(Herre 1945)	native
<i>Parioglossus philippinus</i>	(Herre 1945)	native
<i>Parioglossus rainfordi</i>	McCulloch 1921	native
<i>Parioglossus raoi</i>	(Herre 1939)	native
<i>Parioglossus taeniatus</i>	Regan 1912	native
<i>Paristiopterus gallipavo</i>	Whitley 1944	native
<i>Paristiopterus labiosus</i>	(Günther 1872)	native
<i>Parkraemeria ornata</i>	Whitley 1951	native
<i>Parma alboscapularis</i>	Allen & Hoese 1975	native
<i>Parma bicolor</i>	Allen & Larson 1979	native
<i>Parma mccullochi</i>	Whitley 1929	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Parma microlepis</i>	<i>Günther 1862</i>	native
<i>Parma occidentalis</i>	<i>Allen &amp; Hoese 1975</i>	native
<i>Parma oligolepis</i>	<i>Whitley 1929</i>	native
<i>Parma polylepis</i>	<i>Günther 1862</i>	native
<i>Parma unifasciata</i>	<i>(Steindachner 1867)</i>	native
<i>Parma victoriae</i>	<i>(Günther 1863)</i>	native
<i>Parmaturus bigus</i>	<i>Séret &amp; Last 2007</i>	native
<i>Parupeneus barberinoides</i>	<i>(Bleeker 1852)</i>	native
<i>Parupeneus barberinus</i>	<i>(Lacepède 1801)</i>	native
<i>Parupeneus chrysopleuron</i>	<i>(Temminck &amp; Schlegel 1843)</i>	native
<i>Parupeneus ciliatus</i>	<i>(Lacepède 1802)</i>	native
<i>Parupeneus crassilabris</i>	<i>(Valenciennes 1831)</i>	native
<i>Parupeneus cyclostomus</i>	<i>(Lacepède 1801)</i>	native
<i>Parupeneus heptacanthus</i>	<i>(Lacepède 1802)</i>	native
<i>Parupeneus indicus</i>	<i>(Shaw 1803)</i>	native
<i>Parupeneus multifasciatus</i>	<i>(Quoy &amp; Gaimard 1825)</i>	native
<i>Parupeneus pleurostigma</i>	<i>(Bennett 1831)</i>	native
<i>Parupeneus rubescens</i>	<i>(Lacepède 1801)</i>	native
<i>Parupeneus spilurus</i>	<i>(Bleeker 1854)</i>	native
<i>Parupeneus trifasciatus</i>	<i>(Lacepède 1801)</i>	native
<i>Parvicrepis parvipinnis</i>	<i>(Waite 1906)</i>	native
<i>Pascua readerae</i>	<i>(Hoese &amp; Larson 2005)</i>	native
<i>Pastinachus atrus</i>	<i>(Macleay 1883)</i>	native
<i>Pastinachus sephen</i>	<i>(Forsskål 1775)</i>	native
<i>Pataecus fronto</i>	<i>Richardson 1844</i>	endemic
<i>Pavoraja alleni</i>	<i>McEachran &amp; Fechhelm 1982</i>	endemic
<i>Pavoraja arenaria</i>	<i>Last, Mallick &amp; Yearsley 2008</i>	native
<i>Pavoraja mosaica</i>	<i>Last, Mallick &amp; Yearsley 2008</i>	native
<i>Pavoraja nitida</i>	<i>(Günther 1880)</i>	endemic
<i>Pavoraja pseudonitida</i>	<i>Last, Mallick &amp; Yearsley 2008</i>	native
<i>Pavoraja umbrosa</i>	<i>Last, Mallick &amp; Yearsley 2008</i>	native
<i>Paxton concilians</i>	<i>Baldwin &amp; Johnson 1999</i>	native
<i>Pegasus lancifer</i>	<i>Kaup 1861</i>	native
<i>Pegasus volitans</i>	<i>Linnaeus 1758</i>	native
<i>Pelates quadrilineatus</i>	<i>(Bloch 1790)</i>	native

Genus Species	Author	Type
<i>Pellona ditchela</i>	<i>Valenciennes in Cuvier &amp; Valenciennes 1847</i>	native
<i>Pelotretis flavilatus</i>	<i>Waite 1911</i>	native
<i>Pelsartia humeralis</i>	<i>(Ogilby 1899)</i>	endemic
<i>Peltorhamphus novaezeelandiae</i>	<i>Günther 1862</i>	native
<i>Pempheris affinis</i>	<i>McCulloch 1911</i>	native
<i>Pempheris analis</i>	<i>Waite 1910</i>	native
<i>Pempheris compressa</i>	<i>(Shaw 1790)</i>	native
<i>Pempheris klunzingeri</i>	<i>McCulloch 1911</i>	native
<i>Pempheris multiradiata</i>	<i>Klunzinger 1879</i>	native
<i>Pempheris ornata</i>	<i>Mooi &amp; Jubb 1996</i>	endemic
<i>Pempheris otaitensis</i>	<i>Cuvier in Cuvier &amp; Valenciennes 1831</i>	native
<i>Pempheris oualensis</i>	<i>Cuvier in Cuvier &amp; Valenciennes 1831</i>	native
<i>Pempheris schwenkii</i>	<i>Bleeker 1855</i>	native
<i>Pempheris ypsilychnus</i>	<i>Mooi &amp; Jubb 1996</i>	endemic
<i>Penetopteryx taeniocephalus</i>	<i>Lunel 1881</i>	native
<i>Pentaceroopsis recurvirostris</i>	<i>(Richardson 1845)</i>	native
<i>Pentaceros capensis</i>	<i>Cuvier in Cuvier &amp; Valenciennes 1829</i>	native
<i>Pentaceros decacanthus</i>	<i>Günther 1859</i>	native
<i>Pentaceros japonicus</i>	<i>Steindachner in Steindachner &amp; Döderlein 1883</i>	native
<i>Pentaceros richardsoni</i>	<i>Smith 1844</i>	native
<i>Pentapodus aureofasciatus</i>	<i>Russell 2001</i>	native
<i>Pentapodus emeryii</i>	<i>(Richardson 1843)</i>	native
<i>Pentapodus nagasakiensis</i>	<i>(Tanaka 1915)</i>	native
<i>Pentapodus paradiseus</i>	<i>Günther 1859</i>	native
<i>Pentapodus porosus</i>	<i>(Valenciennes 1830)</i>	native
<i>Pentapodus vitta</i>	<i>Quoy &amp; Gaimard 1824</i>	endemic
<i>Pentaprion longimanus</i>	<i>(Cantor 1849)</i>	native
<i>Perca fluviatilis</i>	<i>Linnaeus 1758</i>	introduced
<i>Percophis brasiliensis</i>	<i>Quoy &amp; Gaimard 1825</i>	native
<i>Periophthalmodon freycineti</i>	<i>(Quoy &amp; Gaimard 1824)</i>	native
<i>Periophthalmodon schlosseri</i>	<i>(Pallas 1770)</i>	native
<i>Periophthalmus darwini</i>	<i>Larson &amp; Takita 2004</i>	native
<i>Periophthalmus gracilis</i>	<i>Eggert 1935</i>	native
<i>Periophthalmus kalolo</i>	<i>Lesson 1831</i>	native
<i>Periophthalmus minutus</i>	<i>Eggert 1935</i>	native

Genus Species	Author	Type
<i>Periophthalmus novaeguineensis</i>	<i>Eggert 1935</i>	native
<i>Periophthalmus takita</i>	<i>Jaafar &amp; Larson 2008</i>	native
<i>Periophthalmus weberi</i>	<i>Eggert 1935</i>	native
<i>Peristedion liorhynchus</i>	<i>(Günther 1872)</i>	native
<i>Peristrominous dolosus</i>	<i>Whitley 1952</i>	endemic
<i>Peronedys anguillaris</i>	<i>Steindachner 1883</i>	native
<i>Perryena leucometopon</i>	<i>(Waite 1922)</i>	native
<i>Persparsia kopua</i>	<i>(Phillipps 1942)</i>	native
<i>Pervagor alternans</i>	<i>(Ogilby 1899)</i>	native
<i>Pervagor aspricaudus</i>	<i>(Hollard 1854)</i>	native
<i>Pervagor janthinosoma</i>	<i>(Bleeker 1854)</i>	native
<i>Pervagor melanocephalus</i>	<i>(Bleeker 1853)</i>	native
<i>Pervagor nigrolineatus</i>	<i>(Herre 1927)</i>	native
<i>Pethia conchoniis</i>	<i>(Hamilton 1822)</i>	introduced
<i>Petroscirtes breviceps</i>	<i>(Valenciennes 1836)</i>	native
<i>Petroscirtes fallax</i>	<i>Smith-Vaniz 1976</i>	native
<i>Petroscirtes lupus</i>	<i>(De Vis 1885)</i>	native
<i>Petroscirtes mitratus</i>	<i>Rüppell 1830</i>	native
<i>Petroscirtes variabilis</i>	<i>Cantor 1849</i>	native
<i>Petroscirtes xestus</i>	<i>Jordan &amp; Seale 1906</i>	native
<i>Pezichthys amplispinus</i>	<i>Last &amp; Gledhill 2009</i>	native
<i>Pezichthys compressus</i>	<i>Last &amp; Gledhill 2009</i>	native
<i>Pezichthys eltanini</i>	<i>Last &amp; Gledhill 2009</i>	native
<i>Pezichthys macropinnis</i>	<i>Last &amp; Gledhill 2009</i>	native
<i>Pezichthys nigrocilium</i>	<i>Last &amp; Gledhill 2009</i>	native
<i>Phalacronotus apogon</i>	<i>(Bleeker 1851)</i>	native
<i>Phalloceros caudimaculatus</i>	<i>(Hensel 1868)</i>	introduced
<i>Phenacoscorpius longirostris</i>	<i>Motomura &amp; Last 2009</i>	native
<i>Philypnodon grandiceps</i>	<i>(Krefft 1864)</i>	endemic
<i>Philypnodon macrostomus</i>	<i>Hoese &amp; Reader 2006</i>	native
<i>Pholidichthys anguis</i>	<i>Springer &amp; Larson 1996</i>	native
<i>Phosichthys argenteus</i>	<i>Hutton 1872</i>	native
<i>Photoblepharon palpebratum</i>	<i>(Boddaert 1781)</i>	native
<i>Photonectes albipennis</i>	<i>(Döderlein 1882)</i>	native
<i>Photonectes braueri</i>	<i>(Zugmayer 1913)</i>	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Photonectes caeruleus</i>	<i>Regan &amp; Trewavas 1930</i>	native
<i>Photonectes gracilis</i>	<i>Goode &amp; Bean 1896</i>	native
<i>Photonectes mirabilis</i>	<i>Parr 1927</i>	native
<i>Photonectes parvimanus</i>	<i>Regan &amp; Trewavas 1930</i>	native
<i>Photopectoralis aureus</i>	<i>(Abe &amp; Haneda 1972)</i>	native
<i>Photopectoralis bindus</i>	<i>(Valenciennes in Cuvier &amp; Valenciennes 1835)</i>	native
<i>Photostomias liemi</i>	<i>Kenaley 2009</i>	native
<i>Photostomias lucingens</i>	<i>Kenaley 2009</i>	native
<i>Photostomias tantillux</i>	<i>Kenaley 2009</i>	native
<i>Photostylus pycnopterus</i>	<i>Beebe 1933</i>	native
<i>Phoxocampus belcheri</i>	<i>(Kaup 1856)</i>	native
<i>Phoxocampus diacanthus</i>	<i>(Schultz 1943)</i>	native
<i>Phtheirichthys lineatus</i>	<i>(Menziés 1791)</i>	native
<i>Phycodurus eques</i>	<i>(Günther 1865)</i>	endemic
<i>Phyllichthys punctatus</i>	<i>McCulloch 1916</i>	native
<i>Phyllichthys sclerolepis</i>	<i>(Macleay 1878)</i>	native
<i>Phyllichthys sejunctus</i>	<i>Whitley 1935</i>	native
<i>Phyllogobius platycephalops</i>	<i>(Smith 1964)</i>	native
<i>Phyllophichthus xenodontus</i>	<i>Gosline 1951</i>	native
<i>Phyllophryne scortea</i>	<i>(McCulloch &amp; Waite 1918)</i>	endemic
<i>Phyllopteryx taeniolatus</i>	<i>(Lacepède 1804)</i>	native
<i>Physiculus longifilis</i>	<i>Weber 1913</i>	native
<i>Physiculus luminosa</i>	<i>Paulin 1983</i>	native
<i>Physiculus nigrescens</i>	<i>Smith &amp; Radcliffe in Radcliffe 1912</i>	native
<i>Physiculus roseus</i>	<i>Alcock 1891</i>	native
<i>Physiculus therosideros</i>	<i>Paulin 1987</i>	native
<i>Pictichromis coralensis</i>	<i>Gill 2004</i>	native
<i>Pictichromis paccagnellae</i>	<i>(Axelrod 1973)</i>	native
<i>Pictilabrus brauni</i>	<i>Hutchins &amp; Morrison 1996</i>	native
<i>Pictilabrus laticlavus</i>	<i>(Richardson 1840)</i>	native
<i>Pictilabrus viridis</i>	<i>Russell 1988</i>	native
<i>Pingalla gilberti</i>	<i>Whitley 1955</i>	endemic
<i>Pingalla lorentzi</i>	<i>(Weber 1910)</i>	native
<i>Pingalla midgleyi</i>	<i>Allen &amp; Merrick 1984</i>	endemic
<i>Pinjalo lewisi</i>	<i>Randall, Allen &amp; Anderson 1987</i>	native

Genus Species	Author	Type
<i>Pinjalo pinjalo</i>	(Bleeker 1850)	native
<i>Pisodonophis boro</i>	(Hamilton 1822)	native
<i>Pisodonophis cancrivorus</i>	(Richardson 1848)	native
<i>Plagiogeneion macrolepis</i>	McCulloch 1914	native
<i>Plagiogeneion rubiginosum</i>	(Hutton 1875)	native
<i>Plagiopsetta glossa</i>	Franz 1910	native
<i>Plagiotremus laudandus</i>	(Whitley 1961)	native
<i>Plagiotremus rhinorhynchus</i>	(Bleeker 1852)	native
<i>Plagiotremus tapeinosoma</i>	(Bleeker 1857)	native
<i>Platax batavianus</i>	Cuvier in Cuvier & Valenciennes 1831	native
<i>Platax orbicularis</i>	(Forsskål 1775)	native
<i>Platax pinnatus</i>	(Linnaeus 1758)	native
<i>Platax teira</i>	(Forsskål 1775)	native
<i>Platybelone argalus</i>	(Lesueur 1821)	native
<i>Platybelone argalus platyura</i>	Bennett 1832	native
<i>Platycephalus aurimaculatus</i>	Knapp 1987	endemic
<i>Platycephalus bassensis</i>	Cuvier in Cuvier & Valenciennes 1829	endemic
<i>Platycephalus caeruleopunctatus</i>	McCulloch 1922	native
<i>Platycephalus chauliodous</i>	Knapp 1991	native
<i>Platycephalus conatus</i>	Waite & McCulloch 1915	endemic
<i>Platycephalus endrachtensis</i>	Quoy & Gaimard 1825	endemic
<i>Platycephalus fuscus</i>	Cuvier in Cuvier & Valenciennes 1829	endemic
<i>Platycephalus indicus</i>	(Linnaeus 1758)	native
<i>Platycephalus laevigatus</i>	Cuvier in Cuvier & Valenciennes 1829	endemic
<i>Platycephalus longispinis</i>	Macleay 1884	endemic
<i>Platycephalus marmoratus</i>	Stead 1908	endemic
<i>Platycephalus orbitalis</i>	Imamura & Knapp 2009	native
<i>Platycephalus richardsoni</i>	Castelnau 1872	native
<i>Platycephalus speculator</i>	Klunzinger 1872	endemic
<i>Platycephalus westraliae</i>	(Whitley 1938)	native
<i>Platytrectes apus</i>	Günther 1878	native
<i>Plectorhinchus albovittatus</i>	(Rüppell 1838)	---
<i>Plectorhinchus chaetodonoides</i>	Lacepède 1801	native
<i>Plectorhinchus chrysotaenia</i>	(Bleeker 1855)	native
<i>Plectorhinchus chubbi</i>	(Regan 1919)	native

Genus Species	Author	Type
<i>Plectorhinchus diagrammus</i>	(Linnaeus 1758)	native
<i>Plectorhinchus flavomaculatus</i>	(Cuvier 1830)	native
<i>Plectorhinchus gibbosus</i>	(Lacepède 1802)	native
<i>Plectorhinchus lessonii</i>	(Cuvier 1830)	native
<i>Plectorhinchus lineatus</i>	(Linnaeus 1758)	native
<i>Plectorhinchus multivittatus</i>	(Macleay 1878)	native
<i>Plectorhinchus obscurus</i>	(Günther 1872)	native
<i>Plectorhinchus picus</i>	(Cuvier 1828)	native
<i>Plectorhinchus polytaenia</i>	(Bleeker 1852)	native
<i>Plectorhinchus schotaf</i>	(Forsskål 1775)	native
<i>Plectorhinchus sordidus</i>	(Klunzinger 1870)	native
<i>Plectorhinchus vittatus</i>	(Linnaeus 1758)	native
<i>Plectranthias alleni</i>	Randall 1980	endemic
<i>Plectranthias japonicus</i>	(Steindachner 1883)	native
<i>Plectranthias lasti</i>	Randall & Hoese 1995	native
<i>Plectranthias longimanus</i>	(Weber 1913)	native
<i>Plectranthias maculicauda</i>	(Regan 1914)	native
<i>Plectranthias megalophthalmus</i>	Fourmanoir & Randall 1979	native
<i>Plectranthias nanus</i>	Randall 1980	native
<i>Plectranthias pallidus</i>	Randall & Hoese 1995	native
<i>Plectranthias robertsi</i>	Randall & Hoese 1995	native
<i>Plectranthias wheeleri</i>	Randall 1980	native
<i>Plectranthias winniensis</i>	(Tyler 1966)	native
<i>Plectrogenium nanum</i>	Gilbert 1905	native
<i>Plectroglyphidodon dickii</i>	(Liénard 1839)	native
<i>Plectroglyphidodon imparipennis</i>	(Vaillant & Sauvage 1875)	native
<i>Plectroglyphidodon johnstonianus</i>	Fowler & Ball 1924	native
<i>Plectroglyphidodon lacrymatus</i>	(Quoy & Gaimard 1825)	native
<i>Plectroglyphidodon leucozonus</i>	(Bleeker 1859)	native
<i>Plectroglyphidodon phoenixensis</i>	(Schultz 1943)	native
<i>Plectropomus areolatus</i>	(Rüppell 1830)	native
<i>Plectropomus laevis</i>	(Lacepède 1801)	native
<i>Plectropomus leopardus</i>	(Lacepède 1802)	native
<i>Plectropomus maculatus</i>	(Bloch 1790)	native
<i>Plectropomus oligacanthus</i>	(Bleeker 1854)	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Plectrypops lima</i>	<i>(Valenciennes 1831)</i>	native
<i>Plesiobatis daviesi</i>	<i>(Wallace 1967)</i>	native
<i>Plesiops cephalotaenia</i>	<i>Inger 1955</i>	native
<i>Plesiops coeruleolineatus</i>	<i>Rüppell 1835</i>	native
<i>Plesiops corallicola</i>	<i>Bleeker 1853</i>	native
<i>Plesiops genaricus</i>	<i>Mooi &amp; Randall 1991</i>	native
<i>Plesiops gracilis</i>	<i>Mooi &amp; Randall 1991</i>	native
<i>Plesiops insularis</i>	<i>Mooi &amp; Randall 1991</i>	native
<i>Plesiops verecundus</i>	<i>Mooi 1995</i>	native
<i>Pleuragramma antarctica</i>	<i>Boulenger 1902</i>	native
<i>Pleuronectes platessa</i>	<i>Linnaeus 1758</i>	native
<i>Pleuroscopus pseudodorsalis</i>	<i>Barnard 1927</i>	native
<i>Pleurosicya annandalei</i>	<i>Hornell &amp; Fowler 1922</i>	native
<i>Pleurosicya bilobata</i>	<i>(Koumans 1941)</i>	native
<i>Pleurosicya boldinghi</i>	<i>Weber 1913</i>	native
<i>Pleurosicya coerulea</i>	<i>Larson 1990</i>	native
<i>Pleurosicya elongata</i>	<i>Larson 1990</i>	native
<i>Pleurosicya fringilla</i>	<i>Larson 1990</i>	native
<i>Pleurosicya labiata</i>	<i>(Weber 1913)</i>	native
<i>Pleurosicya micheli</i>	<i>Fourmanoir 1971</i>	native
<i>Pleurosicya mossambica</i>	<i>Smith 1959</i>	native
<i>Pleurosicya muscarum</i>	<i>(Jordan &amp; Seale 1906)</i>	native
<i>Pleurosicya plicata</i>	<i>Larson 1990</i>	native
<i>Pleurosicya prognatha</i>	<i>Goren 1984</i>	native
<i>Plicofollis argyroleuron</i>	<i>(Valenciennes (ex Kuhl &amp; van Hasselt) in Cuvier &amp; Valenciennes 1840)</i>	native
<i>Plicofollis nella</i>	<i>(Valenciennes 1840)</i>	native
<i>Plicofollis polystaphylodon</i>	<i>(Bleeker 1846)</i>	native
<i>Plotosus canius</i>	<i>Hamilton 1822</i>	native
<i>Plotosus limbatus</i>	<i>Valenciennes in Cuvier &amp; Valenciennes 1840</i>	native
<i>Plotosus lineatus</i>	<i>(Thunberg 1787)</i>	native
<i>Poecilia latipinna</i>	<i>(Lesueur 1821)</i>	introduced
<i>Poecilia reticulata</i>	<i>Peters 1859</i>	introduced
<i>Poecilcongery kapala</i>	<i>Castle 1990</i>	native
<i>Poecilopsetta colorata</i>	<i>Günther 1880</i>	native
<i>Poecilopsetta macrocephala</i>	<i>Hoshino, Amaoka &amp; Last 2001</i>	native

Genus Species	Author	Type
<i>Poecilopsetta natalensis</i>	Norman 1931	native
<i>Poecilopsetta plinthus</i>	(Jordan & Starks 1904)	native
<i>Poecilopsetta praelonga</i>	Alcock 1894	native
<i>Pogonophryne albipinna</i>	Eakin 1981	native
<i>Pogonophryne barsukovi</i>	Andriashev 1967	native
<i>Pogonophryne cerebropogon</i>	Eakin & Eastman 1998	native
<i>Pogonophryne immaculata</i>	Eakin 1981	native
<i>Pogonophryne lanceobarbata</i>	Eakin 1987	native
<i>Pogonophryne macropogon</i>	Eakin 1981	native
<i>Pogonophryne marmorata</i>	Norman 1938	native
<i>Pogonophryne mentella</i>	Andriashev 1967	native
<i>Pogonophryne permitini</i>	Andriashev 1967	native
<i>Pogonophryne scotti</i>	Regan 1914	native
<i>Pogonophryne ventrimaculata</i>	Eakin 1987	native
<i>Pollachius virens</i>	(Linnaeus 1758)	native
<i>Polydactylus macrochir</i>	(Günther 1867)	native
<i>Polydactylus microstomus</i>	(Bleeker 1851)	native
<i>Polydactylus multiradiatus</i>	(Günther 1860)	native
<i>Polydactylus nigripinnis</i>	Munro 1964	native
<i>Polydactylus plebeius</i>	(Broussonet 1782)	native
<i>Polydactylus sexfilis</i>	(Valenciennes 1831)	native
<i>Polyipnus aquavitus</i>	Baird 1971	native
<i>Polyipnus elongatus</i>	Borodulina 1979	endemic
<i>Polyipnus kiwiensis</i>	Baird 1971	native
<i>Polyipnus latirastrus</i>	Last & Harold 1994	native
<i>Polyipnus paxtoni</i>	Harold 1989	native
<i>Polyipnus ruggeri</i>	Baird 1971	native
<i>Polyipnus soelae</i>	Harold 1994	native
<i>Polyipnus spinosus</i>	Günther 1887	---
<i>Polyipnus tridentifer</i>	McCulloch 1914	native
<i>Polyipnus triphanos</i>	Schultz 1938	native
<i>Polymetme corythaeola</i>	(Alcock 1898)	native
<i>Polymetme illustris</i>	McCulloch 1926	native
<i>Polymetme surugaensis</i>	(Matsubara 1943)	native
<i>Polymixia berndti</i>	Gilbert 1905	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Polymixia busakhini</i>	<i>Kotlyar 1992</i>	native
<i>Polymixia longispina</i>	<i>Deng, Xiong &amp; Zhan 1983</i>	native
<i>Polyplacapros tyleri</i>	<i>Fujii &amp; Uyeno 1979</i>	native
<i>Polyprion americanus</i>	<i>(Bloch &amp; Schneider 1801)</i>	native
<i>Polyprion oxygeneios</i>	<i>(Schneider &amp; Forster 1801)</i>	native
<i>Polyspina piosae</i>	<i>(Whitley 1955)</i>	native
<i>Pomacanthus imperator</i>	<i>(Bloch 1787)</i>	native
<i>Pomacanthus navarchus</i>	<i>(Cuvier 1831)</i>	native
<i>Pomacanthus semicirculatus</i>	<i>(Cuvier 1831)</i>	native
<i>Pomacanthus sexstriatus</i>	<i>(Cuvier 1831)</i>	native
<i>Pomacanthus xanthometopon</i>	<i>(Bleeker 1853)</i>	native
<i>Pomacentrus adelus</i>	<i>Allen 1991</i>	native
<i>Pomacentrus alexanderae</i>	<i>Evermann &amp; Seale 1907</i>	native
<i>Pomacentrus alleni</i>	<i>Burgess 1981</i>	native
<i>Pomacentrus amboinensis</i>	<i>Bleeker 1868</i>	native
<i>Pomacentrus australis</i>	<i>Allen &amp; Robertson 1974</i>	native
<i>Pomacentrus bankanensis</i>	<i>Bleeker 1854</i>	native
<i>Pomacentrus brachialis</i>	<i>Cuvier in Cuvier &amp; Valenciennes 1830</i>	native
<i>Pomacentrus chrysurus</i>	<i>Cuvier (ex Broussonet) in Cuvier &amp; Valenciennes 1830</i>	native
<i>Pomacentrus coelestis</i>	<i>Jordan &amp; Starks 1901</i>	native
<i>Pomacentrus grammorhynchus</i>	<i>Fowler 1918</i>	native
<i>Pomacentrus imitator</i>	<i>(Whitley 1964)</i>	native
<i>Pomacentrus lepidogenys</i>	<i>Fowler &amp; Bean 1928</i>	native
<i>Pomacentrus limosus</i>	<i>Allen 1992</i>	native
<i>Pomacentrus littoralis</i>	<i>Cuvier (ex Kuhl &amp; van Hasselt) in Cuvier &amp; Valenciennes 1830</i>	native
<i>Pomacentrus milleri</i>	<i>Taylor 1964</i>	native
<i>Pomacentrus moluccensis</i>	<i>Bleeker 1853</i>	native
<i>Pomacentrus nagasakiensis</i>	<i>Tanaka 1917</i>	native
<i>Pomacentrus nigromanus</i>	<i>Weber 1913</i>	native
<i>Pomacentrus nigromarginatus</i>	<i>Allen 1973</i>	native
<i>Pomacentrus pavo</i>	<i>(Bloch 1787)</i>	native
<i>Pomacentrus philippinus</i>	<i>Evermann &amp; Seale 1907</i>	native
<i>Pomacentrus reidi</i>	<i>Fowler &amp; Bean 1928</i>	native
<i>Pomacentrus taeniometopon</i>	<i>Bleeker 1852</i>	native
<i>Pomacentrus tripunctatus</i>	<i>Cuvier in Cuvier &amp; Valenciennes 1830</i>	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Pomacentrus vaiuli</i>	<i>Jordan &amp; Seale 1906</i>	native
<i>Pomacentrus wardi</i>	<i>Whitley 1927</i>	native
<i>Pomachromis richardsoni</i>	<i>(Snyder 1909)</i>	native
<i>Pomadasys argenteus</i>	<i>(Forsskål 1775)</i>	native
<i>Pomadasys argyreus</i>	<i>(Valenciennes 1833)</i>	native
<i>Pomadasys auritus</i>	<i>(Cuvier 1830)</i>	native
<i>Pomadasys commersonii</i>	<i>(Lacepède 1801)</i>	native
<i>Pomadasys kaakan</i>	<i>(Cuvier 1830)</i>	native
<i>Pomadasys maculatus</i>	<i>(Bloch 1793)</i>	native
<i>Pomadasys multimaculatus</i>	<i>(Playfair 1867)</i>	native
<i>Pomadasys trifasciatus</i>	<i>Fowler 1937</i>	native
<i>Pomatomus saltatrix</i>	<i>(Linnaeus 1766)</i>	native
<i>Porichthys notatus</i>	<i>Girard 1854</i>	native
<i>Porocephalichthys dasyrhynchus</i>	<i>(Cohen &amp; Hutchins 1982)</i>	native
<i>Porochilus argenteus</i>	<i>(Zietz 1896)</i>	native
<i>Porochilus obbesi</i>	<i>Weber 1913</i>	native
<i>Porochilus rendahli</i>	<i>(Whitley 1928)</i>	native
<i>Poromitra atlantica</i>	<i>(Norman 1929)</i>	native
<i>Poromitra crassiceps</i>	<i>(Günther 1878)</i>	native
<i>Poromitra glochidiata</i>	<i>Kotlyar 2008</i>	native
<i>Poromitra macrophthalma</i>	<i>(Gilchrist 1903)</i>	native
<i>Posidonichthys hutchinsi</i>	<i>Briggs 1993</i>	native
<i>Potamalosa richmondia</i>	<i>(Macleay 1879)</i>	endemic
<i>Premnas biaculeatus</i>	<i>(Bloch 1790)</i>	native
<i>Priacanthus blochii</i>	<i>Bleeker 1853</i>	native
<i>Priacanthus fitchi</i>	<i>Starnes 1988</i>	native
<i>Priacanthus hamrur</i>	<i>(Forsskål 1775)</i>	native
<i>Priacanthus macracanthus</i>	<i>Cuvier in Cuvier &amp; Valenciennes 1829</i>	native
<i>Priacanthus sagittarius</i>	<i>Starnes 1988</i>	native
<i>Priacanthus tayenus</i>	<i>Richardson 1846</i>	native
<i>Priolepis agrena</i>	<i>Winterbottom &amp; Burrige 1993</i>	native
<i>Priolepis akihitoi</i>	<i>Hoese &amp; Larson 2010</i>	native
<i>Priolepis cincta</i>	<i>(Regan 1908)</i>	native
<i>Priolepis compita</i>	<i>Winterbottom 1985</i>	native
<i>Priolepis cyanocephala</i>	<i>Hoese &amp; Larson 2010</i>	native

Genus Species	Author	Type
<i>Priolepis fallacincta</i>	Winterbottom & Burrige 1992	native
<i>Priolepis inhaca</i>	(Smith 1949)	native
<i>Priolepis kappa</i>	Winterbottom & Burrige 1993	native
<i>Priolepis nuchifasciata</i>	(Günther 1873)	native
<i>Priolepis pallidicincta</i>	Winterbottom & Burrige 1993	native
<i>Priolepis profunda</i>	(Weber 1909)	native
<i>Priolepis psymphilia</i>	Winterbottom & Burrige 1993	native
<i>Priolepis semidoliata</i>	(Valenciennes 1837)	native
<i>Prionace glauca</i>	(Linnaeus 1758)	native
<i>Prionobutis microps</i>	(Weber 1907)	native
<i>Prionodraco evansii</i>	Regan 1914	native
<i>Prionurus maculatus</i>	Ogilby 1887	native
<i>Prionurus microlepidotus</i>	Lacepède 1804	native
<i>Pristiapogon exostigma</i>	(Jordan & Starks 1906)	native
<i>Pristiapogon fraenatus</i>	(Valenciennes 1832)	native
<i>Pristiapogon kallopterus</i>	Bleeker 1856	native
<i>Pristicon rhodopterus</i>	(Bleeker 1852)	native
<i>Pristicon trimaculatus</i>	(Cuvier in Cuvier & Valenciennes 1828)	native
<i>Pristigenys niphonia</i>	(Cuvier 1829)	native
<i>Pristilepis oligolepis</i>	(Whitley 1941)	native
<i>Pristiophorus cirratus</i>	(Latham 1794)	endemic
<i>Pristiophorus delicatus</i>	Yearsley, Last & White 2008	native
<i>Pristiophorus nudipinnis</i>	Günther 1870	endemic
<i>Pristipomoides argyrogrammicus</i>	(Valenciennes 1832)	native
<i>Pristipomoides auricilla</i>	(Jordan, Evermann & Tanaka 1927)	native
<i>Pristipomoides filamentosus</i>	(Valenciennes 1830)	native
<i>Pristipomoides flavipinnis</i>	Shinohara 1963	native
<i>Pristipomoides multidentis</i>	(Day 1871)	native
<i>Pristipomoides sieboldii</i>	(Bleeker 1855)	native
<i>Pristipomoides typus</i>	Bleeker 1852	native
<i>Pristipomoides zonatus</i>	(Valenciennes 1830)	native
<i>Pristis clavata</i>	Garman 1906	native
<i>Pristis microdon</i>	Latham 1794	native
<i>Pristis pectinata</i>	Latham 1794	native
<i>Pristis pristis</i>	(Linnaeus 1758)	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Pristis zijsron</i>	<i>Bleeker 1851</i>	native
<i>Pristotis obtusirostris</i>	<i>(Günther 1862)</i>	native
<i>Prognathodes aculeatus</i>	<i>(Poey 1860)</i>	native
<i>Promethichthys prometheus</i>	<i>(Cuvier 1832)</i>	native
<i>Protomyctophum bolini</i>	<i>(Fraser-Brunner 1949)</i>	native
<i>Protomyctophum normani</i>	<i>(Tåning 1932)</i>	native
<i>Protomyctophum parallelum</i>	<i>(Lönnberg 1905)</i>	native
<i>Protomyctophum subparallelum</i>	<i>(Tåning 1932)</i>	native
<i>Protonibea diacanthus</i>	<i>(Lacepède 1802)</i>	native
<i>Protosalanx chinensis</i>	<i>(Basilewsky 1855)</i>	native
<i>Prototroctes maraena</i>	<i>Günther 1864</i>	endemic
<i>Psammodiscus ocellatus</i>	<i>Günther 1862</i>	native
<i>Psammogobius biocellatus</i>	<i>(Valenciennes 1837)</i>	native
<i>Psammoperca waigiensis</i>	<i>(Cuvier 1828)</i>	native
<i>Psednos balushkini</i>	<i>Stein, Chernova &amp; Andriashev 2001</i>	native
<i>Psednos micrurus</i>	<i>Barnard 1927</i>	native
<i>Psednos nataliae</i>	<i>Stein &amp; Andriashev in Stein, Chernova &amp; Andriashev 2001</i>	native
<i>Psednos whitleyi</i>	<i>Stein, Chernova &amp; Andriashev 2001</i>	native
<i>Psenes arafurensis</i>	<i>Günther 1889</i>	native
<i>Psenes cyanophrys</i>	<i>Valenciennes in Cuvier &amp; Valenciennes 1833</i>	native
<i>Psenes hillii</i>	<i>Ogilby 1915</i>	native
<i>Psenes pellucidus</i>	<i>Lütken 1880</i>	native
<i>Psenopsis humerosa</i>	<i>Munro 1958</i>	native
<i>Psenopsis intermedia</i>	<i>Piotrovsky 1987</i>	native
<i>Psenopsis obscura</i>	<i>Haedrich 1967</i>	native
<i>Psettina gigantea</i>	<i>Amaoka 1963</i>	native
<i>Psettina ijimae</i>	<i>(Jordan &amp; Starks 1904)</i>	native
<i>Psettina senta</i>	<i>Amaoka &amp; Larson 1999</i>	native
<i>Psettina tosana</i>	<i>Amaoka 1963</i>	native
<i>Psettina variegata</i>	<i>(Fowler 1934)</i>	native
<i>Psettodes erumei</i>	<i>(Bloch &amp; Schneider 1801)</i>	native
<i>Pseudaesopia japonica</i>	<i>(Bleeker 1860)</i>	native
<i>Pseudalutarius nasicornis</i>	<i>(Temminck &amp; Schlegel 1850)</i>	native
<i>Pseudamia amblyuroptera</i>	<i>(Bleeker 1856)</i>	native
<i>Pseudamia gelatinosa</i>	<i>Smith 1956</i>	native

Genus Species	Author	Type
<i>Pseudamia hayashii</i>	Randall, Lachner & Fraser 1985	native
<i>Pseudamia nigra</i>	Allen 1992	native
<i>Pseudamiops gracilicauda</i>	(Lachner 1953)	native
<i>Pseudanthias bicolor</i>	(Randall 1979)	native
<i>Pseudanthias cooperi</i>	(Regan 1902)	native
<i>Pseudanthias dispar</i>	(Herre 1955)	native
<i>Pseudanthias engelhardi</i>	(Allen & Starck 1982)	endemic
<i>Pseudanthias georgei</i>	(Allen 1976)	endemic
<i>Pseudanthias gibbosus</i>	(Klunzinger 1884)	native
<i>Pseudanthias huchtii</i>	(Bleeker 1857)	native
<i>Pseudanthias hypselosoma</i>	Bleeker 1878	native
<i>Pseudanthias lori</i>	(Lubbock & Randall 1976)	native
<i>Pseudanthias luzonensis</i>	(Katayama & Masuda 1983)	native
<i>Pseudanthias pascalus</i>	(Jordan & Tanaka 1927)	native
<i>Pseudanthias pictilis</i>	(Randall & Allen 1978)	native
<i>Pseudanthias pleurotaenia</i>	(Bleeker 1857)	native
<i>Pseudanthias rubrizonatus</i>	(Randall 1983)	native
<i>Pseudanthias sheni</i>	Randall & Allen 1989	endemic
<i>Pseudanthias smithvanizi</i>	(Randall & Lubbock 1981)	native
<i>Pseudanthias squamipinnis</i>	Peters 1855	native
<i>Pseudanthias tuka</i>	(Herre & Montalban 1927)	native
<i>Pseudanthias ventralis</i>	(Randall 1979)	native
<i>Pseudaphritis urvillii</i>	(Valenciennes 1832)	endemic
<i>Pseudapocryptes borneensis</i>	(Bleeker 1855)	native
<i>Pseudapocryptes elongatus</i>	(Cuvier 1816)	native
<i>Pseudobalistes flavimarginatus</i>	(Rüppell 1829)	native
<i>Pseudobalistes fuscus</i>	(Bloch & Schneider 1801)	native
<i>Pseudocaranx dentex</i>	(Bloch & Schneider 1801)	native
<i>Pseudocaranx dinjerra</i>	Smith-Vaniz & Jelks 2006	native
<i>Pseudocaranx georgianus</i>	(Cuvier 1833)	native
<i>Pseudocaranx wrighti</i>	(Whitley 1931)	endemic
<i>Pseudocarcharias kamoharai</i>	(Matsubara 1936)	native
<i>Pseudocheilinus evanidus</i>	Jordan & Evermann 1903	native
<i>Pseudocheilinus hexataenia</i>	(Bleeker 1857)	native
<i>Pseudocheilinus ocellatus</i>	Randall 1999	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Pseudocheilinus octotaenia</i>	<b>Jenkins 1901</b>	native
<i>Pseudochromis andamanensis</i>	<b>Lubbock 1980</b>	native
<i>Pseudochromis bitaeniatus</i>	<b>(Fowler 1931)</b>	native
<i>Pseudochromis cyanotaenia</i>	<b>Bleeker 1857</b>	native
<i>Pseudochromis flammicauda</i>	<b>Lubbock &amp; Goldman 1976</b>	endemic
<i>Pseudochromis fuscus</i>	<b>Müller &amp; Troschel 1849</b>	native
<i>Pseudochromis howsoni</i>	<b>Allen 1995</b>	native
<i>Pseudochromis jamesi</i>	<b>Schultz 1943</b>	native
<i>Pseudochromis marshallensis</i>	<b>Schultz 1953</b>	native
<i>Pseudochromis punctatus</i>	<b>Kotthaus 1970</b>	native
<i>Pseudochromis quinquedentatus</i>	<b>McCulloch 1926</b>	native
<i>Pseudochromis reticulatus</i>	<b>Gill &amp; Woodland 1992</b>	native
<i>Pseudochromis steenei</i>	<b>Gill &amp; Randall 1992</b>	native
<i>Pseudochromis tapeinosoma</i>	<b>Bleeker 1853</b>	native
<i>Pseudochromis wilsoni</i>	<b>(Whitley 1929)</b>	endemic
<i>Pseudocoris aequalis</i>	<b>Randall &amp; Walsh 2008</b>	native
<i>Pseudocoris aurantiofasciata</i>	<b>Fourmanoir 1971</b>	native
<i>Pseudocoris heteroptera</i>	<b>(Bleeker 1857)</b>	native
<i>Pseudocoris yamashiroi</i>	<b>(Schmidt 1931)</b>	native
<i>Pseudocyttus maculatus</i>	<b>Gilchrist 1906</b>	native
<i>Pseudodax moluccanus</i>	<b>(Valenciennes 1840)</b>	native
<i>Pseudogobius javanicus</i>	<b>(Bleeker 1856)</b>	native
<i>Pseudogobius olorum</i>	<b>(Sauvage 1880)</b>	endemic
<i>Pseudogobius poecilosoma</i>	<b>(Bleeker 1849)</b>	native
<i>Pseudogramma astigma</i>	<b>Randall &amp; Baldwin 1997</b>	native
<i>Pseudogramma polyacantha</i>	<b>(Bleeker 1856)</b>	native
<i>Pseudojuloides cerasinus</i>	<b>(Snyder 1904)</b>	native
<i>Pseudojuloides elongatus</i>	<b>Ayling &amp; Russell 1977</b>	native
<i>Pseudojuloides severnsi</i>	<b>Bellwood &amp; Randall 2000</b>	native
<i>Pseudolabrus biserialis</i>	<b>(Klunzinger 1880)</b>	native
<i>Pseudolabrus guentheri</i>	<b>Bleeker 1862</b>	native
<i>Pseudolabrus luculentus</i>	<b>(Richardson 1848)</b>	native
<i>Pseudolabrus rubicundus</i>	<b>(Macleay 1881)</b>	native
<i>Pseudomonacanthus elongatus</i>	<b>Fraser-Brunner 1940</b>	native
<i>Pseudomonacanthus peroni</i>	<b>(Hollard 1854)</b>	native

Genus Species	Author	Type
<i>Pseudomugil cyanodorsalis</i>	Allen & Sarti 1983	native
<i>Pseudomugil gertrudae</i>	Weber 1911	native
<i>Pseudomugil inconspicuus</i>	Roberts 1978	native
<i>Pseudomugil mellis</i>	Allen & Ivantsoff 1982	endemic
<i>Pseudomugil signifer</i>	Kner 1866	endemic
<i>Pseudomugil tenellus</i>	Taylor 1964	native
<i>Pseudonezumia pusilla</i>	(Sazonov & Shcherbachev 1982)	native
<i>Pseudonus squamiceps</i>	(Lloyd 1907)	native
<i>Pseudopataecus taenianotus</i>	Johnson 2004	native
<i>Pseudophycis bachus</i>	(Forster 1801)	native
<i>Pseudophycis barbata</i>	Günther 1863	native
<i>Pseudophycis brevisuscula</i>	(Richardson 1846)	native
<i>Pseudoplesiops annae</i>	(Weber 1913)	native
<i>Pseudoplesiops howensis</i>	Allen 1987	native
<i>Pseudoplesiops immaculatus</i>	Gill & Edwards 2002	native
<i>Pseudoplesiops reveillei</i>	Schultz in Schultz et al. 1953	native
<i>Pseudoplesiops rosae</i>	Schultz 1943	native
<i>Pseudoplesiops typus</i>	Bleeker 1858	native
<i>Pseudoplesiops wassi</i>	Gill & Edwards 2003	native
<i>Pseudorhombus argus</i>	Weber 1913	native
<i>Pseudorhombus arsius</i>	(Hamilton 1822)	native
<i>Pseudorhombus diplospilus</i>	Norman 1926	native
<i>Pseudorhombus dupliciocellatus</i>	Regan 1905	native
<i>Pseudorhombus elevatus</i>	Ogilby 1912	native
<i>Pseudorhombus jenynsii</i>	(Bleeker 1855)	endemic
<i>Pseudorhombus megalops</i>	Fowler 1934	native
<i>Pseudorhombus neglectus</i>	Bleeker 1865	native
<i>Pseudorhombus quinquocellatus</i>	Weber & de Beaufort 1929	native
<i>Pseudorhombus spinosus</i>	McCulloch 1914	native
<i>Pseudorhombus tenuirastrum</i>	(Waite 1899)	native
<i>Pseudorhombus triocellatus</i>	(Bloch & Schneider 1801)	native
<i>Pseudoscopelus altipinnis</i>	Parr 1933	native
<i>Pseudoscopelus australis</i>	Prokofiev & Kukuev 2006	native
<i>Pseudoscopelus paxtoni</i>	Melo 2010	native
<i>Pseudoscopelus scriptus</i>	Lütken 1892	native

Genus Species	Author	Type
<i>Pseudotrematomus bernacchii</i>	(Boulenger 1902)	native
<i>Pseudotrematomus eulepidotus</i>	(Regan 1914)	native
<i>Pseudotrematomus hansonii</i>	(Boulenger 1902)	native
<i>Pseudotrematomus lepidorhinus</i>	(Pappenheim 1911)	native
<i>Pseudotrematomus loennbergii</i>	(Regan 1913)	native
<i>Pseudotrematomus nicolai</i>	(Boulenger 1902)	native
<i>Pseudotrematomus pennellii</i>	(Regan 1914)	native
<i>Pseudotrematomus scotti</i>	(Boulenger 1907)	native
<i>Pseudotrematomus tokarevi</i>	(Andriashev 1978)	native
<i>Pseudotriacanthus strigilifer</i>	(Cantor 1849)	native
<i>Pseudotriakis microdon</i>	de Brito Capello 1868	native
<i>Psilogobius prolatus</i>	Watson & Lachner 1985	native
<i>Psychrolutes marcidus</i>	(McCulloch 1926)	endemic
<i>Psychrolutes occidentalis</i>	Fricke 1990	native
<i>Pteraclis aesticola</i>	(Jordan & Snyder 1901)	native
<i>Pteraclis velifera</i>	(Pallas 1770)	native
<i>Pteragogus cryptus</i>	Randall 1981	native
<i>Pteragogus enneacanthus</i>	(Bleeker 1853)	native
<i>Pteragogus flagellifer</i>	(Valenciennes 1839)	---
<i>Pterapogon mirifica</i>	(Mees 1966)	native
<i>Ptereleotris evides</i>	(Jordan & Hubbs 1925)	native
<i>Ptereleotris grammica</i>	Randall & Lubbock 1982	native
<i>Ptereleotris hanae</i>	(Jordan & Snyder 1901)	native
<i>Ptereleotris heteroptera</i>	(Bleeker 1855)	native
<i>Ptereleotris microlepis</i>	(Bleeker 1856)	native
<i>Ptereleotris monoptera</i>	Randall & Hoese 1985	native
<i>Ptereleotris uroditaenia</i>	Randall & Hoese 1985	native
<i>Ptereleotris zebra</i>	(Fowler 1938)	native
<i>Pterocaesio chrysozona</i>	(Cuvier 1830)	native
<i>Pterocaesio digramma</i>	(Bleeker 1864)	native
<i>Pterocaesio marri</i>	Schultz in Schultz et al. 1953	native
<i>Pterocaesio pisang</i>	(Bleeker 1853)	native
<i>Pterocaesio tile</i>	(Cuvier 1830)	native
<i>Pterocaesio trilineata</i>	Carpenter 1987	native
<i>Pterocerdale insolita</i>	Hoese & Motomura 2009	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Pteroidichthys amboinensis</i>	<i>Bleeker 1856</i>	native
<i>Pteroidichthys godfreyi</i>	<i>(Whitley 1954)</i>	native
<i>Pteroidichthys noronhai</i>	<i>(Fowler 1938)</i>	native
<i>Pterois antennata</i>	<i>(Bloch 1787)</i>	native
<i>Pterois lunulata</i>	<i>Temminck &amp; Schlegel 1843</i>	native
<i>Pterois mombasae</i>	<i>(Smith 1957)</i>	native
<i>Pterois radiata</i>	<i>Cuvier in Cuvier &amp; Valenciennes 1829</i>	native
<i>Pterois russelii</i>	<i>Bennett (ex Russell) 1831</i>	native
<i>Pterois volitans</i>	<i>(Linnaeus 1758)</i>	native
<i>Pteroplatytrygon violacea</i>	<i>(Bonaparte 1832)</i>	native
<i>Pterycombus petersii</i>	<i>(Hilgendorf 1878)</i>	native
<i>Pterygotrigla andertoni</i>	<i>Waite 1910</i>	native
<i>Pterygotrigla draiggoch</i>	<i>Richards, Yato &amp; Last 2003</i>	native
<i>Pterygotrigla elicryste</i>	<i>Richards, Yato &amp; Last 2003</i>	native
<i>Pterygotrigla hemisticta</i>	<i>(Temminck &amp; Schlegel 1843)</i>	native
<i>Pterygotrigla hoplites</i>	<i>(Fowler 1938)</i>	native
<i>Pterygotrigla leptacanthus</i>	<i>(Günther 1880)</i>	native
<i>Pterygotrigla macrorhynchus</i>	<i>Kamohara 1936</i>	native
<i>Pterygotrigla pauli</i>	<i>Hardy 1982</i>	native
<i>Pterygotrigla picta</i>	<i>(Günther 1880)</i>	native
<i>Pterygotrigla polyommata</i>	<i>(Richardson 1839)</i>	native
<i>Pterygotrigla robertsi</i>	<i>del Cerro &amp; Lloris 1997</i>	native
<i>Pterygotrigla ryukyuensis</i>	<i>Matsubara &amp; Hiyama 1932</i>	native
<i>Pterygotrigla soela</i>	<i>Richards, Yato &amp; Last 2003</i>	native
<i>Pugnaso curtirostris</i>	<i>(Castelnau 1872)</i>	native
<i>Puntigrus tetrazona</i>	<i>(Bleeker 1855)</i>	native
<i>Pycnocraspedum squamipinne</i>	<i>Alcock 1889</i>	native
<i>Pygoplites diacanthus</i>	<i>(Boddaert 1772)</i>	native
<i>Pyramodon lindas</i>	<i>Markle &amp; Olney 1990</i>	native
<i>Pyramodon punctatus</i>	<i>(Regan 1914)</i>	native
<i>Pyramodon ventralis</i>	<i>Smith &amp; Radcliffe in Radcliffe 1913</i>	native
<i>Rabaulichthys squirei</i>	<i>Randall &amp; Walsh 2010</i>	native
<i>Rachycentron canadum</i>	<i>(Linnaeus 1766)</i>	native
<i>Racovitzia glacialis</i>	<i>Dollo 1900</i>	native
<i>Rainfordia opercularis</i>	<i>McCulloch 1923</i>	endemic

Genus Species	Author	Type
<i>Rajella challengeri</i>	<i>Last &amp; Stehmann 2008</i>	native
<i>Randallichthys filamentosus</i>	<i>(Fourmanoir 1970)</i>	native
<i>Ranzania laevis</i>	<i>(Pennant 1776)</i>	native
<i>Rastrelliger brachysoma</i>	<i>(Bleeker 1851)</i>	native
<i>Rastrelliger faughni</i>	<i>Matsui 1967</i>	native
<i>Rastrelliger kanagurta</i>	<i>(Cuvier 1816)</i>	native
<i>Ratabulus diversidens</i>	<i>(McCulloch 1914)</i>	native
<i>Ratabulus fulviguttatus</i>	<i>Imamura &amp; Gomon 2010</i>	native
<i>Ratabulus megacephalus</i>	<i>(Tanaka 1917)</i>	native
<i>Ratabulus ventralis</i>	<i>Imamura &amp; Gomon 2010</i>	native
<i>Redigobius balteatus</i>	<i>(Herre 1935)</i>	native
<i>Redigobius bikolanus</i>	<i>(Herre 1927)</i>	native
<i>Redigobius chrysosoma</i>	<i>(Bleeker 1875)</i>	---
<i>Redigobius dewaali</i>	<i>(Weber 1897)</i>	native
<i>Redigobius macrostoma</i>	<i>(Günther 1861)</i>	native
<i>Redigobius nanus</i>	<i>Larson 2010</i>	native
<i>Redigobius tambujon</i>	<i>(Bleeker 1854)</i>	native
<i>Regalecus glesne</i>	<i>Ascanius 1772</i>	native
<i>Reicheltia halsteadii</i>	<i>(Whitley 1957)</i>	endemic
<i>Reinhardtius hippoglossoides</i>	<i>(Walbaum 1792)</i>	native
<i>Remora albescens</i>	<i>(Temminck &amp; Schlegel 1850)</i>	native
<i>Remora australis</i>	<i>(Bennett 1840)</i>	native
<i>Remora brachyptera</i>	<i>(Lowe 1839)</i>	native
<i>Remora osteochir</i>	<i>(Cuvier 1829)</i>	native
<i>Remora remora</i>	<i>(Linnaeus 1758)</i>	native
<i>Rendahlia jaubertensis</i>	<i>(Rendahl 1921)</i>	native
<i>Retropinna semoni</i>	<i>(Weber 1895)</i>	endemic
<i>Retropinna tasmanica</i>	<i>McCulloch 1920</i>	endemic
<i>Rexea antefurcata</i>	<i>Parin 1989</i>	native
<i>Rexea bengalensis</i>	<i>(Alcock 1894)</i>	native
<i>Rexea prometheoides</i>	<i>(Bleeker 1856)</i>	native
<i>Rexea solandri</i>	<i>(Cuvier in Cuvier &amp; Valenciennes 1832)</i>	native
<i>Rexichthys johnpaxtoni</i>	<i>Parin &amp; Astakhov 1987</i>	native
<i>Rhabdamia gracilis</i>	<i>(Bleeker 1856)</i>	native
<i>Rhabdoblennius nitidus</i>	<i>(Günther 1861)</i>	native

Genus Species	Author	Type
<i>Rhabdoblennius rhabdotrachelus</i>	(Fowler & Ball 1924)	native
<i>Rhabdosargus sarba</i>	(Forsskål 1775)	native
<i>Rhadinocentrus ornatus</i>	Regan 1914	endemic
<i>Rhamphocetichthys savagei</i>	Paxton 1989	native
<i>Rhina ancylostoma</i>	Bloch & Schneider 1801	native
<i>Rhincodon typus</i>	Smith 1828	native
<i>Rhinecanthus aculeatus</i>	(Linnaeus 1758)	native
<i>Rhinecanthus lunula</i>	Randall & Steene 1983	native
<i>Rhinecanthus rectangulus</i>	(Bloch & Schneider 1801)	native
<i>Rhinecanthus verrucosus</i>	(Linnaeus 1758)	native
<i>Rhinobatos granulatus</i>	(Cuvier 1829)	native
<i>Rhinobatos sainsburyi</i>	Last 2004	native
<i>Rhinobatos schlegelii</i>	Müller & Henle 1841	native
<i>Rhinochimaera africana</i>	Compagno, Stehmann & Ebert 1990	native
<i>Rhinochimaera pacifica</i>	(Mitsukuri 1895)	native
<i>Rhinomugil nasutus</i>	(De Vis 1883)	native
<i>Rhinomuraena quaesita</i>	Garman 1888	native
<i>Rhinopias aphanes</i>	Eschmeyer in Eschmeyer, Hirosaki & Abe 1973	native
<i>Rhinopias eschmeyeri</i>	Condé 1977	native
<i>Rhinopias frondosa</i>	(Günther 1892)	native
<i>Rhinoprenes pentanemus</i>	Munro 1964	native
<i>Rhinoptera javanica</i>	Müller & Henle 1841	native
<i>Rhinoptera neglecta</i>	Ogilby 1912	native
<i>Rhizoprionodon acutus</i>	(Rüppell 1837)	native
<i>Rhizoprionodon oligolinx</i>	Springer 1964	native
<i>Rhizoprionodon taylori</i>	(Ogilby 1915)	native
<i>Rhombosolea leporina</i>	Günther 1862	native
<i>Rhombosolea plebeia</i>	(Richardson 1843)	native
<i>Rhombosolea retiaria</i>	Hutton 1874	native
<i>Rhombosolea tapirina</i>	Günther 1862	native
<i>Rhycherus filamentosus</i>	(Castelnau 1872)	endemic
<i>Rhycherus gloveri</i>	Pietsch 1984	endemic
<i>Rhynchobatus australiae</i>	Whitley 1939	native
<i>Rhynchobatus laevis</i>	(Bloch & Schneider 1801)	native
<i>Rhynchobatus palpebratus</i>	Compagno & Last 2008	native

Genus Species	Author	Type
<i>Rhynchoconger ectenurus</i>	(Jordan & Richardson 1909)	native
<i>Rhynchohyalus natalensis</i>	(Gilchrist & von Bonde 1924)	native
<i>Rhynchorhamphus georgii</i>	(Valenciennes 1847)	native
<i>Richardsonichthys leucogaster</i>	(Richardson 1848)	native
<i>Roa australis</i>	Kuiter 2004	native
<i>Rocio octofasciata</i>	(Regan 1903)	introduced
<i>Rogadius asper</i>	(Cuvier 1829)	native
<i>Rogadius mcgrouteri</i>	Imamura 2007	native
<i>Rogadius patriciae</i>	Knapp 1987	native
<i>Rogadius pristiger</i>	(Cuvier 1829)	native
<i>Rogadius serratus</i>	(Cuvier 1829)	native
<i>Rondeletia loricata</i>	Abe & Hotta 1963	native
<i>Rosenblattia robusta</i>	Mead & De Falla 1965	native
<i>Rosenblattichthys alatus</i>	(Fourmanoir 1970)	native
<i>Rouleina attrita</i>	(Vaillant 1888)	native
<i>Rouleina eucla</i>	Whitley 1940	native
<i>Rouleina guentheri</i>	(Alcock 1892)	native
<i>Rouleina maderensis</i>	Maul 1948	native
<i>Rouleina squamilatera</i>	(Alcock 1898)	native
<i>Rudarius excelsus</i>	Hutchins 1977	native
<i>Rudarius minutus</i>	Tyler 1970	native
<i>Rutilus rutilus</i>	(Linnaeus 1758)	introduced
<i>Ruvettus pretiosus</i>	Cocco 1833	native
<i>Ryukyuperchis gushikeni</i>	(Yoshino 1975)	native
<i>Saccogaster tuberculata</i>	(Chan 1966)	native
<i>Saccopharynx schmidti</i>	Bertin 1934	native
<i>Sacura parva</i>	Heemstra & Randall 1979	native
<i>Salangichthys microdon</i>	(Bleeker 1860)	native
<i>Salarias alboguttatus</i>	Kner 1867	native
<i>Salarias ceramensis</i>	Bleeker 1853	native
<i>Salarias fasciatus</i>	(Bloch 1786)	native
<i>Salarias guttatus</i>	Valenciennes in Cuvier & Valenciennes 1836	native
<i>Salarias ramosus</i>	(Bath 1992)	native
<i>Salarias sexfilum</i>	Günther 1861	native
<i>Salarias sinuosus</i>	Snyder 1908	native

Genus Species	Author	Type
<i>Salmo salar</i>	<i>Linnaeus 1758</i>	<i>introduced</i>
<i>Salmo trutta</i>	<i>Linnaeus 1758</i>	<i>native</i>
<i>Saloptia powelli</i>	<i>Smith 1964</i>	<i>native</i>
<i>Salvelinus fontinalis</i>	<i>(Mitchill 1814)</i>	<i>introduced</i>
<i>Samaris cristatus</i>	<i>Gray 1831</i>	<i>native</i>
<i>Samaris macrolepis</i>	<i>Norman 1927</i>	<i>native</i>
<i>Samariscus huysmani</i>	<i>Weber 1913</i>	<i>native</i>
<i>Samariscus sunieri</i>	<i>Weber &amp; de Beaufort 1929</i>	<i>native</i>
<i>Samariscus triocellatus</i>	<i>Woods in Gosline &amp; Brock 1960</i>	<i>native</i>
<i>Sarda australis</i>	<i>(Macleay 1881)</i>	<i>native</i>
<i>Sarda orientalis</i>	<i>(Temminck &amp; Schlegel 1844)</i>	<i>native</i>
<i>Sardina pilchardus</i>	<i>(Walbaum 1792)</i>	<i>native</i>
<i>Sardinella albella</i>	<i>(Valenciennes 1847)</i>	<i>native</i>
<i>Sardinella aurita</i>	<i>Valenciennes in Cuvier &amp; Valenciennes 1847</i>	<i>native</i>
<i>Sardinella brachysoma</i>	<i>Bleeker 1852</i>	<i>native</i>
<i>Sardinella gibbosa</i>	<i>(Bleeker 1849)</i>	<i>native</i>
<i>Sardinella lemuru</i>	<i>Bleeker 1853</i>	<i>native</i>
<i>Sardinella melanura</i>	<i>(Cuvier 1829)</i>	<i>native</i>
<i>Sardinops melanosticta</i>	<i>(Temminck &amp; Schlegel 1846)</i>	<i>native</i>
<i>Sardinops ocellatus</i>	<i>(Pappe 1853)</i>	<i>native</i>
<i>Sardinops sagax</i>	<i>(Jenyns 1842)</i>	<i>native</i>
<i>Sargocentron caudimaculatum</i>	<i>(Rüppell 1838)</i>	<i>native</i>
<i>Sargocentron cornutum</i>	<i>(Bleeker 1853)</i>	<i>native</i>
<i>Sargocentron diadema</i>	<i>(Lacepède 1802)</i>	<i>native</i>
<i>Sargocentron iota</i>	<i>Randall 1998</i>	<i>native</i>
<i>Sargocentron ittodai</i>	<i>(Jordan &amp; Fowler 1902)</i>	<i>native</i>
<i>Sargocentron lepros</i>	<i>(Allen &amp; Cross 1983)</i>	<i>native</i>
<i>Sargocentron melanospilos</i>	<i>(Bleeker 1858)</i>	<i>native</i>
<i>Sargocentron microstoma</i>	<i>(Günther 1859)</i>	<i>native</i>
<i>Sargocentron praslin</i>	<i>(Lacepède 1802)</i>	<i>native</i>
<i>Sargocentron punctatissimum</i>	<i>(Cuvier 1829)</i>	<i>native</i>
<i>Sargocentron rubrum</i>	<i>(Forsskål 1775)</i>	<i>native</i>
<i>Sargocentron spiniferum</i>	<i>(Forsskål 1775)</i>	<i>native</i>
<i>Sargocentron tiere</i>	<i>(Cuvier 1829)</i>	<i>native</i>
<i>Sargocentron tiereoides</i>	<i>(Bleeker 1853)</i>	<i>native</i>

Genus Species	Author	Type
<i>Sargocentron violaceum</i>	(Bleeker 1853)	native
<i>Satyrichthys lingi</i>	(Whitley 1933)	endemic
<i>Satyrichthys moluccense</i>	(Bleeker 1851)	native
<i>Satyrichthys rieffeli</i>	(Kaup 1859)	native
<i>Satyrichthys welchi</i>	(Herre 1925)	native
<i>Saurenehelys finitimus</i>	(Whitley 1935)	endemic
<i>Saurenehelys stylura</i>	(Lea 1913)	native
<i>Saurida argentea</i>	Macleay 1881	native
<i>Saurida elongata</i>	(Temminck & Schlegel 1846)	native
<i>Saurida filamentosa</i>	Ogilby 1910	native
<i>Saurida gracilis</i>	(Quoy & Gaimard 1824)	native
<i>Saurida longimanus</i>	Norman 1939	native
<i>Saurida micropeporalis</i>	Shindo & Yamada 1972	native
<i>Saurida nebulosa</i>	Valenciennes in Cuvier & Valenciennes 1850	native
<i>Saurida tumbil</i>	(Bloch 1795)	native
<i>Saurida undosquamis</i>	(Richardson 1848)	native
<i>Saurida wanieso</i>	Shindo & Yamada 1972	native
<i>Scaevius milii</i>	(Bory de Saint-Vincent 1823)	native
<i>Scalanago lateralis</i>	Whitley 1935	native
<i>Scalicus orientalis</i>	(Fowler 1938)	native
<i>Scartelaos histophorus</i>	(Valenciennes 1837)	native
<i>Scarus altipinnis</i>	(Steindachner 1879)	native
<i>Scarus chameleon</i>	Choat & Randall 1986	native
<i>Scarus dimidiatus</i>	Bleeker 1859	native
<i>Scarus festivus</i>	Valenciennes in Cuvier & Valenciennes 1840	native
<i>Scarus flavipectoralis</i>	Schultz 1958	native
<i>Scarus forsteni</i>	(Bleeker 1861)	native
<i>Scarus frenatus</i>	Lacepède (ex Commerson) 1802	native
<i>Scarus ghobban</i>	Forsskål 1775	native
<i>Scarus globiceps</i>	Valenciennes in Cuvier & Valenciennes 1840	native
<i>Scarus longipinnis</i>	Randall & Choat 1980	native
<i>Scarus niger</i>	Forsskål 1775	native
<i>Scarus oviceps</i>	Valenciennes in Cuvier & Valenciennes 1840	native
<i>Scarus prasiognathos</i>	Valenciennes in Cuvier & Valenciennes 1840	native
<i>Scarus psittacus</i>	Forsskål 1775	native

Genus Species	Author	Type
<i>Scarus quoyi</i>	<i>Valenciennes in Cuvier &amp; Valenciennes 1840</i>	native
<i>Scarus rivulatus</i>	<i>Valenciennes in Cuvier &amp; Valenciennes 1840</i>	native
<i>Scarus rubroviolaceus</i>	<i>Bleeker 1847</i>	native
<i>Scarus scaber</i>	<i>Valenciennes in Cuvier &amp; Valenciennes 1840</i>	native
<i>Scarus schlegeli</i>	<i>(Bleeker 1861)</i>	native
<i>Scarus spinus</i>	<i>(Kner 1868)</i>	native
<i>Scarus tricolor</i>	<i>Bleeker 1847</i>	native
<i>Scarus xanthopleura</i>	<i>Bleeker 1853</i>	native
<i>Scatophagus argus</i>	<i>(Linnaeus 1766)</i>	native
<i>Scatophagus tetracanthus</i>	<i>(Lacepède 1802)</i>	native
<i>Scaturiginichthys vermeilipinnis</i>	<i>Ivantsoff, Unmack, Saeed &amp; Crowley 1991</i>	endemic
<i>Schedophilus huttoni</i>	<i>(Waite 1910)</i>	native
<i>Schedophilus maculatus</i>	<i>Günther 1860</i>	native
<i>Schedophilus ovalis</i>	<i>(Cuvier 1833)</i>	native
<i>Schedophilus velaini</i>	<i>(Sauvage 1879)</i>	native
<i>Schindleria brevipinguis</i>	<i>Watson &amp; Walker 2004</i>	native
<i>Schindleria pietschmanni</i>	<i>(Schindler 1931)</i>	native
<i>Schindleria praematura</i>	<i>(Schindler 1930)</i>	native
<i>Schismatogobius insignis</i>	<i>(Herre 1927)</i>	native
<i>Schismorhynchus labialis</i>	<i>(Seale 1917)</i>	native
<i>Schizochirus insolens</i>	<i>Waite 1904</i>	native
<i>Schuettea scalaripinnis</i>	<i>Steindachner 1866</i>	endemic
<i>Schuettea woodwardi</i>	<i>(Waite 1905)</i>	native
<i>Schultzidia johnstonensis</i>	<i>(Schultz &amp; Woods 1949)</i>	native
<i>Sciades leptaspis</i>	<i>(Bleeker 1862)</i>	native
<i>Sciades paucus</i>	<i>(Kailola 2000)</i>	native
<i>Scleropages jardinii</i>	<i>(Saville-Kent 1892)</i>	native
<i>Scleropages leichardti</i>	<i>Günther 1864</i>	endemic
<i>Scobinichthys granulatus</i>	<i>(Shaw 1790)</i>	native
<i>Scolecenchelys australis</i>	<i>(Macleay 1881)</i>	native
<i>Scolecenchelys breviceps</i>	<i>(Günther 1876)</i>	native
<i>Scolecenchelys castlei</i>	<i>McCosker 2006</i>	native
<i>Scolecenchelys godeffroyi</i>	<i>(Regan 1909)</i>	native
<i>Scolecenchelys gymnota</i>	<i>(Bleeker 1857)</i>	native
<i>Scolecenchelys laticaudata</i>	<i>(Ogilby 1897)</i>	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Scolecenchelys macroptera</i>	(Bleeker 1857)	native
<i>Scolecenchelys nicholsae</i>	(Waite 1904)	native
<i>Scolecenchelys tasmaniensis</i>	(McCulloch 1911)	native
<i>Scoliodon laticaudus</i>	Müller & Henle 1838	native
<i>Scolopsis affinis</i>	Peters 1877	native
<i>Scolopsis bilineata</i>	(Bloch 1793)	native
<i>Scolopsis lineata</i>	Quoy & Gaimard 1824	native
<i>Scolopsis margaritifera</i>	(Cuvier 1830)	native
<i>Scolopsis monogramma</i>	(Cuvier 1830)	native
<i>Scolopsis taenioptera</i>	(Cuvier 1830)	native
<i>Scolopsis trilineata</i>	Kner 1868	native
<i>Scolopsis vosmeri</i>	(Bloch 1792)	native
<i>Scolopsis xenochroa</i>	Günther 1872	native
<i>Scomber australasicus</i>	Cuvier in Cuvier & Valenciennes 1832	native
<i>Scomber japonicus</i>	Houttuyn 1782	native
<i>Scomber scombrus</i>	Linnaeus 1758	native
<i>Scomberesox saurus</i>	(Walbaum 1792)	native
<i>Scomberesox saurus scombroides</i>	(Richardson 1843)	native
<i>Scomberoides commersonianus</i>	Lacepède (ex Commerson) 1801	native
<i>Scomberoides lysan</i>	(Forsskål 1775)	native
<i>Scomberoides tala</i>	(Cuvier 1832)	native
<i>Scomberoides tol</i>	(Cuvier 1832)	native
<i>Scomberomorus commerson</i>	(Lacepède 1800)	native
<i>Scomberomorus munroi</i>	Collette & Russo 1980	native
<i>Scomberomorus queenslandicus</i>	Munro 1943	native
<i>Scomberomorus semifasciatus</i>	(Macleay 1883)	native
<i>Scombrolabrax heterolepis</i>	Roule 1921	native
<i>Scopelarchoides danae</i>	Johnson 1974	native
<i>Scopelarchoides krefftii</i>	Johnson 1972	native
<i>Scopelarchus analis</i>	(Brauer 1902)	native
<i>Scopelarchus guentheri</i>	Alcock 1896	native
<i>Scopeloberyx microlepis</i>	(Norman 1937)	native
<i>Scopelogadus beanii</i>	(Günther 1887)	native
<i>Scopelogadus mizolepis</i>	(Günther 1878)	native
<i>Scopelopsis multipunctatus</i>	Brauer 1906	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Scopelosaurus ahlstromi</i>	<i>Bertelsen, Krefft &amp; Marshall 1976</i>	native
<i>Scopelosaurus hamiltoni</i>	<i>(Waite 1916)</i>	native
<i>Scopelosaurus hoedti</i>	<i>Bleeker 1860</i>	native
<i>Scopelosaurus maui</i>	<i>Bertelsen, Krefft &amp; Marshall 1976</i>	native
<i>Scopelosaurus meadi</i>	<i>Bertelsen, Krefft &amp; Marshall 1976</i>	native
<i>Scorpaena bulacephala</i>	<i>Motomura, Last &amp; Yearsley 2005</i>	native
<i>Scorpaena cardinalis</i>	<i>Solander &amp; Richardson in Richardson 1842</i>	native
<i>Scorpaena gasta</i>	<i>Motomura, Last &amp; Yearsley 2006</i>	native
<i>Scorpaena grandisquamis</i>	<i>Ogilby 1910</i>	endemic
<i>Scorpaena izensis</i>	<i>Jordan &amp; Starks 1904</i>	native
<i>Scorpaena neglecta</i>	<i>Temminck &amp; Schlegel 1843</i>	native
<i>Scorpaena papillosa</i>	<i>(Schneider &amp; Forster 1801)</i>	native
<i>Scorpaena sumptuosa</i>	<i>Castelnau 1875</i>	endemic
<i>Scorpaenodes albaiensis</i>	<i>(Evermann &amp; Seale 1907)</i>	native
<i>Scorpaenodes evides</i>	<i>(Jordan &amp; Thompson 1914)</i>	native
<i>Scorpaenodes guamensis</i>	<i>(Quoy &amp; Gaimard 1824)</i>	native
<i>Scorpaenodes hirsutus</i>	<i>(Smith 1957)</i>	native
<i>Scorpaenodes kelloggi</i>	<i>(Jenkins 1903)</i>	native
<i>Scorpaenodes minor</i>	<i>(Smith 1958)</i>	native
<i>Scorpaenodes parvipinnis</i>	<i>(Garrett 1864)</i>	native
<i>Scorpaenodes quadrispinosus</i>	<i>Greenfield &amp; Matsuura 2002</i>	native
<i>Scorpaenodes scaber</i>	<i>(Ramsay &amp; Ogilby 1886)</i>	native
<i>Scorpaenodes smithi</i>	<i>Eschmeyer &amp; Rama-Rao 1972</i>	native
<i>Scorpaenodes steenei</i>	<i>Allen 1977</i>	endemic
<i>Scorpaenodes varipinnis</i>	<i>Smith 1957</i>	native
<i>Scorpaenopsis cotticeps</i>	<i>Fowler 1938</i>	native
<i>Scorpaenopsis diabolus</i>	<i>(Cuvier 1829)</i>	native
<i>Scorpaenopsis eschmeyeri</i>	<i>Randall &amp; Greenfield 2004</i>	native
<i>Scorpaenopsis furneauxi</i>	<i>Whitley 1959</i>	native
<i>Scorpaenopsis gibbosa</i>	<i>(Bloch &amp; Schneider 1801)</i>	native
<i>Scorpaenopsis insperatus</i>	<i>Motomura 2004</i>	native
<i>Scorpaenopsis macrochir</i>	<i>Ogilby 1910</i>	native
<i>Scorpaenopsis neglecta</i>	<i>Heckel 1839</i>	native
<i>Scorpaenopsis obtusa</i>	<i>Randall &amp; Eschmeyer 2001</i>	native
<i>Scorpaenopsis oxycephala</i>	<i>(Bleeker 1849)</i>	native

Genus Species	Author	Type
<i>Scorpaenopsis papuensis</i>	(Cuvier 1829)	native
<i>Scorpaenopsis possi</i>	Randall & Eschmeyer 2001	native
<i>Scorpaenopsis venosa</i>	(Cuvier 1829)	native
<i>Scorpis aequipinnis</i>	Richardson 1848	native
<i>Scorpis georgiana</i>	Valenciennes in Cuvier & Valenciennes 1832	native
<i>Scorpis lineolata</i>	Kner 1865	native
<i>Scorpis violacea</i>	(Hutton 1873)	native
<i>Scortum barcoo</i>	(McCulloch & Waite 1917)	endemic
<i>Scortum hillii</i>	(Castelnau 1878)	endemic
<i>Scortum neili</i>	Allen, Larson & Midgley 1993	native
<i>Scortum ogilbyi</i>	Whitley 1951	native
<i>Scortum parviceps</i>	(Macleay 1883)	endemic
<i>Scyliorhinus garmani</i>	(Fowler 1934)	native
<i>Scymnodalatias albicauda</i>	Taniuchi & Garrick 1986	native
<i>Scymnodalatias sherwoodi</i>	(Archev 1921)	native
<i>Sebastapistes cyanostigma</i>	(Bleeker 1856)	native
<i>Sebastapistes fowleri</i>	(Pietschmann 1934)	native
<i>Sebastapistes mauritiana</i>	(Cuvier 1829)	---
<i>Sebastapistes strongia</i>	(Cuvier 1829)	native
<i>Sebastapistes tinkhami</i>	(Fowler 1946)	native
<i>Sebastiscus marmoratus</i>	(Cuvier in Cuvier & Valenciennes 1829)	native
<i>Secutor insidiator</i>	(Bloch 1787)	native
<i>Secutor interruptus</i>	(Valenciennes 1835)	native
<i>Secutor megalolepis</i>	Mochizuki & Hayashi 1989	native
<i>Secutor ruconius</i>	(Hamilton 1822)	native
<i>Selar boops</i>	(Cuvier 1833)	native
<i>Selar crumenophthalmus</i>	(Bloch 1793)	native
<i>Selaroides leptolepis</i>	(Cuvier 1833)	native
<i>Selenanthias analis</i>	Tanaka 1918	native
<i>Seleniolycus laevifasciatus</i>	(Torno, Tomo & Marschoff 1977)	native
<i>Selenotoca multifasciata</i>	(Richardson 1846)	native
<i>Seriola dumerili</i>	(Risso 1810)	native
<i>Seriola hippos</i>	Günther 1876	native
<i>Seriola lalandi</i>	Valenciennes in Cuvier & Valenciennes 1833	native
<i>Seriola rivoliana</i>	Valenciennes in Cuvier & Valenciennes 1833	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Seriolella brama</i>	(Günther 1860)	native
<i>Seriolella caerulea</i>	Guichenot 1848	native
<i>Seriolella punctata</i>	(Forster 1801)	native
<i>Seriolina nigrofasciata</i>	(Rüppell 1829)	native
<i>Serranocirrhitis latus</i>	Watanabe 1949	native
<i>Serrivomer beanii</i>	Gill & Ryder 1883	native
<i>Serrivomer bertini</i>	Bauchot 1959	native
<i>Setarches guentheri</i>	Johnson 1862	native
<i>Setarches longimanus</i>	(Alcock 1894)	native
<i>Setipinna paxtoni</i>	Wongratana 1987	native
<i>Setipinna tenuifilis</i>	(Valenciennes 1848)	native
<i>Sicyopterus lagocephalus</i>	(Pallas 1770)	native
<i>Siganus argenteus</i>	(Quoy & Gaimard 1825)	native
<i>Siganus canaliculatus</i>	(Park 1797)	native
<i>Siganus corallinus</i>	(Valenciennes 1835)	native
<i>Siganus doliatus</i>	Guérin-Méneville 1829-38	native
<i>Siganus fuscescens</i>	(Houttuyn 1782)	native
<i>Siganus javus</i>	(Linnaeus 1766)	native
<i>Siganus lineatus</i>	(Valenciennes 1835)	native
<i>Siganus puellus</i>	(Schlegel 1852)	native
<i>Siganus punctatissimus</i>	Fowler & Bean 1929	native
<i>Siganus punctatus</i>	(Schneider & Forster 1801)	native
<i>Siganus spinus</i>	(Linnaeus 1758)	native
<i>Siganus trispilos</i>	Woodland & Allen 1977	native
<i>Siganus unimaculatus</i>	(Evermann & Seale 1907)	native
<i>Siganus vermiculatus</i>	(Valenciennes 1835)	native
<i>Siganus virgatus</i>	(Valenciennes 1835)	native
<i>Siganus vulpinus</i>	(Schlegel & Müller 1845)	native
<i>Sigmops bathyphilus</i>	(Vaillant in Filhol 1884)	native
<i>Signigobius biocellatus</i>	Hoese & Allen 1977	native
<i>Silhouettea evanida</i>	Larson & Miller 1986	native
<i>Silhouettea hoesei</i>	Larson & Miller 1986	native
<i>Silhouettea insinuans</i>	Smith 1959	native
<i>Sillaginodes punctatus</i>	(Cuvier in Cuvier & Valenciennes 1829)	native
<i>Sillago analis</i>	Whitley 1943	native

Genus Species	Author	Type
<i>Sillago bassensis</i>	<i>Cuvier in Cuvier &amp; Valenciennes 1829</i>	endemic
<i>Sillago burrus</i>	<i>Richardson 1842</i>	native
<i>Sillago ciliata</i>	<i>Cuvier in Cuvier &amp; Valenciennes 1829</i>	native
<i>Sillago flindersi</i>	<i>McKay 1985</i>	endemic
<i>Sillago ingenuua</i>	<i>McKay 1985</i>	native
<i>Sillago lutea</i>	<i>McKay 1985</i>	native
<i>Sillago maculata</i>	<i>Quoy &amp; Gaimard 1824</i>	endemic
<i>Sillago robusta</i>	<i>Stead 1908</i>	endemic
<i>Sillago schomburgkii</i>	<i>Peters 1864</i>	endemic
<i>Sillago sihama</i>	<i>(Forsskål 1775)</i>	native
<i>Sillago vittata</i>	<i>McKay 1985</i>	endemic
<i>Silurus glanis</i>	<i>Linnaeus 1758</i>	native
<i>Simenchelys parasitica</i>	<i>Gill 1879</i>	native
<i>Simipercis trispinosa</i>	<i>Johnson &amp; Randall 2006</i>	native
<i>Sinobatis bulbicauda</i>	<i>Last &amp; Séret 2008</i>	native
<i>Sinobatis caerulea</i>	<i>Last &amp; Séret 2008</i>	native
<i>Sinobatis filicauda</i>	<i>Last &amp; Séret 2008</i>	native
<i>Sio nordenskjoldii</i>	<i>(Lönnberg 1905)</i>	native
<i>Siokunichthys breviceps</i>	<i>Smith 1963</i>	native
<i>Siphamia cephalotes</i>	<i>(Castelnau 1875)</i>	endemic
<i>Siphamia cuneiceps</i>	<i>Whitley 1941</i>	endemic
<i>Siphamia fistulosa</i>	<i>(Weber 1909)</i>	native
<i>Siphamia fuscolineata</i>	<i>Lachner 1953</i>	native
<i>Siphamia guttulata</i>	<i>(Alleyne &amp; Macleay 1877)</i>	endemic
<i>Siphamia jebbi</i>	<i>Allen 1993</i>	native
<i>Siphamia majimai</i>	<i>Matsubara &amp; Iwai 1958</i>	native
<i>Siphamia roseigaster</i>	<i>(Ramsay &amp; Ogilby 1887)</i>	endemic
<i>Siphamia tubifer</i>	<i>Weber 1909</i>	native
<i>Siphamia tubulata</i>	<i>(Weber 1909)</i>	native
<i>Siphonognathus argyrophanes</i>	<i>Richardson 1858</i>	native
<i>Siphonognathus attenuatus</i>	<i>(Ogilby 1897)</i>	native
<i>Siphonognathus beddomei</i>	<i>(Johnston 1885)</i>	native
<i>Siphonognathus caninis</i>	<i>(Scott 1976)</i>	native
<i>Siphonognathus radiatus</i>	<i>(Quoy &amp; Gaimard 1834)</i>	native
<i>Siphonognathus tanyourus</i>	<i>Gomon &amp; Paxton 1986</i>	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Sirembo imberbis</i>	(Temminck & Schlegel 1846)	native
<i>Sirembo jerdoni</i>	(Day 1888)	native
<i>Sirembo metachroma</i>	Cohen & Robins 1986	endemic
<i>Skythrenchelys zabra</i>	Castle & McCosker 1999	native
<i>Snyderidia canina</i>	Gilbert 1905	native
<i>Solea solea</i>	(Linnaeus 1758)	native
<i>Solegnathus dunckeri</i>	Whitley 1927	native
<i>Solegnathus guentheri</i>	Duncker 1915	native
<i>Solegnathus hardwickii</i>	(Gray 1830)	native
<i>Solegnathus lettiensis</i>	Bleeker 1860	native
<i>Solegnathus robustus</i>	McCulloch 1911	native
<i>Solegnathus spinosissimus</i>	Günther 1870	native
<i>Soleichthys heterorhinos</i>	(Bleeker 1856)	native
<i>Soleichthys maculosus</i>	Muchhala & Munroe 2004	native
<i>Soleichthys microcephalus</i>	(Günther 1862)	native
<i>Soleichthys oculofasciatus</i>	Munroe & Menke 2004	native
<i>Soleichthys serpenpellis</i>	Munroe & Menke 2004	native
<i>Solenostomus armatus</i>	Weber 1913	native
<i>Solenostomus cyanopterus</i>	Bleeker 1854	native
<i>Solenostomus halimeda</i>	Orr, Fritzsche & Randall 2002	native
<i>Solenostomus leptosoma</i>	Tanaka 1908	native
<i>Solenostomus paegnius</i>	Jordan & Thompson 1914	native
<i>Solenostomus paradoxus</i>	(Pallas 1770)	native
<i>Somniosus antarcticus</i>	Whitley 1939	native
<i>Somniosus pacificus</i>	Bigelow & Schroeder 1944	native
<i>Sorosichthys ananassa</i>	Whitley 1945	native
<i>Sorsogona tuberculata</i>	(Cuvier 1829)	native
<i>Sparidentex hasta</i>	(Valenciennes 1830)	native
<i>Sparisoma axillare</i>	(Steindachner 1878)	native
<i>Spectrunculus grandis</i>	(Günther 1877)	native
<i>Sphaeramia nematoptera</i>	(Bleeker 1856)	native
<i>Sphagemacrurus pumiliceps</i>	(Alcock 1894)	native
<i>Sphagemacrurus richardi</i>	(Weber 1913)	native
<i>Sphenanthias sibogae</i>	Weber 1913	native
<i>Sphoeroides marmoratus</i>	(Lowe 1838)	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Sphoeroides pachygaster</i>	(Müller & Troschel 1848)	native
<i>Sphyraena acutipinnis</i>	Day 1876	native
<i>Sphyraena barracuda</i>	(Edwards 1771)	native
<i>Sphyraena flavicauda</i>	Rüppell 1838	native
<i>Sphyraena forsteri</i>	Cuvier in Cuvier & Valenciennes 1829	native
<i>Sphyraena helleri</i>	Jenkins 1901	native
<i>Sphyraena jello</i>	Cuvier in Cuvier & Valenciennes 1829	native
<i>Sphyraena novaehollandiae</i>	Günther 1860	native
<i>Sphyraena obtusata</i>	Cuvier in Cuvier & Valenciennes 1829	native
<i>Sphyraena putnamae</i>	Jordan & Seale 1905	native
<i>Sphyraena qenie</i>	Klunzinger 1870	native
<i>Sphyraena waitii</i>	Ogilby 1908	native
<i>Sphyraenops bairdianus</i>	Poey 1861	native
<i>Sphyrna lewini</i>	(Griffith & Smith in Cuvier, Griffith & Smith 1834)	native
<i>Sphyrna mokarran</i>	(Rüppell 1837)	native
<i>Sphyrna zygaena</i>	(Linnaeus 1758)	native
<i>Spicomacrus adelscottii</i>	(Iwamoto & Merrett 1997)	native
<i>Spicomacrus kuronumai</i>	(Kamohara 1938)	native
<i>Spottobrotula amaculata</i>	Cohen & Nielsen 1982	native
<i>Spratelloides delicatulus</i>	(Bennett 1832)	native
<i>Spratelloides gracilis</i>	(Temminck & Schlegel 1846)	native
<i>Spratelloides robustus</i>	Ogilby 1897	native
<i>Sprattus novaehollandiae</i>	(Valenciennes 1847)	native
<i>Sprattus sprattus</i>	(Linnaeus 1758)	native
<i>Springerichthys kulbickii</i>	(Fricke & Randall 1994)	native
<i>Squaliolus aliae</i>	Teng 1959	native
<i>Squaliolus laticaudus</i>	Smith & Radcliffe in Smith 1912	native
<i>Squalogadus modificatus</i>	Gilbert & Hubbs 1916	native
<i>Squalus acanthias</i>	Linnaeus 1758	native
<i>Squalus acutirostris</i>	Chu, Meng & Li 1984	native
<i>Squalus albifrons</i>	Last, White & Stevens 2007	native
<i>Squalus altipinnis</i>	Last, White & Stevens 2007	native
<i>Squalus chloroculus</i>	Last, White & Motomura 2007	native
<i>Squalus crassispinus</i>	Last, Edmunds & Yearsley 2007	native
<i>Squalus edmundsi</i>	White, Last & Stevens 2007	native

Genus Species	Author	Type
<i>Squalus grahami</i>	White, Last & Stevens 2007	native
<i>Squalus griffini</i>	Phillipps 1931	native
<i>Squalus megalops</i>	(Macleay 1881)	native
<i>Squalus mitsukurii</i>	Jordan & Snyder in Jordan & Fowler 1903	native
<i>Squalus montalbani</i>	Whitley 1931	native
<i>Squalus nasutus</i>	Last, Marshall & White 2007	native
<i>Squalus notocaudatus</i>	Last, White & Stevens 2007	native
<i>Squamiceedia obtusa</i>	Rendahl 1921	native
<i>Squatina albipunctata</i>	Last & White 2008	native
<i>Squatina australis</i>	Regan 1906	endemic
<i>Squatina pseudocellata</i>	Last & White 2008	native
<i>Squatina tergozellata</i>	McCulloch 1914	endemic
<i>Stalix flavida</i>	Smith-Vaniz 1989	native
<i>Stalix histrio</i>	Jordan & Snyder 1902	native
<i>Stanulus seychellensis</i>	Smith 1959	native
<i>Stanulus talboti</i>	Springer 1968	native
<i>Steeneichthys plesiopsus</i>	Allen & Randall 1985	native
<i>Stegastes albifasciatus</i>	(Schlegel & Müller 1839)	native
<i>Stegastes apicalis</i>	(De Vis 1885)	native
<i>Stegastes fasciolatus</i>	(Ogilby 1889)	native
<i>Stegastes gascoynei</i>	(Whitley 1964)	native
<i>Stegastes lividus</i>	(Forster 1801)	native
<i>Stegastes nigricans</i>	(Lacepède (ex Commerson) 1802)	native
<i>Stegastes obreptus</i>	(Whitley 1948)	native
<i>Stegastes punctatus</i>	(Quoy & Gaimard 1825)	native
<i>Stegostoma fasciatum</i>	(Hermann (ex Seba) 1783)	native
<i>Stemonosudis elegans</i>	(Ege 1933)	native
<i>Stemonosudis macrura</i>	(Ege 1933)	native
<i>Stemonosudis rothschildi</i>	Richards 1967	native
<i>Stenatherina panatela</i>	(Jordan & Richardson 1908)	native
<i>Sternoptyx diaphana</i>	Hermann 1781	native
<i>Sternoptyx pseudobscura</i>	Baird 1971	native
<i>Sternoptyx pseudodiaphana</i>	Borodulina 1977	native
<i>Stethojulis bandanensis</i>	(Bleeker 1851)	native
<i>Stethojulis interrupta</i>	(Bleeker 1851)	native

Genus Species	Author	Type
<i>Stethojulis strigiventer</i>	(Bennett 1833)	native
<i>Stethojulis trilineata</i>	(Bloch & Schneider 1801)	native
<i>Sticharium clarkae</i>	George & Springer 1980	native
<i>Sticharium dorsale</i>	Günther 1867	endemic
<i>Stigmatopora argus</i>	(Richardson 1840)	endemic
<i>Stigmatopora narinosa</i>	Browne & Smith 2007	native
<i>Stigmatopora nigra</i>	Kaup 1856	native
<i>Stipecampus cristatus</i>	(McCulloch & Waite 1918)	native
<i>Stiphodon allen</i>	Watson 1996	native
<i>Stiphodon atratus</i>	Watson 1996	native
<i>Stiphodon rutilaureus</i>	Watson 1996	native
<i>Stiphodon semoni</i>	Weber 1895	native
<i>Stolephorus advenus</i>	Wongratana 1987	native
<i>Stolephorus andhraensis</i>	Babu Rao 1966	native
<i>Stolephorus brachycephalus</i>	Wongratana 1983	native
<i>Stolephorus carpentariae</i>	(De Vis 1882)	native
<i>Stolephorus commersonii</i>	Lacepède (ex Commerson) 1803	native
<i>Stolephorus indicus</i>	(van Hasselt 1823)	native
<i>Stolephorus nelsoni</i>	Wongratana 1987	native
<i>Stolephorus waitei</i>	Jordan & Seale 1926	native
<i>Stomias affinis</i>	Günther 1887	native
<i>Stomias boa</i>	(Risso 1810)	native
<i>Stomias gracilis</i>	Garman 1899	native
<i>Stomias longibarbatus</i>	(Brauer 1902)	native
<i>Stonogobiops larsonae</i>	(Allen 1999)	native
<i>Stonogobiops xanthorhinica</i>	Hoese & Randall 1982	native
<i>Strongylura incisa</i>	(Valenciennes 1846)	native
<i>Strongylura krefftii</i>	(Günther 1866)	native
<i>Strongylura leiura</i>	(Bleeker 1850)	native
<i>Strongylura strongylura</i>	(van Hasselt 1823)	native
<i>Strongylura urvillii</i>	(Valenciennes 1846)	native
<i>Strophidon sathete</i>	(Hamilton 1822)	native
<i>Sudis hyalina</i>	Rafinesque 1810	native
<i>Sueviota atrinasa</i>	Winterbottom & Hoese 1988	native
<i>Sueviota lachneri</i>	Winterbottom & Hoese 1988	native

Genus Species	Author	Type
<i>Sueviota larsonae</i>	<i>Winterbottom &amp; Hoese 1988</i>	native
<i>Suezichthys arquatus</i>	<i>Russell 1985</i>	native
<i>Suezichthys aylingi</i>	<i>Russell 1985</i>	native
<i>Suezichthys bifurcatus</i>	<i>Russell 1986</i>	native
<i>Suezichthys cyanolaemus</i>	<i>Russell 1985</i>	endemic
<i>Suezichthys devisi</i>	<i>(Whitley 1941)</i>	native
<i>Suezichthys gracilis</i>	<i>(Steindachner &amp; Döderlein 1887)</i>	native
<i>Suezichthys notatus</i>	<i>(Kamohara 1958)</i>	native
<i>Suezichthys soelae</i>	<i>Russell 1985</i>	native
<i>Sufflamen bursa</i>	<i>(Bloch &amp; Schneider 1801)</i>	native
<i>Sufflamen chrysopterum</i>	<i>(Bloch &amp; Schneider 1801)</i>	native
<i>Sufflamen fraenatum</i>	<i>(Latreille 1804)</i>	native
<i>Suggrundus macracanthus</i>	<i>(Bleeker 1869)</i>	native
<i>Sunagocia arenicola</i>	<i>(Schultz 1966)</i>	native
<i>Sunagocia otaitensis</i>	<i>(Cuvier 1829)</i>	native
<i>Sunagocia sainsburyi</i>	<i>Knapp &amp; Imamura 2004</i>	native
<i>Sutorectus tentaculatus</i>	<i>(Peters 1864)</i>	endemic
<i>Suttonia lineata</i>	<i>Gosline 1960</i>	native
<i>Symbolophorus barnardi</i>	<i>(Tåning 1932)</i>	native
<i>Symbolophorus boops</i>	<i>(Richardson 1845)</i>	native
<i>Symbolophorus evermanni</i>	<i>(Gilbert 1905)</i>	native
<i>Symphorichthys spilurus</i>	<i>(Günther 1874)</i>	native
<i>Symphorus nematophorus</i>	<i>(Bleeker 1860)</i>	native
<i>Symphurus australis</i>	<i>McCulloch 1907</i>	native
<i>Symphurus microrhynchus</i>	<i>(Weber 1913)</i>	native
<i>Symphurus schultzi</i>	<i>Chabanaud 1955</i>	native
<i>Symphysanodon typus</i>	<i>Bleeker 1878</i>	native
<i>Sympterichthys moultoni</i>	<i>Last &amp; Gledhill 2009</i>	native
<i>Sympterichthys politus</i>	<i>(Richardson 1844)</i>	endemic
<i>Sympterichthys unipennis</i>	<i>(Cuvier 1817)</i>	native
<i>Synagrops analis</i>	<i>(Katayama 1957)</i>	native
<i>Synagrops japonicus</i>	<i>(Döderlein 1883)</i>	native
<i>Synagrops philippinensis</i>	<i>(Günther 1880)</i>	native
<i>Synagrops serratospinosus</i>	<i>Smith &amp; Radcliffe 1912</i>	native
<i>Synanceia horrida</i>	<i>(Linnaeus 1766)</i>	native

Genus Species	Author	Type
<i>Synanceia verrucosa</i>	<i>Bloch &amp; Schneider 1801</i>	native
<i>Synaphobranchus affinis</i>	<i>Günther 1877</i>	native
<i>Synaphobranchus brevidorsalis</i>	<i>Günther 1887</i>	native
<i>Synaphobranchus kaupii</i>	<i>Johnson 1862</i>	native
<i>Synaphobranchus oregoni</i>	<i>Castle 1960</i>	native
<i>Synchiropus altivelis</i>	<i>(Temminck &amp; Schlegel 1845)</i>	native
<i>Synchiropus apricus</i>	<i>(McCulloch 1926)</i>	native
<i>Synchiropus australis</i>	<i>(Nakabo &amp; McKay 1989)</i>	native
<i>Synchiropus calauropomus</i>	<i>(Richardson 1844)</i>	native
<i>Synchiropus claudiae</i>	<i>Fricke 1990</i>	native
<i>Synchiropus corallinus</i>	<i>(Gilbert 1905)</i>	native
<i>Synchiropus delandi</i>	<i>Fowler 1943</i>	native
<i>Synchiropus grandoculis</i>	<i>Fricke 2000</i>	native
<i>Synchiropus moyeri</i>	<i>Zaiser &amp; Fricke 1985</i>	native
<i>Synchiropus occidentalis</i>	<i>Fricke 1983</i>	native
<i>Synchiropus ocellatus</i>	<i>(Pallas 1770)</i>	native
<i>Synchiropus paxtoni</i>	<i>Fricke 2000</i>	native
<i>Synchiropus phasis</i>	<i>(Günther 1880)</i>	native
<i>Synchiropus picturatus</i>	<i>(Peters 1877)</i>	native
<i>Synchiropus splendidus</i>	<i>(Herre 1927)</i>	native
<i>Synchiropus stellatus</i>	<i>Smith 1963</i>	native
<i>Synclidopus hogani</i>	<i>Johnson &amp; Randall 2008</i>	native
<i>Synclidopus macleayanus</i>	<i>(Ramsay 1881)</i>	native
<i>Syncomistes butleri</i>	<i>Vari 1978</i>	native
<i>Syncomistes kimberleyensis</i>	<i>Vari 1978</i>	endemic
<i>Syncomistes rastellus</i>	<i>Vari &amp; Hutchins 1978</i>	endemic
<i>Syncomistes trigonicus</i>	<i>Vari 1978</i>	endemic
<i>Syngnathoides biaculeatus</i>	<i>(Bloch 1785)</i>	native
<i>Synodus binotatus</i>	<i>Schultz in Schultz et al. 1953</i>	native
<i>Synodus dermatogenys</i>	<i>Fowler 1912</i>	native
<i>Synodus doaki</i>	<i>Russell &amp; Cressey 1979</i>	native
<i>Synodus hoshinonis</i>	<i>Tanaka 1917</i>	native
<i>Synodus houlti</i>	<i>McCulloch 1921</i>	native
<i>Synodus indicus</i>	<i>(Day 1873)</i>	native
<i>Synodus jaculum</i>	<i>Russell &amp; Cressey 1979</i>	native

Genus Species	Author	Type
<i>Synodus kaianus</i>	(Günther 1880)	native
<i>Synodus macrops</i>	Tanaka 1917	native
<i>Synodus oculus</i>	Cressey 1981	native
<i>Synodus rubromarmoratus</i>	Russell & Cressey 1979	native
<i>Synodus sageneus</i>	Waite 1905	native
<i>Synodus similis</i>	McCulloch 1921	native
<i>Synodus tectus</i>	Cressey 1981	native
<i>Synodus variegatus</i>	(Lacepède 1803)	native
<i>Taaningichthys bathyphilus</i>	(Tåning 1928)	native
<i>Taeniamia fucata</i>	(Cantor 1849)	native
<i>Taenianotus triacanthus</i>	Lacepède 1802	native
<i>Taenioides cirratus</i>	(Blyth 1860)	native
<i>Taenioides gracilis</i>	(Valenciennes 1837)	native
<i>Taenioides mordax</i>	(De Vis 1883)	native
<i>Taenioides purpurascens</i>	(De Vis 1884)	native
<i>Taeniopsetta ocellata</i>	(Günther 1880)	native
<i>Taeniura lymma</i>	(Forsskål 1775)	native
<i>Taeniurops meyeri</i>	(Müller & Henle 1841)	native
<i>Takifugu oblongus</i>	(Bloch 1786)	native
<i>Takifugu poecilonotus</i>	(Temminck & Schlegel 1850)	native
<i>Talismania antillarum</i>	(Goode & Bean 1896)	native
<i>Talismania bifurcata</i>	(Parr 1951)	native
<i>Talismania longifilis</i>	(Brauer 1902)	native
<i>Talismania mekistonema</i>	Sulak 1975	native
<i>Tandanus bostocki</i>	Whitley 1944	endemic
<i>Tandanus tandanus</i>	(Mitchell 1838)	endemic
<i>Tanichthys albonubes</i>	Lin 1932	native
<i>Taractes asper</i>	Lowe 1843	native
<i>Taractes rubescens</i>	(Jordan & Evermann 1887)	native
<i>Taractichthys longipinnis</i>	(Lowe 1843)	native
<i>Taractichthys steindachneri</i>	(Döderlein 1883)	native
<i>Taratretis derwentensis</i>	Last 1978	native
<i>Tasmanogobius gloveri</i>	Hoese 1991	native
<i>Tasmanogobius lasti</i>	Hoese 1991	native
<i>Tasmanogobius lordi</i>	Scott 1935	endemic

Genus Species	Author	Type
<i>Tathicarpus butleri</i>	<i>Ogilby 1907</i>	native
<i>Teixeirichthys jordani</i>	<i>(Rutter 1897)</i>	native
<i>Tentoriceps cristatus</i>	<i>(Klunzinger 1884)</i>	native
<i>Terapon jarbua</i>	<i>(Forsskål 1775)</i>	native
<i>Terapon puta</i>	<i>Cuvier 1829</i>	native
<i>Terapon theraps</i>	<i>Cuvier 1829</i>	native
<i>Tetrabrachium ocellatum</i>	<i>Günther 1880</i>	native
<i>Tetractenos glaber</i>	<i>(Fréminville 1813)</i>	native
<i>Tetractenos hamiltoni</i>	<i>(Richardson 1846)</i>	native
<i>Tetragonurus atlanticus</i>	<i>Lowe 1839</i>	native
<i>Tetragonurus cuvieri</i>	<i>Risso 1810</i>	native
<i>Tetragonurus pacificus</i>	<i>Abe 1953</i>	native
<i>Tetraodon erythroaenia</i>	<i>Bleeker 1853</i>	native
<i>Tetrapturus angustirostris</i>	<i>Tanaka 1915</i>	native
<i>Tetrapturus pfluegeri</i>	<i>Robins &amp; de Sylva 1963</i>	native
<i>Tetrosomus concatenatus</i>	<i>(Bloch 1785)</i>	native
<i>Tetrosomus gibbosus</i>	<i>(Linnaeus 1758)</i>	native
<i>Tetrosomus reipublicae</i>	<i>(Whitley 1930)</i>	native
<i>Thalasseleotris adela</i>	<i>Hoese &amp; Larson 1987</i>	native
<i>Thalassoma amblycephalum</i>	<i>(Bleeker 1856)</i>	native
<i>Thalassoma hardwicke</i>	<i>(Bennett 1830)</i>	native
<i>Thalassoma janseni</i>	<i>(Bleeker 1856)</i>	native
<i>Thalassoma lunare</i>	<i>(Linnaeus 1758)</i>	native
<i>Thalassoma lutescens</i>	<i>(Lay &amp; Bennett 1839)</i>	native
<i>Thalassoma nigrofasciatum</i>	<i>Randall 2003</i>	native
<i>Thalassoma purpureum</i>	<i>(Forsskål 1775)</i>	native
<i>Thalassoma quinquevittatum</i>	<i>(Lay &amp; Bennett 1839)</i>	native
<i>Thalassoma septemfasciatum</i>	<i>Scott 1959</i>	native
<i>Thalassoma trilobatum</i>	<i>(Lacepède 1801)</i>	native
<i>Thamnaconus analis</i>	<i>(Waite 1904)</i>	native
<i>Thamnaconus degeni</i>	<i>(Regan 1903)</i>	native
<i>Thamnaconus hypargyreus</i>	<i>(Cope 1871)</i>	native
<i>Thamnaconus modestoides</i>	<i>(Barnard 1927)</i>	native
<i>Thamnaconus striatus</i>	<i>(Kotthaus 1979)</i>	native
<i>Thamnaconus tessellatus</i>	<i>(Günther 1880)</i>	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Thryssa aestuaria</i>	(Ogilby 1910)	native
<i>Thryssa baelama</i>	(Forsskål 1775)	native
<i>Thryssa brevicauda</i>	Roberts 1978	native
<i>Thryssa encrasicholoides</i>	(Bleeker 1852)	native
<i>Thryssa hamiltonii</i>	Gray 1835	native
<i>Thryssa marasriae</i>	Wongratana 1987	native
<i>Thryssa scratchleyi</i>	(Ramsay & Ogilby 1886)	native
<i>Thryssa setirostris</i>	(Broussonet 1782)	native
<i>Thunnus alalunga</i>	(Bonnaterre (ex Cetti) 1788)	native
<i>Thunnus albacares</i>	(Bonnaterre 1788)	native
<i>Thunnus maccoyii</i>	(Castelnau 1872)	native
<i>Thunnus obesus</i>	(Lowe 1839)	native
<i>Thunnus orientalis</i>	(Temminck & Schlegel 1844)	native
<i>Thunnus tonggol</i>	(Bleeker 1851)	native
<i>Thymichthys verrucosus</i>	(McCulloch & Waite 1918)	native
<i>Thyrsites atun</i>	(Euphrasen 1791)	native
<i>Thyrsitoides marleyi</i>	Fowler 1929	native
<i>Thysanactis dentex</i>	Regan & Trewavas 1930	native
<i>Thysanophrys celebica</i>	(Bleeker 1855)	native
<i>Thysanophrys chiltonae</i>	Schultz in Schultz et al. 1966	native
<i>Thysanophrys cirronasa</i>	(Richardson 1848)	native
<i>Thysanophrys papillaris</i>	Imamura & Knapp 1999	native
<i>Thysanopsetta naresi</i>	Günther 1880	native
<i>Tilapia mariae</i>	Boulenger 1899	introduced
<i>Tilodon sexfasciatus</i>	(Richardson 1842)	native
<i>Tinca tinca</i>	(Linnaeus 1758)	introduced
<i>Tomiyamichthys lanceolatus</i>	(Yanagisawa 1978)	native
<i>Tomiyamichthys latruncularius</i>	(Klausewitz 1974)	native
<i>Tongaichthys robustus</i>	Nakamura & Fujii 1983	native
<i>Torpedo macneilli</i>	(Whitley 1932)	native
<i>Torpedo tokionis</i>	(Tanaka 1908)	native
<i>Torquigener altipinnis</i>	(Ogilby 1891)	native
<i>Torquigener andersonae</i>	Hardy 1983	endemic
<i>Torquigener hicksi</i>	Hardy 1983	native
<i>Torquigener hypselogeneion</i>	(Bleeker 1852)	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Torquigener pallimaculatus</i>	<b>Hardy 1983</b>	native
<i>Torquigener parcuspinus</i>	<b>Hardy 1983</b>	native
<i>Torquigener paxtoni</i>	<b>Hardy 1983</b>	native
<i>Torquigener perlevis</i>	<b>(Ogilby 1908)</b>	native
<i>Torquigener pleurogramma</i>	<b>(Regan 1903)</b>	native
<i>Torquigener squamicauda</i>	<b>(Ogilby 1910)</b>	native
<i>Torquigener tuberculiferus</i>	<b>(Ogilby 1912)</b>	native
<i>Torquigener vicinus</i>	<b>Whitley 1930</b>	native
<i>Torquigener whitleyi</i>	<b>(Paradice 1927)</b>	native
<i>Tosarhombus longimanus</i>	<b>Amaoka, Mihara &amp; Rivaton 1997</b>	native
<i>Toxotes chatareus</i>	<b>(Hamilton 1822)</b>	native
<i>Toxotes jaculatrix</i>	<b>(Pallas 1767)</b>	native
<i>Toxotes kimberleyensis</i>	<b>Allen 2004</b>	native
<i>Toxotes lorentzi</i>	<b>Weber 1910</b>	native
<i>Toxotes oligolepis</i>	<b>Bleeker 1876</b>	native
<i>Trachichthys australis</i>	<b>Shaw in Shaw &amp; Nodder 1799</b>	native
<i>Trachinocephalus myops</i>	<b>(Forster 1801)</b>	native
<i>Trachinops brauni</i>	<b>Allen 1977</b>	native
<i>Trachinops caudimaculatus</i>	<b>McCoy 1890</b>	native
<i>Trachinops noarlungae</i>	<b>Glover in Scott, Glover &amp; Southcoat 552 1974</b>	endemic
<i>Trachinops taeniatus</i>	<b>Günther 1861</b>	endemic
<i>Trachinotus anak</i>	<b>Ogilby 1909</b>	native
<i>Trachinotus baillonii</i>	<b>(Lacepède 1801)</b>	native
<i>Trachinotus blochii</i>	<b>(Lacepède 1801)</b>	native
<i>Trachinotus botla</i>	<b>(Shaw 1803)</b>	native
<i>Trachinotus coppingeri</i>	<b>Günther 1884</b>	native
<i>Trachipterus arawatae</i>	<b>Clarke 1881</b>	native
<i>Trachipterus jacksonensis</i>	<b>(Ramsay 1881)</b>	native
<i>Trachonurus gagates</i>	<b>Iwamoto &amp; McMillan 1997</b>	native
<i>Trachonurus sentipellis</i>	<b>Gilbert &amp; Cramer 1897</b>	native
<i>Trachonurus villosus</i>	<b>(Günther 1877)</b>	native
<i>Trachonurus yiwardaus</i>	<b>Iwamoto &amp; Williams 1999</b>	native
<i>Trachurus declivis</i>	<b>(Jenyns 1841)</b>	native
<i>Trachurus murphyi</i>	<b>Nichols 1920</b>	native
<i>Trachurus novaezelandiae</i>	<b>Richardson 1843</b>	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Trachypoma macracanthus</i>	<b>Günther 1859</b>	native
<i>Trachyrhamphus bicoarctatus</i>	<b>(Bleeker 1857)</b>	native
<i>Trachyrhamphus longirostris</i>	<b>Kaup 1856</b>	native
<i>Trachyrincus longirostris</i>	<b>(Günther 1878)</b>	native
<i>Trachyscorpia carnomagula</i>	<b>Motomura, Last &amp; Yearsley 2007</b>	native
<i>Trachyscorpia eschmeyeri</i>	<b>Whitley 1970</b>	native
<i>Trachystoma petardi</i>	<b>(Castelnau 1875)</b>	native
<i>Tragulichthys jaculiferus</i>	<b>(Cuvier 1818)</b>	native
<i>Trematomus newnesi</i>	<b>Boulenger 1902</b>	native
<i>Triacanthodes ethiops</i>	<b>Alcock 1894</b>	native
<i>Triacanthus biaculeatus</i>	<b>(Bloch 1786)</b>	native
<i>Triacanthus nieuhoftii</i>	<b>Bleeker 1852</b>	native
<i>Triaenodon obesus</i>	<b>(Rüppell 1837)</b>	native
<i>Trianectes bucephalus</i>	<b>McCulloch &amp; Waite 1918</b>	native
<i>Trichiurus auriga</i>	<b>Klunzinger 1884</b>	native
<i>Trichiurus australis</i>	<b>Chakraborty, Burhanuddin &amp; Iwatsuki 2005</b>	native
<i>Trichiurus lepturus</i>	<b>Linnaeus 1758</b>	native
<i>Trichiurus nickolensis</i>	<b>Burhanuddin &amp; Iwatsuki 2003</b>	native
<i>Trichonotus blochii</i>	<b>Castelnau 1875</b>	native
<i>Trichonotus elegans</i>	<b>Shimada &amp; Yoshino 1984</b>	native
<i>Trichonotus setiger</i>	<b>Bloch &amp; Schneider 1801</b>	native
<i>Trichopodus pectoralis</i>	<b>(Regan 1910)</b>	native
<i>Tridentiger trigonocephalus</i>	<b>(Gill 1859)</b>	introduced
<i>Trigonolampa miriceps</i>	<b>Regan &amp; Trewavas 1930</b>	native
<i>Trimma anaima</i>	<b>Winterbottom 2000</b>	native
<i>Trimma annosum</i>	<b>Winterbottom 2003</b>	native
<i>Trimma benjamini</i>	<b>Winterbottom 1996</b>	native
<i>Trimma caesiura</i>	<b>Jordan &amp; Seale 1906</b>	native
<i>Trimma emeryi</i>	<b>Winterbottom 1985</b>	native
<i>Trimma fangi</i>	<b>Winterbottom &amp; Chen 2004</b>	native
<i>Trimma flavatrum</i>	<b>Hagiwara &amp; Winterbottom 2007</b>	native
<i>Trimma fraena</i>	<b>Winterbottom 1984</b>	native
<i>Trimma hoesei</i>	<b>Winterbottom 1984</b>	native
<i>Trimma lantana</i>	<b>Winterbottom &amp; Villa 2003</b>	native
<i>Trimma macrophthalmum</i>	<b>(Tomiyama 1936)</b>	native

Genus Species	Author	Type
<i>Trimma maiandros</i>	<i>Hoese, Winterbottom &amp; Reader 2011</i>	native
<i>Trimma milta</i>	<i>Winterbottom 2002</i>	native
<i>Trimma nasa</i>	<i>Winterbottom 2005</i>	native
<i>Trimma naudei</i>	<i>Smith 1957</i>	native
<i>Trimma necopina</i>	<i>(Whitley 1959)</i>	native
<i>Trimma okinawae</i>	<i>(Aoyagi 1949)</i>	native
<i>Trimma sheppardi</i>	<i>Winterbottom 1984</i>	native
<i>Trimma stobbsi</i>	<i>Winterbottom 2001</i>	native
<i>Trimma striatum</i>	<i>(Herre 1945)</i>	native
<i>Trimma taylori</i>	<i>Lobel 1979</i>	native
<i>Trimma tevegae</i>	<i>Cohen &amp; Davis 1969</i>	native
<i>Trimma unisquamis</i>	<i>(Gosline 1959)</i>	native
<i>Trimma winchi</i>	<i>Winterbottom 1984</i>	native
<i>Trimmatom eviotops</i>	<i>(Schultz 1943)</i>	native
<i>Trimmatom macropodus</i>	<i>Winterbottom 1989</i>	native
<i>Trimmatom nanus</i>	<i>Winterbottom &amp; Emery 1981</i>	native
<i>Trimmatom pharus</i>	<i>Winterbottom 2001</i>	native
<i>Trimmatom zapotes</i>	<i>Winterbottom 1989</i>	native
<i>Trinorfolkia clarkei</i>	<i>(Morton 1888)</i>	native
<i>Trinorfolkia cristata</i>	<i>(Kuitert 1986)</i>	native
<i>Trinorfolkia incisa</i>	<i>(Kuitert 1986)</i>	native
<i>Triodon macropterus</i>	<i>Lesson 1831</i>	native
<i>Triphoturus nigrescens</i>	<i>(Brauer 1904)</i>	native
<i>Tripodichthys angustifrons</i>	<i>(Hollard 1854)</i>	native
<i>Tripodichthys blochii</i>	<i>(Bleeker 1852)</i>	native
<i>Tripodichthys oxycephalus</i>	<i>(Bleeker 1851)</i>	native
<i>Tripterophycis gilchristi</i>	<i>Boulenger 1902</i>	native
<i>Tripterophycis svetovidovi</i>	<i>Sazonov &amp; Shcherbachev 1986</i>	native
<i>Triso dermatopterus</i>	<i>(Temminck &amp; Schlegel 1842)</i>	native
<i>Trixiphichthys weberi</i>	<i>(Chaudhuri 1910)</i>	native
<i>Trygonoptera galba</i>	<i>Last &amp; Yearsley 2008</i>	native
<i>Trygonoptera imitata</i>	<i>Yearsley, Last &amp; Gomon 2008</i>	native
<i>Trygonoptera mucosa</i>	<i>(Whitley 1939)</i>	endemic
<i>Trygonoptera ovalis</i>	<i>Last &amp; Gomon 1987</i>	native
<i>Trygonoptera personata</i>	<i>Last &amp; Gomon 1987</i>	native

Genus Species	Author	Type
<i>Trygonoptera testacea</i>	<i>Müller &amp; Henle (ex Banks) 1841</i>	native
<i>Trygonorrhina fasciata</i>	<i>Müller &amp; Henle 1841</i>	endemic
<i>Trygonorrhina melaleuca</i>	<i>Scott 1954</i>	native
<i>Trypauchenichthys larsonae</i>	<i>Murdy 2008</i>	native
<i>Trypauchenichthys sumatrensis</i>	<i>Hardenberg 1931</i>	native
<i>Trypauchenichthys typus</i>	<i>Bleeker 1860</i>	native
<i>Trypauchenopsis intermedia</i>	<i>Volz 1903</i>	native
<i>Tubbia tasmanica</i>	<i>Whitley 1943</i>	native
<i>Tydemanina navigatoris</i>	<i>Weber 1913</i>	native
<i>Tylerius spinosissimus</i>	<i>(Regan 1908)</i>	native
<i>Tylosurus acus</i>	<i>(Lacepède 1803)</i>	native
<i>Tylosurus crocodilus</i>	<i>(Péron &amp; Lesueur 1821)</i>	native
<i>Tylosurus gavaloides</i>	<i>(Castelnau 1873)</i>	endemic
<i>Tylosurus punctulatus</i>	<i>(Günther 1872)</i>	native
<i>Typhlonus nasus</i>	<i>Günther 1878</i>	native
<i>Tyson belos</i>	<i>Springer 1983</i>	native
<i>Ucla xenogrammus</i>	<i>Holleman 1993</i>	native
<i>Ulua aurochs</i>	<i>(Ogilby 1915)</i>	native
<i>Ulua mentalis</i>	<i>(Cuvier 1833)</i>	native
<i>Upeneichthys lineatus</i>	<i>(Bloch &amp; Schneider 1801)</i>	native
<i>Upeneichthys stotti</i>	<i>Hutchins 1990</i>	native
<i>Upeneichthys vlamingii</i>	<i>(Cuvier 1829)</i>	native
<i>Upeneus asymmetricus</i>	<i>Lachner 1954</i>	native
<i>Upeneus australiae</i>	<i>Kim &amp; Nakaya 2002</i>	native
<i>Upeneus filifer</i>	<i>(Ogilby 1910)</i>	native
<i>Upeneus japonicus</i>	<i>(Houttuyn 1782)</i>	---
<i>Upeneus luzonius</i>	<i>Jordan &amp; Seale 1907</i>	native
<i>Upeneus mascarensis</i>	<i>Fourmanoir &amp; Guézé 1967</i>	native
<i>Upeneus moluccensis</i>	<i>(Bleeker 1855)</i>	native
<i>Upeneus sulphureus</i>	<i>Cuvier in Cuvier &amp; Valenciennes 1829</i>	native
<i>Upeneus sundaicus</i>	<i>(Bleeker 1855)</i>	native
<i>Upeneus tragula</i>	<i>Richardson 1846</i>	native
<i>Upeneus vittatus</i>	<i>(Forsskål 1775)</i>	native
<i>Uranoscopus affinis</i>	<i>Cuvier in Cuvier &amp; Valenciennes 1829</i>	native
<i>Uranoscopus bicinctus</i>	<i>Temminck &amp; Schlegel 1843</i>	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Uranoscopus cognatus</i>	<i>Cantor 1849</i>	native
<i>Uranoscopus kaianus</i>	<i>Günther 1880</i>	native
<i>Uranoscopus oligolepis</i>	<i>Bleeker 1878</i>	native
<i>Uranoscopus sulphureus</i>	<i>Valenciennes in Cuvier &amp; Valenciennes 1832</i>	native
<i>Uraspis secunda</i>	<i>(Poey 1860)</i>	native
<i>Uraspis uraspis</i>	<i>(Günther 1860)</i>	native
<i>Urocampus carinirostris</i>	<i>Castelnau 1872</i>	native
<i>Uroconger lepturus</i>	<i>(Richardson 1845)</i>	native
<i>Urogymnus asperrimus</i>	<i>(Bloch &amp; Schneider 1801)</i>	native
<i>Urolophus aurantiacus</i>	<i>Müller &amp; Henle 1841</i>	native
<i>Urolophus bucculentus</i>	<i>Macleay 1884</i>	endemic
<i>Urolophus circularis</i>	<i>McKay 1966</i>	native
<i>Urolophus cruciatus</i>	<i>(Lacepède 1804)</i>	endemic
<i>Urolophus expansus</i>	<i>McCulloch 1916</i>	endemic
<i>Urolophus flavomosaicus</i>	<i>Last &amp; Gomon 1987</i>	endemic
<i>Urolophus gigas</i>	<i>Scott 1954</i>	endemic
<i>Urolophus kapalensis</i>	<i>Yearsley &amp; Last 2006</i>	native
<i>Urolophus lobatus</i>	<i>McKay 1966</i>	endemic
<i>Urolophus mitosis</i>	<i>Last &amp; Gomon 1987</i>	endemic
<i>Urolophus orarius</i>	<i>Last &amp; Gomon 1987</i>	native
<i>Urolophus paucimaculatus</i>	<i>Dixon 1969</i>	endemic
<i>Urolophus piperatus</i>	<i>Séret &amp; Last 2003</i>	native
<i>Urolophus sufflavus</i>	<i>Whitley 1929</i>	endemic
<i>Urolophus viridis</i>	<i>McCulloch 1916</i>	endemic
<i>Urolophus westraliensis</i>	<i>Last &amp; Gomon 1987</i>	native
<i>Uropterygius concolor</i>	<i>Rüppell 1838</i>	native
<i>Uropterygius fuscoguttatus</i>	<i>Schultz in Schultz et al. 1953</i>	native
<i>Uropterygius kamar</i>	<i>McCosker &amp; Randall 1977</i>	native
<i>Uropterygius marmoratus</i>	<i>(Lacepède 1803)</i>	native
<i>Uropterygius micropterus</i>	<i>(Bleeker 1852)</i>	native
<i>Uropterygius nagoensis</i>	<i>Hatooka 1984</i>	native
<i>Uropterygius xenodontus</i>	<i>McCosker &amp; Smith 1997</i>	native
<i>Valamugil speigleri</i>	<i>(Bleeker 1858-59)</i>	---
<i>Valenciennesa alleni</i>	<i>Hoese &amp; Larson 1994</i>	native
<i>Valenciennesa decora</i>	<i>Hoese &amp; Larson 1994</i>	native

Genus Species	Author	Type
<i>Valenciennea helsdingenii</i>	(Bleeker 1858)	native
<i>Valenciennea immaculata</i>	(Ni 1981)	native
<i>Valenciennea longipinnis</i>	(Lay & Bennett 1839)	native
<i>Valenciennea muralis</i>	(Valenciennes 1837)	native
<i>Valenciennea parva</i>	Hoese & Larson 1994	native
<i>Valenciennea puellaris</i>	(Tomiyama 1956)	native
<i>Valenciennea randalli</i>	Hoese & Larson 1994	native
<i>Valenciennea sexguttata</i>	(Valenciennes 1837)	native
<i>Valenciennea strigata</i>	(Broussonet 1782)	native
<i>Valenciennea wardii</i>	(Playfair 1867)	native
<i>Valenciennellus tripunctulatus</i>	(Esmark 1871)	native
<i>Vanacampus margaritifer</i>	(Peters 1868)	native
<i>Vanacampus philipi</i>	(Lucas 1891)	native
<i>Vanacampus poecilolaemus</i>	(Peters 1868)	native
<i>Vanacampus vercoi</i>	(Waite & Hale 1921)	native
<i>Vanderhorstia ambanoro</i>	(Fourmanoir 1957)	native
<i>Vanderhorstia longimanus</i>	(Weber 1909)	native
<i>Vanderhorstia mertensi</i>	Klausewitz 1974	native
<i>Vanderhorstia ornatissima</i>	Smith 1959	native
<i>Variichthys lacustris</i>	(Mees & Kailola 1977)	native
<i>Variola albimarginata</i>	Baissac 1953	native
<i>Variola louti</i>	(Forsskål 1775)	native
<i>Velifer hypselopterus</i>	Bleeker 1879	native
<i>Ventrifossa gomoni</i>	Iwamoto & Williams 1999	native
<i>Ventrifossa johnborum</i>	Iwamoto 1982	native
<i>Ventrifossa macropogon</i>	Marshall 1973	native
<i>Ventrifossa nigrodorsalis</i>	Gilbert & Hubbs 1920	native
<i>Ventrifossa paxtoni</i>	Iwamoto & Williams 1999	native
<i>Ventrifossa sazonomi</i>	Iwamoto & Williams 1999	native
<i>Verulux cypselurus</i>	(Weber 1909)	native
<i>Vincentia badia</i>	Allen 1987	endemic
<i>Vincentia conspersa</i>	(Klunzinger 1872)	endemic
<i>Vincentia macrocauda</i>	Allen 1987	endemic
<i>Vincentia novaehollandiae</i>	(Valenciennes 1832)	endemic
<i>Vincentia punctata</i>	(Klunzinger 1879)	endemic

Genus Species	Author	Type
<i>Vinciguerria attenuata</i>	(Cocco 1838)	native
<i>Vinciguerria nimbaria</i>	(Jordan & Williams 1895)	native
<i>Vinciguerria poweriae</i>	(Cocco 1838)	native
<i>Vomeridens infuscipinnis</i>	(DeWitt 1964)	native
<i>Wattsia mossambica</i>	(Smith 1957)	native
<i>Wetmorella albofasciata</i>	Schultz & Marshall 1954	native
<i>Wetmorella nigropinnata</i>	(Seale 1901)	native
<i>Winteria telescopa</i>	Brauer 1901	native
<i>Woodsia meyerwaardeni</i>	Kreffft 1973	native
<i>Woodsia nonsuchae</i>	(Beebe 1932)	native
<i>Xanthichthys auromarginatus</i>	(Bennett 1832)	native
<i>Xanthichthys caeruleolineatus</i>	Randall, Matsuura & Zama 1978	native
<i>Xanthichthys lineopunctatus</i>	(Hollard 1854)	native
<i>Xenaploactis cautes</i>	Poss & Eschmeyer 1980	native
<i>Xenisthmus chi</i>	Gill & Hoese 2004	native
<i>Xenisthmus clarus</i>	(Jordan & Seale 1906)	native
<i>Xenisthmus eiropilus</i>	Gill & Hoese 2004	native
<i>Xenisthmus polyzonatus</i>	(Klunzinger 1871)	native
<i>Xenisthmus semicinctus</i>	Gill & Hoese 2004	native
<i>Xenobalistes tumidipectoris</i>	Matsuura 1981	native
<i>Xenobrama microlepis</i>	Yatsu & Nakamura 1989	native
<i>Xenocephalus armatus</i>	Kaup 1858	native
<i>Xenocephalus australiensis</i>	(Kishimoto 1989)	native
<i>Xenocephalus cribratus</i>	(Kishimoto 1989)	native
<i>Xenodermichthys copei</i>	(Gill 1884)	native
<i>Xenojulis margaritaceus</i>	(Macleay 1883)	native
<i>Xenolepidichthys dalgleishi</i>	Gilchrist 1922	native
<i>Xiphasia matsubarai</i>	Okada & Suzuki 1952	native
<i>Xiphasia setifer</i>	Swainson 1839	native
<i>Xiphias gladius</i>	Linnaeus 1758	native
<i>Xiphocheilus typus</i>	Bleeker 1856	native
<i>Xiphophorus hellerii</i>	Heckel 1848	introduced
<i>Xiphophorus maculatus</i>	(Günther 1866)	introduced
<i>Xyelacyba myersi</i>	Cohen 1961	native
<i>Xyrias revulsus</i>	Jordan & Snyder 1901	native

Genus Species	Author	Type
<i>Xyrichtys pastellus</i>	Randall, Earle & Rocha 2008	native
<i>Yirkkala calyptra</i>	McCosker 2011	native
<i>Yirkkala chaselingi</i>	Whitley 1940	native
<i>Yirkkala misolensis</i>	(Günther 1872)	native
<i>Yoga pyrops</i>	(Whitley 1954)	native
<i>Yongeichthys nebulosus</i>	(Forsskål 1775)	native
<i>Zabidius novemaculeatus</i>	(McCulloch 1916)	native
<i>Zameus squamulosus</i>	(Günther 1877)	native
<i>Zanclistius elevatus</i>	(Ramsay & Ogilby 1888)	native
<i>Zanclus cornutus</i>	(Linnaeus 1758)	native
<i>Zapogon evermanni</i>	(Jordan & Snyder 1904)	native
<i>Zearaja maugeana</i>	Last & Gledhill 2007	native
<i>Zearaja nasuta</i>	(Müller & Henle 1841)	native
<i>Zebrasoma scopas</i>	(Cuvier 1829)	native
<i>Zebrasoma velifer</i>	(Bloch 1795)	native
<i>Zebrias cancellatus</i>	(McCulloch 1916)	endemic
<i>Zebrias craticula</i>	(McCulloch 1916)	endemic
<i>Zebrias lucapensis</i>	Seigel & Adamson 1985	native
<i>Zebrias munroi</i>	(Whitley 1966)	native
<i>Zebrias penesularis</i>	Gomon 1987	native
<i>Zebrias quagga</i>	(Kaup 1858)	native
<i>Zebrias scalaris</i>	Gomon 1987	native
<i>Zenarchopterus buffonis</i>	(Valenciennes 1847)	native
<i>Zenarchopterus caudovittatus</i>	(Weber 1907)	native
<i>Zenarchopterus dispar</i>	(Valenciennes 1847)	native
<i>Zenarchopterus gilli</i>	Smith 1945	native
<i>Zenarchopterus novaeguineae</i>	(Weber 1913)	native
<i>Zenarchopterus rasori</i>	(Popta 1912)	native
<i>Zenion japonicum</i>	Kamohara 1934	native
<i>Zenopsis nebulosa</i>	(Temminck & Schlegel 1845)	native
<i>Zenopsis stabilispinosa</i>	Nakabo, Bray & Yamada 2006	native
<i>Zephyrichthys barryi</i>	Schwarzhan & Møller 2007	native
<i>Zeus faber</i>	Linnaeus 1758	native
<i>Zoramia fragilis</i>	(Smith 1961)	native
<i>Zoramia gilberti</i>	(Jordan & Seale 1905)	native

<b>Genus Species</b>	<b>Author</b>	<b>Type</b>
<i>Zoramia leptacantha</i>	<i>(Bleeker 1856)</i>	<i>native</i>
<i>Zoramia perlita</i>	<i>Fraser &amp; Lachner 1985</i>	<i>native</i>
<i>Zoramia viridiventer</i>	<i>Greenfield, Langston &amp; Randall 2005</i>	<i>native</i>
<i>Zu cristatus</i>	<i>(Bonelli 1820)</i>	<i>native</i>