

Fishes of South Africa

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 1

Genus Species	Authorship	Status	Type
Etmopteridae lantern sharks		Chondrichthyes	Squaliformes
<i>Etmopterus bigelowi</i>	Shirai & Tachikawa 1993	Valid	native
<i>Etmopterus brachyurus</i>	Smith & Radcliffein Smith 1912	Valid	native ?
<i>Etmopterus compagnoi</i>	Fricke & Koch 1990	Valid	native
<i>Etmopterus gracilispinis</i>	Krefft 1968	Valid	native
<i>Etmopterus lucifer</i>	Jordan & Snyder 1902	Valid	native ?
<i>Etmopterus sculptus</i>	Ebert, Compagno & De Vries 2011	Valid	native
<i>Etmopterus sentosus</i>	Bass, D'Aubrey & Kistnasamy 1976	Valid	native
<i>Etmopterus viator</i>	Straube 2011	Valid	native
Pentanchidae ---		Chondrichthyes	Carcharhiniformes
<i>Galeus polli</i>	Cadenat 1959	Valid	---
<i>Halaehelurus lineatus</i>	Bass, D'Aubrey & Kistnasamy 1975	Valid	native
<i>Holoehalaelurus favus</i>	Human 2006	Valid	native
Somniosidae sleeper sharks		Chondrichthyes	Squaliformes
<i>Centroscymnus coelolepis</i>	Barbosa du Bocage & de Brito Capello 1864	Valid	native
<i>Centroscymnus owstonii</i>	Garman 1906	Valid	---
Myxinidae hagfishes		Myxini	Myxiniformes
<i>Eptatretus hexatrema</i>	(Müller 1836)	Valid	native
<i>Eptatretus octatrema</i>	(Barnard 1923)	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 2

Genus Species	Authorship	Status	Type
<i>Eptatretus profundus</i>	(Barnard 1923)	Valid	native
<i>Myxine capensis</i>	Regan 1913	Valid	native
Callorhinchidae		Chondrichthyes	Chimaeriformes
plownose chimaeras			
<i>Callorhinichus capensis</i>	Duméril 1865	Valid	native
Chimaeridae		Chondrichthyes	Chimaeriformes
shortnose chimaeras or ratfishes			
<i>Chimaera notafricana</i>	Kemper, Ebert, Compagno & Didier 2010	Valid	native
<i>Hydrolagus africanus</i>	(Gilchrist 1922)	Valid	native
Rhinochimaeridae		Chondrichthyes	Chimaeriformes
longnose chimaeras			
<i>Harriotta raleighana</i>	Goode & Bean 1895	Valid	native
<i>Neoharriotta pinnata</i>	(Schnakenbeck 1931)	Valid	native ?
<i>Rhinochimaera africana</i>	Compagno, Stehmann & Ebert 1990	Valid	native
<i>Rhinochimaera atlantica</i>	Holt & Byrne 1909	Valid	native
Hexanchidae		Chondrichthyes	Hexanchiformes
cow sharks			
<i>Heptranchias perlo</i>	(Bonnaterre 1788)	Valid	native
<i>Hexanchus griseus</i>	(Bonnaterre 1788)	Valid	native
<i>Hexanchus nakamurai</i>	Teng 1962	Valid	native
<i>Notorynchus cepedianus</i>	(Péron 1807)	Valid	native
Chlamydoselachidae		Chondrichthyes	Hexanchiformes
frilled sharks			
<i>Chlamydoselachus africana</i>	Ebert & Compagno 2009	Valid	---
<i>Chlamydoselachus anguineus</i>	Garman 1884	Valid	native
Heterodontidae		Chondrichthyes	Heterodontiformes

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 3

Genus Species	Authorship	Status	Type
bullhead and horn sharks <i>Heterodontus ramalheira</i>	(Smith 1949)	Valid	native
Stegostomatidae zebra sharks		Chondrichthyes	Orectolobiformes
<i>Stegostoma fasciatum</i>	(Hermann(ex Seba) 1783)	Valid	native
Ginglymostomatidae nurse sharks		Chondrichthyes	Orectolobiformes
<i>Nebrius ferrugineus</i>	(Lesson 1831)	Valid	native
Rhincodontidae whale sharks		Chondrichthyes	Orectolobiformes
<i>Rhincodon typus</i>	Smith 1828	Valid	native
Odontaspidae sand tiger sharks		Chondrichthyes	Lamniformes
<i>Carcharias taurus</i>	Rafinesque 1810	Valid	native
<i>Odontaspis ferox</i>	(Risso 1810)	Valid	native
Mitsukurinidae goblin sharks		Chondrichthyes	Lamniformes
<i>Mitsukurina owstoni</i>	Jordan 1898	Valid	native
Pseudocarchariidae crocodile sharks		Chondrichthyes	Lamniformes
<i>Pseudocarcharias kamoharai</i>	(Matsubara 1936)	Valid	native
Megachasmidae megamouth sharks		Chondrichthyes	Lamniformes
<i>Megachasma pelagios</i>	Taylor, Compagno & Struhsaker 1983	Valid	---

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 4

Genus Species	Authorship	Status	Type
Alopiidae thresher sharks		Chondrichthyes	Lamniformes
<i>Alopias pelagicus</i>	Nakamura 1935	Valid	native
<i>Alopias superciliosus</i>	Lowe 1841	Valid	native
<i>Alopias vulpinus</i>	(Bonnaterre 1788)	Valid	native
Cetorhinidae basking sharks		Chondrichthyes	Lamniformes
<i>Cetorhinus maximus</i>	(Gunnerus 1765)	Valid	native
Lamnidae mackerel sharks		Chondrichthyes	Lamniformes
<i>Carcharodon carcharias</i>	(Linnaeus 1758)	Valid	---
<i>Isurus oxyrinchus</i>	Rafinesque 1810	Valid	native
<i>Lamna nasus</i>	(Bonnaterre 1788)	Valid	native
Scyliorhinidae cat sharks		Chondrichthyes	Carcharhiniformes
<i>Apristurus microps</i>	(Gilchrist 1922)	Valid	native
<i>Apristurus saldanha</i>	(Barnard 1925)	Valid	endemic
<i>Bythaelurus lutarius</i>	(Springer & D'Aubrey 1972)	Valid	---
<i>Cephaloscyllium sufflans</i>	(Regan 1921)	Valid	native
<i>Haleaelurus natalensis</i>	(Regan 1904)	Valid	native
<i>Haploblepharus edwardsii</i>	(Schinzin Cuvier 1822)	Valid	endemic
<i>Haploblepharus fuscus</i>	Smith 1950	Valid	endemic
<i>Haploblepharus kistnasamyi</i>	Human & Compagno 2006	Valid	native
<i>Haploblepharus pictus</i>	(Müller & Henle 1838)	Valid	native
<i>Holohaleelurus punctatus</i>	(Gilchrist 1914)	Valid	native
<i>Holohaleelurus regani</i>	(Gilchrist 1922)	Valid	native
<i>Poroderma africanum</i>	(Gmelin 1789)	Valid	endemic
<i>Poroderma pantherinum</i>	(Müller & Henle(ex Smith) 1838)	Valid	endemic
<i>Scyliorhinus capensis</i>	(Müller & Henle 1838)	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 5

Genus Species	Authorship	Status	Type
Proscylliidae finback catsharks		Chondrichthyes	Carcharhiniformes
<i>Eridacnis sinuans</i>	(Smith 1957)	Valid	native
Triakidae houndsharks, smooth dogfishes, smooth hounds		Chondrichthyes	Carcharhiniformes
<i>Galeorhinus galeus</i>	(Linnaeus 1758)	Valid	native
<i>Hypogaleus hyugaensis</i>	(Miyosi 1939)	Valid	native
<i>Mustelus mosis</i>	Hemprich & Ehrenberg 1899	Valid	native
<i>Mustelus mustelus</i>	(Linnaeus 1758)	Valid	native
<i>Mustelus palumbes</i>	Smith 1957	Valid	native
<i>Scyliorhinus quecketti</i>	Boulenger 1902	Valid	endemic
<i>Triakis megalopterus</i>	(Smith 1839)	Valid	native
Hemigaleidae weasel sharks		Chondrichthyes	Carcharhiniformes
<i>Hemipristis elongata</i>	(Klunzinger 1871)	Valid	native
<i>Paragaleus leucolomatus</i>	Compagno & Smale 1985	Valid	endemic
Carcharhinidae requiem sharks		Chondrichthyes	Carcharhiniformes
<i>Carcharhinus albimarginatus</i>	(Rüppell 1837)	Valid	native
<i>Carcharhinus altimus</i>	(Springer 1950)	Valid	native
<i>Carcharhinus amblyrhynchos</i>	(Bleeker 1856)	Valid	native
<i>Carcharhinus amboinensis</i>	(Müller & Henle 1839)	Valid	native
<i>Carcharhinus brachyurus</i>	(Günther 1870)	Valid	native
<i>Carcharhinus brevipinna</i>	(Müller & Henle 1839)	Valid	native
<i>Carcharhinus falciformis</i>	(Müller & Henle 1839)	Valid	native
<i>Carcharhinus leucas</i>	(Müller & Henle 1839)	Valid	native
<i>Carcharhinus limbatus</i>	(Müller & Henle 1839)	Valid	native
<i>Carcharhinus longimanus</i>	(Poey 1861)	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 6

Genus Species	Authorship	Status	Type
<i>Carcharhinus melanopterus</i>	(Quoy & Gaimard 1824)	Valid	native
<i>Carcharhinus obscurus</i>	(Lesueur 1818)	Valid	native
<i>Carcharhinus plumbeus</i>	(Nardo 1827)	Valid	native
<i>Carcharhinus sealei</i>	(Pietschmann 1913)	Valid	native
<i>Carcharhinus sorrah</i>	(Müller & Henle(ex Valenciennes) 1839)	Valid	native ?
<i>Galeocerdo cuvier</i>	(Péron & Lesueur 1822)	Valid	native
<i>Loxodon macrorhinus</i>	Müller & Henle 1839	Valid	native
<i>Negaprion acutidens</i>	(Rüppell 1837)	Valid	native
<i>Prionace glauca</i>	(Linnaeus 1758)	Valid	native
<i>Rhizoprionodon acutus</i>	(Rüppell 1837)	Valid	native
<i>Triaenodon obesus</i>	(Rüppell 1837)	Valid	native

Sphyrnidae

hammerhead sharks

<i>Sphyrna lewini</i>	(Griffith & Smith in Cuvier, Griffith & Smith 1834)	Valid	native
<i>Sphyrna mokarran</i>	(Rüppell 1837)	Valid	native
<i>Sphyrna zygaena</i>	(Linnaeus 1758)	Valid	native

Dalatiidae

kitefin sharks / sleeper sharks

<i>Centroscyllium fabricii</i>	(Reinhardt 1825)	Valid	native
<i>Dalatias licha</i>	(Bonnaterre 1788)	Valid	native
<i>Etomopterus granulosus</i>	(Günther 1880)	Valid	native ?
<i>Etomopterus pusillus</i>	(Lowe 1839)	Valid	native
<i>Etomopterus unicolor</i>	(Engelhardt 1912)	Valid	---
<i>Euprotomicroides zantedeschia</i>	Hulley & Penrith 1966	Valid	native
<i>Euprotomicrus bispinatus</i>	(Quoy & Gaimard 1824)	Valid	native
<i>Heteroscymnoides marleyi</i>	Fowler 1934	Valid	native
<i>Isistius brasiliensis</i>	(Quoy & Gaimard 1824)	Valid	native
<i>Oxynotus centrina</i>	(Linnaeus 1758)	Valid	native ?
<i>Somniosus microcephalus</i>	(Bloch & Schneider 1801)	Valid	misidentification

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 7

Genus Species	Authorship	Status	Type
<i>Zameus squamulosus</i>	(Günther 1877)	Valid	native
Centrophoridae		Chondrichthyes	Squaliformes
gulper sharks			
<i>Centrophorus lusitanicus</i>	Barbosa du Bocage & de Brito Capello 1864	Valid	native
<i>Centrophorus moluccensis</i>	Bleeker 1860	Valid	native
<i>Centrophorus squamosus</i>	(Bonnaterre 1788)	Valid	native
<i>Centrophorus uyato</i>	(Rafinesque 1810)	Valid	---
<i>Deania calcea</i>	(Lowe 1839)	Valid	native
<i>Deania hystricosa</i>	(Garman 1906)	Valid	---
<i>Deania profundorum</i>	(Smith & Radcliffe 1912)	Valid	native
<i>Deania quadrispinosa</i>	(McCulloch 1915)	Valid	native
Squalidae		Chondrichthyes	Squaliformes
dogfish sharks			
<i>Cirrhigaleus asper</i>	(Merrett 1973)	Valid	native
<i>Squalus acanthias</i>	Linnaeus 1758	Valid	native
<i>Squalus blainville</i>	(Risso 1827)	Valid	native
<i>Squalus megalops</i>	(Macleay 1881)	Valid	native
<i>Squalus mitsukurii</i>	Jordan & Snyderin Jordan & Fowler 1903	Valid	native
Echinorhinidae		Chondrichthyes	Squaliformes
bramble sharks			
<i>Echinorhinus brucus</i>	(Bonnaterre 1788)	Valid	native
Pristiophoridae		Chondrichthyes	Pristiophoriformes
saw sharks			
<i>Pliotrema warreni</i>	Regan 1906	Valid	---
Squatinae		Chondrichthyes	Squatatiniformes
angel sharks			
<i>Squatina africana</i>	Regan 1908	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 8

Genus Species	Authorship	Status	Type
Pristidae sawfishes		Chondrichthyes	Rajiformes
<i>Pristis microdon</i>	Latham 1794	Valid	native
<i>Pristis pectinata</i>	Latham 1794	Valid	native ?
<i>Pristis zijsron</i>	Bleeker 1851	Valid	native
Narcinidae numbfishes		Chondrichthyes	Rajiformes
<i>Narke capensis</i>	(Gmelin 1789)	Valid	---
Torpedinidae electric rays		Chondrichthyes	Rajiformes
<i>Torpedo fuscomaculata</i>	Peters 1855	Valid	native
<i>Torpedo marmorata</i>	Risso 1810	Valid	native
<i>Torpedo nobiliana</i>	Bonaparte 1835	Valid	native
<i>Torpedo sinuspersici</i>	Olfers 1831	Valid	native
Narkidae Sleeper rays		Chondrichthyes	Rajiformes
<i>Electrolux addisoni</i>	Compagno & Heemstra 2007	Valid	endemic
<i>Heteronarce garmani</i>	Regan 1921	Valid	---
Rhinobatidae guitarfishes		Chondrichthyes	Rajiformes
<i>Rhina australis</i>	Bloch & Schneider 1801	Valid	native
<i>Rhinobatos annulatus</i>	Müller & Henle 1841	Valid	native
<i>Rhinobatos blochii</i>	Müller & Henle 1841	Valid	native
<i>Rhinobatos holcorhynchus</i>	Norman 1922	Valid	native
<i>Rhinobatos leucospilus</i>	Norman 1926	Valid	native
<i>Rhinobatos ocellatus</i>	Norman 1926	Valid	native
<i>Rhynchoscyllium djiddense</i>	(Forsskål 1775)	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 9

Genus Species	Authorship	Status	Type
Rajidae hardnose skates		Chondrichthyes	Rajiformes
<i>Amblyraja radiata</i>	(Donovan 1808)	Valid	native
<i>Amblyraja robertsi</i>	(Hulley 1970)	Valid	endemic
<i>Bathyraja smithii</i>	(Müller & Henle 1841)	Valid	native
<i>Cruriraja durbanensis</i>	(von Bonde & Swart 1923)	Valid	endemic
<i>Cruriraja hulleyi</i>	Aschliman, Ebert & Compagno 2010	Valid	native
<i>Cruriraja parcomaculata</i>	(von Bonde & Swart 1923)	Valid	native
<i>Dipturus campbelli</i>	(Wallace 1967)	Valid	native
<i>Dipturus doutrei</i>	(Cadenat 1960)	Valid	native
<i>Dipturus lanceostratus</i>	(Wallace 1967)	Valid	---
<i>Dipturus pullo punctatus</i>	(Smith 1964)	Valid	native
<i>Dipturus springeri</i>	(Wallace 1967)	Valid	native
<i>Dipturus stenorhynchus</i>	(Wallace 1967)	Valid	native
<i>Leucoraja compagnoi</i>	(Stehmann 1995)	Valid	native
<i>Leucoraja wallacei</i>	(Hulley 1970)	Valid	native
<i>Malacoraja spinacidermis</i>	(Barnard 1923)	Valid	native
<i>Neoraja stehmanni</i>	(Hulley 1972)	Valid	native
<i>Raja clavata</i>	Linnaeus 1758	Valid	native ?
<i>Raja miraletus</i>	Linnaeus 1758	Valid	native
<i>Raja straeleni</i>	Poll 1951	Valid	native
<i>Rajella barnardi</i>	(Norman 1935)	Valid	native
<i>Rajella caudaspinosa</i>	(von Bonde & Swart 1923)	Valid	native
<i>Rajella dissimilis</i>	(Hulley 1970)	Valid	native
<i>Rajella leopardus</i>	(von Bonde & Swart 1923)	Valid	native
<i>Rajella ravidula</i>	(Hulley 1970)	Valid	native
<i>Rostroraja alba</i>	(Lacepède 1803)	Valid	native
Anacanthobatidae legskates / smooth skates		Chondrichthyes	Rajiformes
<i>Anacanthobatis marmoratus</i>	(von Bonde & Swart 1923)	Valid	native
<i>Anacanthobatis ori</i>	(Wallace 1967)	Valid	---

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 10

Genus Species	Authorship	Status	Type
Plesiobatidae deepwater stingrays <i>Plesiobatis daviesi</i>		Chondrichthyes	Rajiformes
	(Wallace 1967)	Valid	---
Hexatrygonidae sixgill stingrays <i>Hexatrygon bickelli</i>	Heemstra & Smith 1980	Chondrichthyes	Rajiformes
		Valid	native
Dasyatidae whiptail stingrays <i>Dasyatis brevicaudata</i>	(Hutton 1875)	Chondrichthyes	Rajiformes
<i>Dasyatis chrysonota</i>	(Smith 1828)	Valid	native
<i>Dasyatis marmorata</i>	(Steindachner 1892)	Valid	native
<i>Dasyatis pastinaca</i>	(Linnaeus 1758)	Valid	native ?
<i>Dasyatis thetidis</i>	Ogilbyin Waite 1899	Valid	native
<i>Himantura fai</i>	Jordan & Seale 1906	Valid	native ?
<i>Himantura gerrardi</i>	(Gray 1851)	Valid	native ?
<i>Himantura jenkinsii</i>	(Annandale 1909)	Valid	native
<i>Himantura leoparda</i>	Manjaji-Matsumoto & Last 2008	Valid	native
<i>Himantura uarnak</i>	(Gmelin(ex Forsskål) 1789)	Valid	native
<i>Neotrygon kuhlii</i>	(Müller & Henle 1841)	Valid	native
<i>Pastinachus sephen</i>	(Forsskål 1775)	Valid	native
<i>Pteroplatytrygon violacea</i>	(Bonaparte 1832)	Valid	native
<i>Taeniura lymma</i>	(Forsskål 1775)	Valid	native
<i>Urogymnus asperrimus</i>	(Bloch & Schneider 1801)	Valid	native
Gymnuridae butterfly rays <i>Gymnura japonica</i>		Chondrichthyes	Rajiformes
<i>Gymnura natalensis</i>	(Temminck & Schlegel 1850) (Gilchrist & Thompson 1911)	Valid	---
		Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 11

Genus Species	Authorship	Status	Type
Myliobatidae eagle rays		Chondrichthyes	Myliobatiformes
<i>Aetomylaeus bovinus</i>	(Geoffroy St. Hilaire 1817)	Valid	native
<i>Aetobatus narinari</i>	(Euphrasen 1790)	Valid	native
<i>Manta alfredi</i>	(Krefft 1868)	Valid	native
<i>Manta birostris</i>	(Walbaum 1792)	Valid	---
<i>Mobula diabolus</i>	(Shaw 1804)	Valid	---
<i>Mobula eregoodootenkee</i>	(Bleeker 1859)	Valid	---
<i>Mobula japonica</i>	(Müller & Henle 1841)	Valid	---
<i>Mobula kuhlii</i>	(Müller & Henle 1841)	Valid	---
<i>Mobula tarapacana</i>	(Philippi 1892)	Valid	---
<i>Mobula thurstoni</i>	(Lloyd 1908)	Valid	---
<i>Myliobatis aquila</i>	(Linnaeus 1758)	Valid	native
<i>Rhinoptera javanica</i>	Müller & Henle 1841	Valid	native
Proptopteridae African lungfishes		Sarcopterygii	Lepidosireniformes
<i>Protopterus annectens</i>	(Owen 1839)	Valid	native
Latimeriidae coelacanths		Sarcopterygii	Coelacanthiformes
<i>Latimeria chalumnae</i>	Smith 1939	Valid	native
Mormyridae elephantfishes		Actinopterygii	Osteoglossiformes
<i>Marcusenius macrolepidotus</i>	(Peters 1852)	Valid	native
<i>Marcusenius pongolensis</i>	(Fowler 1934)	Valid	native
<i>Petrocephalus catostoma</i>	(Günther 1866)	Valid	native
<i>Petrocephalus wesselsi</i>	Kramer & van der Bank 2000	Valid	native
Elopidae tenpounders and ladyfishes		Actinopterygii	Elopiformes

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 12

Genus Species	Authorship	Status	Type
<i>Elops machnata</i>	(Forsskål 1775)	Valid	native
Megalopidae		Actinopterygii	Elopiformes
tarpons			
<i>Megalops cyprinoides</i>	(Broussonet 1782)	Valid	native
Albulidae		Actinopterygii	Albuliformes
bonefishes			
<i>Albula oligolepis</i>	Hidaka, Iwatsuki & Randall 2008	Valid	native
<i>Albula vulpes</i>	(Linnaeus 1758)	Valid	native
<i>Pterothrissus belloci</i>	Cadenat 1937	Valid	---
Halosauridae		Actinopterygii	Notacanthiformes
halosaurs			
<i>Aldrovandia affinis</i>	(Günther 1877)	Valid	native
<i>Aldrovandia phalacra</i>	(Vaillant 1888)	Valid	native
<i>Halosauropsis macrochir</i>	(Günther 1878)	Valid	native
<i>Halosaurus ovenii</i>	Johnson 1864	Valid	native
Notacanthidae		Actinopterygii	Notacanthiformes
spiny eels			
<i>Notacanthus sexspinis</i>	Richardson 1846	Valid	native
<i>Polyacanthonotus rissoanus</i>	(De Filippi & Vérany 1857)	Valid	native
Anguillidae		Actinopterygii	Anguilliformes
freshwater eels			
<i>Anguilla bengalensis</i>	(Gray 1831)	Valid	native
<i>Anguilla bicolor</i>	McClelland 1844	Valid	native
<i>Anguilla marmorata</i>	Quoy & Gaimard 1824	Valid	native
<i>Anguilla mossambica</i>	(Peters 1852)	Valid	native
Moringuidae		Actinopterygii	Anguilliformes

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 13

Genus Species	Authorship	Status	Type
spaghetti eels			
<i>Moringua ferruginea</i>	Bliss 1883	Valid	---
<i>Moringua javanica</i>	(Kaup 1856)	Valid	---
<i>Moringua microchir</i>	Bleeker 1853	Valid	native
Chlopsidae		Actinopterygii	Anguilliformes
false morays			
<i>Chlopsis dentatus</i>	(Seale 1917)	Valid	---
<i>Kaupichthys diodontus</i>	Schultz 1943	Valid	---
<i>Kaupichthys hyoproroidea</i>	(Strömmman 1896)	Valid	native
Muraenidae		Actinopterygii	Anguilliformes
morays			
<i>Anarchias seychellensis</i>	Smith 1962	Valid	native
<i>Echidna leucotaenia</i>	Schultz 1943	Valid	native
<i>Echidna nebulosa</i>	(Ahl 1789)	Valid	native
<i>Echidna polyzona</i>	(Richardson 1845)	Valid	native
<i>Enchelycore nycturanus</i>	Smith 2002	Valid	native
<i>Enchelycore pardalis</i>	(Temminck & Schlegel 1846)	Valid	---
<i>Enchelycore schismatorhynchus</i>	(Bleeker 1853)	Valid	---
<i>Gymnomuraena zebra</i>	(Shaw 1797)	Valid	native
<i>Gymnothorax breedeni</i>	McCosker & Randall 1977	Valid	native
<i>Gymnothorax bueroensis</i>	(Bleeker 1857)	Valid	native
<i>Gymnothorax chilosipilus</i>	Bleeker 1864	Valid	native
<i>Gymnothorax elegans</i>	Bliss 1883	Valid	---
<i>Gymnothorax enigmaticus</i>	McCosker & Randall 1982	Valid	native
<i>Gymnothorax eurostus</i>	(Abbott 1860)	Valid	native
<i>Gymnothorax favagineus</i>	Bloch & Schneider 1801	Valid	native
<i>Gymnothorax flavimarginatus</i>	(Rüppell 1830)	Valid	native
<i>Gymnothorax fuscomaculatus</i>	(Schultz 1953)	Valid	native
<i>Gymnothorax griseus</i>	(Lacepède 1803)	Valid	native
<i>Gymnothorax javanicus</i>	(Bleeker 1859)	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 14

Genus Species	Authorship	Status	Type
<i>Gymnothorax johnsoni</i>	(Smith 1962)	Valid	native
<i>Gymnothorax margaritophorus</i>	Bleeker 1864	Valid	native
<i>Gymnothorax melatremus</i>	Schultzin Schultz et al. 1953	Valid	native
<i>Gymnothorax meleagris</i>	(Shaw 1795)	Valid	native
<i>Gymnothorax moluccensis</i>	(Bleeker 1864)	Valid	---
<i>Gymnothorax monochrous</i>	(Bleeker 1856)	Valid	native
<i>Gymnothorax nudivomer</i>	(Günther 1867)	Valid	native
<i>Gymnothorax phasmatodes</i>	(Smith 1962)	Valid	---
<i>Gymnothorax pictus</i>	(Ahl 1789)	Valid	native
<i>Gymnothorax richardsonii</i>	(Bleeker 1852)	Valid	---
<i>Gymnothorax robinsi</i>	Böhlke 1997	Valid	---
<i>Gymnothorax rueppelliae</i>	(McClelland 1844)	Valid	---
<i>Gymnothorax undulatus</i>	(Lacepède 1803)	Valid	native
<i>Gymnothorax zonipectis</i>	Seale 1906	Valid	native
<i>Scuticaria tigrina</i>	(Lesson 1828)	Valid	native
<i>Strophidion sathete</i>	(Hamilton 1822)	Valid	native
<i>Uropterygius alboguttatus</i>	Smith 1962	Valid	---
<i>Uropterygius concolor</i>	Rüppell 1838	Valid	native
<i>Uropterygius fuscoguttatus</i>	Schultzin Schultz et al. 1953	Valid	---
<i>Uropterygius kamar</i>	McCosker & Randall 1977	Valid	native
<i>Uropterygius marmoratus</i>	(Lacepède 1803)	Valid	---
<i>Uropterygius micropterus</i>	(Bleeker 1852)	Valid	native
<i>Uropterygius xanthopterus</i>	Bleeker 1859	Valid	native

Synaphobranchidae

cutthroat eels

<i>Diastobranchus capensis</i>	Barnard 1923	Actinopterygii	Anguilliformes
<i>Dysomma anguillare</i>	Barnard 1923	Valid	---
<i>Histiobranchus bathybius</i>	(Günther 1877)	Valid	---
<i>Ilyophis brunneus</i>	Gilbert 1891	Valid	---
<i>Simenchelys parasitica</i>	Gill 1879	Valid	---
<i>Synaphobranchus affinis</i>	Günther 1877	Valid	---

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 15

Genus Species	Authorship	Status	Type
<i>Synaphobranchus kaupii</i>	Johnson 1862	Valid	---
Ophichthidae		Actinopterygii	Anguilliformes
snake eels and worm eels			
<i>Apterichtus klazingai</i>	(Weber 1913)	Valid	native
<i>Bascanichthys kirkii</i>	(Günther 1870)	Valid	native
<i>Brachysomophis cirrocheilos</i>	(Bleeker 1857)	Valid	native
<i>Brachysomophis crocodilinus</i>	(Bennett 1833)	Valid	native
<i>Caecula pterygera</i>	Vahl 1794	Valid	---
<i>Callechelys marmorata</i>	(Bleeker 1854)	Valid	native
<i>Ichthyapus acuticeps</i>	(Barnard 1923)	Valid	native
<i>Leiuranus semicinctus</i>	(Lay & Bennett 1839)	Valid	native
<i>Myrichthys colubrinus</i>	(Boddaert 1781)	Valid	---
<i>Myrichthys maculosus</i>	(Cuvier 1816)	Valid	native
<i>Ophichthus apicalis</i>	(Anonymous [Bennett] 1830)	Valid	native
<i>Ophichthus bonaparti</i>	(Kaup 1856)	Valid	native
<i>Ophichthus erabo</i>	(Jordan & Snyder 1901)	Valid	native
<i>Ophichthus marginatus</i>	(Peters 1855)	Valid	---
<i>Ophichthus polyophthalmus</i>	Bleeker 1864	Valid	---
<i>Ophichthus rutidoderma</i>	(Bleeker 1853)	Valid	---
<i>Ophichthus serpentinus</i>	Seale 1917	Valid	native
<i>Ophichthus unicolor</i>	Regan 1908	Valid	endemic
<i>Ophisurus serpens</i>	(Linnaeus 1758)	Valid	native
<i>Phaenomonas cooperae</i>	Palmer 1970	Valid	---
<i>Phyllophichthus xenodontus</i>	Gosline 1951	Valid	---
<i>Pisodonophis boro</i>	(Hamilton 1822)	Valid	native
<i>Pisodonophis cancrivorus</i>	(Richardson 1848)	Valid	native
<i>Scolecenchelys gymnota</i>	(Bleeker 1857)	Valid	native
<i>Scolecenchelys laticaudata</i>	(Ogilby 1897)	Valid	native
<i>Scolecenchelys xorae</i>	(Smith 1958)	Valid	native
<i>Xyrias revulsus</i>	Jordan & Snyder 1901	Valid	native
<i>Yirrkala lumbricoides</i>	(Bleeker 1864)	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 16

Genus Species	Authorship	Status	Type
<i>Yirrkala ori</i>	McCosker 2011	Valid	native
<i>Yirrkala tenuis</i>	(Günther 1870)	Valid	native
<i>Luthulenchelys heemstraorum</i>	McCosker 2007	Valid	native

Colocongridae

---		Actinopterygii	Anguilliformes
<i>Coloconger eximia</i>	(Castle 1967)	Valid	native ?
<i>Coloconger scholesi</i>	Chan 1967	Valid	native

Congridae

garden eels		Actinopterygii	Anguilliformes
<i>Ariosoma mauritianum</i>	(Pappenheim 1914)	Valid	native
<i>Ariosoma scheelei</i>	(Strömmman 1896)	Valid	native
<i>Bassanago albescens</i>	(Barnard 1923)	Valid	native
<i>Bathycongrus wallacei</i>	(Castle 1968)	Valid	native
<i>Bathymyrus smithi</i>	Castle 1968	Valid	---
<i>Bathyuroconger vicinus</i>	(Vaillant 1888)	Valid	native
<i>Conger cinereus</i>	Rüppell 1871	Valid	native
<i>Conger wilsoni</i>	(Bloch & Schneider 1801)	Valid	native
<i>Gnathophis capensis</i>	(Kaup 1856)	Valid	native
<i>Gnathophis habenatus</i>	(Richardson 1848)	Valid	native
<i>Heteroconger hassi</i>	(Klausewitz & Eibl-Eibesfeldt 1959)	Valid	---

Muraenesocidae

pike conger eels		Actinopterygii	Anguilliformes
<i>Muraenesox bagio</i>	(Hamilton 1822)	Valid	native

Derichthyidae

longneck eels		Actinopterygii	Anguilliformes
<i>Derichthys serpentinus</i>	Gill 1884	Valid	native
<i>Nessorhamphus ingolfianus</i>	(Schmidt 1912)	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 17

Genus Species	Authorship	Status	Type
Nemichthyidae snipe eels		Actinopterygii	Anguilliformes
<i>Avocettina acuticeps</i>	(Regan 1916)	Valid	native
<i>Avocettina paucipora</i>	Nielsen & Smith 1978	Valid	native
<i>Nemichthys curvirostris</i>	(Strömmann 1896)	Valid	native
<i>Nemichthys scolopaceus</i>	Richardson 1848	Valid	native
Serrivomeridae sawtooth eels		Actinopterygii	Anguilliformes
<i>Serrivomer beanii</i>	Gill & Ryder 1883	Valid	native
<i>Stemonidium hypomelas</i>	Gilbert 1905	Valid	---
Nettastomatidae duckbill eels		Actinopterygii	Anguilliformes
<i>Nettastoma parviceps</i>	Günther 1877	Valid	native
Cyematidae bobtail eels		Actinopterygii	Saccopharyngiformes
<i>Cyema atrum</i>	Günther 1878	Valid	native
<i>Neocyema erythrosoma</i>	Castle 1978	Valid	endemic
Saccopharyngidae swallowers or whiptail gulpers		Actinopterygii	Saccopharyngiformes
<i>Saccopharynx ramosus</i>	Nielsen & Bertelsen 1985	Valid	native
<i>Saccopharynx thalassa</i>	Nielsen & Bertelsen 1985	Valid	---
Clupeidae herrings, shads, sardines and allies		Actinopterygii	Clupeiformes
<i>Gilchristella aestuaria</i>	(Gilchrist 1913)	Valid	native
<i>Herklotischthys quadrimaculatus</i>	(Rüppell 1837)	Valid	native
<i>Hilsa kelee</i>	(Cuvier 1829)	Valid	native
<i>Nematalosa nasus</i>	(Bloch 1795)	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 18

Genus Species	Authorship	Status	Type
<i>Sardinella albella</i>	(Valenciennes 1847)	Valid	native
<i>Sardinella aurita</i>	Valenciennesin Cuvier & Valenciennes 1847	Valid	native
<i>Sardinella gibbosa</i>	(Bleeker 1849)	Valid	native
<i>Sardinella maderensis</i>	(Lowe 1838)	Valid	---
<i>Sardinops sagax</i>	(Jenyns 1842)	Valid	native
<i>Spratelloides delicatulus</i>	(Bennett 1832)	Valid	native
Dussumieriidae		Actinopterygii	Clupeiformes
Round herrings			
<i>Etrumeus sadina</i>	(Mitchill 1814)	Valid	native
<i>Etrumeus whiteheadi</i>	Wongratana 1983	Valid	native
Engraulidae		Actinopterygii	Clupeiformes
anchovies			
<i>Encrasicholina punctifer</i>	Fowler 1938	Valid	native
<i>Engraulis capensis</i>	Gilchrist 1913	Valid	native
<i>Engraulis encrasicolus</i>	(Linnaeus 1758)	Valid	native
<i>Engraulis japonicus</i>	Temminck & Schlegel 1846	Valid	native ?
<i>Stolephorus holodon</i>	(Boulenger 1900)	Valid	native
<i>Stolephorus indicus</i>	(van Hasselt 1823)	Valid	native
<i>Thryssa setirostris</i>	(Broussonet 1782)	Valid	native
<i>Thryssa vitrirostris</i>	(Gilchrist & Thompson 1908)	Valid	native
Chirocentridae		Actinopterygii	Clupeiformes
wolf herrings			
<i>Chirocentrus dorab</i>	(Forsskål 1775)	Valid	native
<i>Chirocentrus nudus</i>	Swainson 1839	Valid	native
Pristigasteridae		Actinopterygii	Clupeiformes
Pristigasterids			
<i>Pellona ditchela</i>	Valenciennesin Cuvier & Valenciennes 1847	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 19

Genus Species	Authorship	Status	Type
Chanidae milkfishes		Actinopterygii	Gonorynchiformes
<i>Chanos chanos</i>	(Forsskål 1775)	Valid	native
Gonorynchidae beaked sandfishes		Actinopterygii	Gonorynchiformes
<i>Gonorynchus gonorynchus</i>	(Linnaeus 1766)	Valid	native
Kneriidae shellears		Actinopterygii	Gonorynchiformes
<i>Kneria auriculata</i>	(Pellegrin 1905)	Valid	native
Cyprinidae minnows or carps		Actinopterygii	Cypriniformes
<i>Barbus afrohamiltoni</i>	Crass 1960	Valid	native
<i>Barbus amatolicus</i>	Skelton 1990	Valid	native
<i>Barbus andrewi</i>	Barnard 1937	Valid	endemic
<i>Barbus annectens</i>	Gilchrist & Thompson 1917	Valid	native
<i>Barbus anoplus</i>	Weber 1897	Valid	native
<i>Barbus argenteus</i>	Günther 1868	Valid	native
<i>Barbus bifrenatus</i>	Fowler 1935	Valid	native
<i>Barbus brevipinnis</i>	Jubb 1966	Valid	native
<i>Barbus calidus</i>	Barnard 1938	Valid	endemic
<i>Barbus elephantis</i>	Boulenger 1907	Valid	native
<i>Barbus erubescens</i>	Skelton 1974	Valid	endemic
<i>Barbus gurneyi</i>	Günther 1868	Valid	native
<i>Barbus hospes</i>	Barnard 1938	Valid	native
<i>Barbus mattozi</i>	Guimarães 1884	Valid	---
<i>Barbus motebensis</i>	Steindachner 1894	Valid	native
<i>Barbus neefi</i>	Greenwood 1962	Valid	native
<i>Barbus pallidus</i>	Smith 1841	Valid	native
<i>Barbus paludinosus</i>	Peters 1852	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 20

Genus Species	Authorship	Status	Type
<i>Barbus radiatus</i>	Peters 1853	Valid	native
<i>Barbus serra</i>	Peters 1864	Valid	endemic
<i>Barbus toppini</i>	Boulenger 1916	Valid	native
<i>Barbus treurensis</i>	Groenewald 1958	Valid	endemic
<i>Barbus trevelyani</i>	Günther 1877	Valid	endemic
<i>Barbus trimaculatus</i>	Peters 1852	Valid	native
<i>Barbus unitaeniatus</i>	Günther 1867	Valid	native
<i>Barbus viviparus</i>	Weber 1897	Valid	native
<i>Carassius auratus</i>	(Linnaeus 1758)	Valid	introduced
<i>Ctenopharyngodon idella</i>	(Valenciennes 1844)	Valid	introduced
<i>Cyprinus carpio</i>	Linnaeus 1758	Valid	introduced
<i>Hypophthalmichthys molitrix</i>	(Valenciennes 1844)	Valid	introduced
<i>Labeo capensis</i>	(Smith 1841)	Valid	native
<i>Labeo congoro</i>	Peters 1852	Valid	native
<i>Labeo cylindricus</i>	Peters 1852	Valid	native
<i>Labeo molybdinus</i>	Du Plessis 1963	Valid	native
<i>Labeo rosae</i>	Steindachner 1894	Valid	native
<i>Labeo rubromaculatus</i>	Gilchrist & Thompson 1913	Valid	endemic
<i>Labeo ruddi</i>	Boulenger 1907	Valid	native
<i>Labeo seeberi</i>	Gilchrist & Thompson 1911	Valid	endemic
<i>Labeo umbratus</i>	(Smith 1841)	Valid	native
<i>Labeobarbus aeneus</i>	(Burchell 1822)	Valid	native
<i>Labeobarbus capensis</i>	(Smith 1841)	Valid	native
<i>Labeobarbus kimberleyensis</i>	(Gilchrist & Thompson 1913)	Valid	native
<i>Labeobarbus marequensis</i>	(Smith 1841)	Valid	native
<i>Labeobarbus natalensis</i>	(Castelnau 1861)	Valid	native
<i>Labeobarbus polylepis</i>	(Boulenger 1907)	Valid	native
<i>Mesobola brevianalis</i>	(Boulenger 1908)	Valid	native
<i>Opsaridium peringueyi</i>	(Gilchrist & Thompson 1913)	Valid	native
<i>Pseudobarbus afer</i>	(Peters 1864)	Valid	endemic
<i>Pseudobarbus asper</i>	(Boulenger 1911)	Valid	endemic
<i>Pseudobarbus burchelli</i>	(Smith 1841)	Valid	endemic

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 21

Genus Species	Authorship	Status	Type
<i>Pseudobarbus burgi</i>	(Boulenger 1911)	Valid	native
<i>Pseudobarbus phlegethon</i>	(Barnard 1938)	Valid	endemic
<i>Pseudobarbus quathlambae</i>	(Barnard 1938)	Valid	---
<i>Pseudobarbus tenuis</i>	(Barnard 1938)	Valid	endemic
<i>Varicorhinus nelspruitensis</i>	Gilchrist & Thompson 1911	Valid	native

Alestidae

African tetras

<i>Brycinus imberi</i>	(Peters 1852)	Valid	native
<i>Brycinus lateralis</i>	(Boulenger 1900)	Valid	native
<i>Hydrocynus vittatus</i>	Castelnau 1861	Valid	native
<i>Micralestes acutidens</i>	(Peters 1852)	Valid	native

Bagridae

bagrid catfishes

<i>Austroglanis barnardi</i>	(Skelton 1981)	Valid	endemic
<i>Austroglanis gilli</i>	(Barnard 1943)	Valid	endemic
<i>Austroglanis sclateri</i>	(Boulenger 1901)	Valid	native

Schilbeidae

schilbeid catfishes

<i>Schilbe intermedius</i>	Rüppell 1832	Valid	native
----------------------------	--------------	-------	--------

Amphiliidae

loach catfishes

<i>Amphilius natalensis</i>	Boulenger 1917	Valid	native
<i>Amphilius uranoscopus</i>	(Pfeffer 1889)	Valid	native

Clariidae

airbreathing or labyrinth catfishes

<i>Clarias gariepinus</i>	(Burchell 1822)	Valid	native
<i>Clarias ngamensis</i>	Castelnau 1861	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 22

Genus Species	Authorship	Status	Type
<i>Clarias theodorae</i>	Weber 1897	Valid	native
Ariidae sea catfishes		Actinopterygii	Siluriformes
<i>Galeichthys ater</i>	Castelnau 1861	Valid	endemic
<i>Galeichthys feliceps</i>	Valenciennesin Cuvier & Valenciennes 1840	Valid	native
<i>Galeichthys trowi</i>	Kulongowski 2010	Valid	native
Plotosidae eeltail catfishes		Actinopterygii	Siluriformes
<i>Plotosus lineatus</i>	(Thunberg 1787)	Valid	native
<i>Plotosus nkunga</i>	Gomon & Taylor 1982	Valid	native
Mochokidae squeakers and upside-down catfishes		Actinopterygii	Siluriformes
<i>Chiloglanis anoterus</i>	Crass 1960	Valid	native
<i>Chiloglanis bifurcus</i>	Jubb & Le Roux 1969	Valid	native
<i>Chiloglanis emarginatus</i>	Jubb & Le Roux 1969	Valid	native
<i>Chiloglanis paratus</i>	Crass 1960	Valid	native
<i>Chiloglanis pretoriae</i>	van der Horst 1931	Valid	native
<i>Chiloglanis swierstrai</i>	van der Horst 1931	Valid	native
<i>Synodontis zambezensis</i>	Peters 1852	Valid	native
Argentinidae argentines / herring smelts		Actinopterygii	Osmeriformes
<i>Argentina euchus</i>	Cohen 1961	Valid	native
<i>Glossanodon semifasciatus</i>	(Kishinouye 1904)	Valid	---
Microstomatidae pencil smelts		Actinopterygii	Osmeriformes
<i>Microstoma microstoma</i>	(Risso 1810)	Valid	---
<i>Nansenia ahlstromi</i>	Kawaguchi & Butler 1984	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 23

Genus Species	Authorship	Status	Type
<i>Nansenia macrolepis</i>	(Gilchrist 1922)	Valid	native
<i>Nansenia tenera</i>	Kawaguchi & Butler 1984	Valid	native
Bathylagidae		Actinopterygii	Osmeriformes
deepsea smelts			
<i>Bathylagichthys problematicus</i>	(Lloris & Rocabado 1985)	Valid	---
<i>Bathylagus antarcticus</i>	Günther 1878	Valid	---
<i>Melanolagus bericoides</i>	(Borodin 1929)	Valid	---
Opisthoproctidae		Actinopterygii	Osmeriformes
spookfishes or barreleyes			
<i>Opisthoproctus grimaldii</i>	Zugmayer 1911	Valid	---
<i>Opisthoproctus soleatus</i>	Vaillant 1888	Valid	---
<i>Rhynchohyalus natalensis</i>	(Gilchrist & von Bonde 1924)	Valid	native
<i>Winteria telescopa</i>	Brauer 1901	Valid	---
Alepocephalidae		Actinopterygii	Osmeriformes
typical slickheads / naked heads			
<i>Alepocephalus australis</i>	Barnard 1923	Valid	native
<i>Asquamiceps velaris</i>	Zugmayer 1911	Valid	---
<i>Bajacalifornia megalops</i>	(Lütken 1898)	Valid	---
<i>Bathyprion danae</i>	Marshall 1966	Valid	---
<i>Bathytroctes squamosus</i>	Alcock 1890	Valid	---
<i>Conocara violenti</i>	Sazonov & Ivanov 1979	Valid	---
<i>Herwigia kreffti</i>	(Nielsen & Larsen 1970)	Valid	---
<i>Leptoderma macrops</i>	Vaillant 1886	Valid	---
<i>Narcetes lloydii</i>	Fowler 1934	Valid	---
<i>Narcetes stomias</i>	(Gilbert 1890)	Valid	---
<i>Photostylus pycnopterus</i>	Beebe 1933	Valid	---
<i>Rouleina attrita</i>	(Vaillant 1888)	Valid	---
<i>Rouleina maderensis</i>	Maul 1948	Valid	native
<i>Rouleina squamilatera</i>	(Alcock 1898)	Valid	---

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 24

Genus Species	Authorship	Status	Type
<i>Talismania kotlyari</i>	Sazonov & Ivanov 1980	Valid	---
<i>Talismania longifilis</i>	(Brauer 1902)	Valid	---
<i>Xenodermichthys copei</i>	(Gill 1884)	Valid	native
Platytroctidae		Actinopterygii	Osmeriformes
tubeshoulders			
<i>Holbyrnia innesi</i>	(Fowler 1934)	Valid	---
<i>Maulisia mauli</i>	Parr 1960	Valid	---
<i>Normichthys yahganorum</i>	Lavenberg 1965	Valid	---
<i>Sagamichthys schnakenbecki</i>	(Krefft 1953)	Valid	---
Leptochilichthyidae		Actinopterygii	Osmeriformes
leptochilichthyids / abberant			
<i>Leptochilichthys pinguis</i>	(Vaillant 1886)	Valid	native
Galaxiidae		Actinopterygii	Osmeriformes
galaxiids			
<i>Galaxias zebhratus</i>	(Castelnau 1861)	Valid	endemic
Salmonidae		Actinopterygii	Salmoniformes
whitefishes			
<i>Oncorhynchus mykiss</i>	(Walbaum 1792)	Valid	introduced
<i>Salmo salar</i>	Linnaeus 1758	Valid	---
Gonostomatidae		Actinopterygii	Stomiiformes
bristlemouths			
<i>Cyclothona acclinidens</i>	Garman 1899	Valid	native
<i>Cyclothona alba</i>	Brauer 1906	Valid	native
<i>Cyclothona braueri</i>	Jespersen & Tåning 1926	Valid	---
<i>Cyclothona microdon</i>	(Günther 1878)	Valid	native
<i>Cyclothona pallida</i>	Brauer 1902	Valid	---
<i>Cyclothona pseudopallida</i>	Mukhacheva 1964	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 25

Genus Species	Authorship	Status	Type
<i>Diplophos rebainsi</i>	Krefft & Parin 1972	Valid	native
<i>Gonostoma atlanticum</i>	Norman 1930	Valid	native
<i>Gonostoma denudatum</i>	Rafinesque 1810	Valid	native
<i>Gonostoma elongatum</i>	Günther 1878	Valid	native
<i>Manducus maderensis</i>	(Johnson 1890)	Valid	---
<i>Margrethia obtusirostra</i>	Jespersen & Tåning 1919	Valid	native
<i>Margrethia valentinae</i>	Parin 1982	Valid	native
<i>Sigmops bathyphilus</i>	(Vaillantin Filhol 1884)	Valid	native
<i>Triplophos hemic</i>	(McArdle 1901)	Valid	---

Sternopychidae

hatchet fishes

<i>Argyropelecus affinis</i>	Garman 1899	Valid	native
<i>Argyropelecus gigas</i>	Norman 1930	Valid	native
<i>Argyropelecus hemigymnus</i>	Cocco 1829	Valid	native
<i>Argyropelecus olfersii</i>	(Cuvier 1829)	Valid	native
<i>Argyropelecus sladeni</i>	Regan 1908	Valid	---
<i>Polyipnus indicus</i>	Schultz 1961	Valid	---
<i>Polyipnus omphus</i>	Baird 1971	Valid	---
<i>Polyipnus polli</i>	Schultz 1961	Valid	---
<i>Sternopyx diaphana</i>	Hermann 1781	Valid	---
<i>Sternopyx pseudodiaphana</i>	Borodulina 1977	Valid	---
<i>Valenciennellus tripunctulatus</i>	(Esmark 1871)	Valid	---

Phosichthyidae

lightfishes

<i>Ichthyococcus australis</i>	Mukhacheva 1980	Valid	---
<i>Ichthyococcus ovatus</i>	(Cocco 1838)	Valid	---
<i>Ichthyococcus polli</i>	Blache 1964	Valid	---
<i>Phosichthys argenteus</i>	Hutton 1872	Valid	native
<i>Pollichthys mauli</i>	(Poll 1953)	Valid	---
<i>Polymetme corythaeola</i>	(Alcock 1898)	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 26

Genus Species	Authorship	Status	Type
<i>Vinciguerria attenuata</i>	(Cocco 1838)	Valid	native
<i>Vinciguerria nimbaria</i>	(Jordan & Williams 1895)	Valid	native
<i>Vinciguerria poweriae</i>	(Cocco 1838)	Valid	---
<i>Woodsia meyerwaardeni</i>	Krefft 1973	Valid	---

Stomiidae

loosejaws viperfishes

<i>Aristostomias lunifer</i>	Regan & Trewavas 1930	Valid	---
<i>Aristostomias polydactylus</i>	Regan & Trewavas 1930	Valid	---
<i>Astronesthes bilobatus</i>	Parin & Borodulina 1996	Valid	native
<i>Astronesthes boulengeri</i>	Gilchrist 1902	Valid	native
<i>Astronesthes caulophorus</i>	Regan & Trewavas 1929	Valid	---
<i>Astronesthes indicus</i>	Brauer 1902	Valid	native
<i>Astronesthes martensi</i>	Klunzinger 1871	Valid	native
<i>Astronesthes trifibulatus</i>	Gibbs, Amaoka & Haruta 1984	Valid	---
<i>Bathophilus ater</i>	(Brauer 1902)	Valid	native
<i>Bathophilus digitatus</i>	(Welsh 1923)	Valid	native
<i>Bathophilus indicus</i>	(Brauer 1902)	Valid	native
<i>Bathophilus longipinnis</i>	(Pappenheim 1912)	Valid	native
<i>Bathophilus nigerrimus</i>	Giglioli 1882	Valid	native
<i>Borostomias antarcticus</i>	(Lönnberg 1905)	Valid	---
<i>Borostomias mononema</i>	(Regan & Trewavas 1929)	Valid	---
<i>Chauliodus minimus</i>	Parin & Novikova 1974	Valid	---
<i>Echiostoma barbatum</i>	Lowe 1843	Valid	native
<i>Eustomias bulborhynchus</i>	Gibbs 1960	Valid	native
<i>Eustomias filifer</i>	(Gilchrist 1906)	Valid	native
<i>Eustomias grandibulbus</i>	Gibbs, Clarke & Gomon 1983	Valid	native
<i>Eustomias lipochirus</i>	Regan & Trewavas 1930	Valid	native
<i>Eustomias schmidti</i>	Regan & Trewavas 1930	Valid	native
<i>Eustomias trewavasae</i>	Norman 1930	Valid	---
<i>Flagellostomias boureei</i>	(Zugmayer 1913)	Valid	native
<i>Idiacanthus atlanticus</i>	Brauer 1906	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 27

Genus Species	Authorship	Status	Type
<i>Idiacanthus fasciola</i>	Peters 1877	Valid	native
<i>Leptostomias gracilis</i>	Regan & Trewavas 1930	Valid	---
<i>Malacosteus niger</i>	Ayres 1848	Valid	---
<i>Melanostomias bartonbeani</i>	Parr 1927	Valid	native
<i>Melanostomias melanops</i>	Brauer 1902	Valid	---
<i>Melanostomias niger</i>	Gilchrist & von Bonde 1924	Valid	native
<i>Melanostomias paucilaternatus</i>	Parin & Pokhil'skaya 1978	Valid	---
<i>Melanostomias valdiviae</i>	Brauer 1902	Valid	native
<i>Neonesthes capensis</i>	(Gilchrist & von Bonde 1924)	Valid	native
<i>Neonesthes microcephalus</i>	Norman 1930	Valid	---
<i>Opostomias micripnus</i>	(Günther 1878)	Valid	---
<i>Pachystomias microdon</i>	(Günther 1878)	Valid	native
<i>Photonectes braueri</i>	(Zugmayer 1913)	Valid	native
<i>Photostomias guernei</i>	Collett 1889	Valid	---
<i>Rhadinesthes decimus</i>	(Zugmayer 1911)	Valid	---
<i>Stomias boa</i>	(Risso 1810)	Valid	native
<i>Stomias longibarbatus</i>	(Brauer 1902)	Valid	native
<i>Stomias nebulosus</i>	Alcock 1889	Valid	---

Ateleopodidae

jellynose fishes	Actinopterygii	Ateleopodiformes
<i>Ateleopus natalensis</i>	Regan 1921	Valid
<i>Guentherus altivelia</i>	Osório 1917	Valid
<i>Ijimaia loppei</i>	Roule 1922	Valid

Chlorophthalmidae

greeneyes	Actinopterygii	Aulopiformes
<i>Chlorophthalmus punctatus</i>	Gilchrist 1904	Valid

Ipnopidae

---	Actinopterygii	Aulopiformes
<i>Bathymicrops regis</i>	Hjort & Koefoedin Murray & Hjort 1912	Valid

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 28

Genus Species	Authorship	Status	Type
<i>Bathypterois atricolor</i>	Alcock 1896	Valid	---
<i>Bathypterois filiferus</i>	Gilchrist 1906	Valid	native
<i>Bathysauropsis gracilis</i>	(Günther 1878)	Valid	---
<i>Bathytyphlops marionae</i>	Mead 1958	Valid	native
<i>Ipnops agassizii</i>	Garman 1899	Valid	---

Scopelarchidae

pearleyes

<i>Benthalbella infans</i>	Zugmayer 1911	Valid	native
<i>Rosenblattichthys hubbsi</i>	Johnson 1974	Valid	---
<i>Scopelarchoides signifer</i>	Johnson 1974	Valid	---
<i>Scopelarchus analis</i>	(Brauer 1902)	Valid	---
<i>Scopelarchus guentheri</i>	Alcock 1896	Valid	native
<i>Scopelarchus michaelsarsi</i>	Koefoed 1955	Valid	native

Notosudidae

paperbones or waryfishes

<i>Ahliasaurus berryi</i>	Bertelsen, Krefft & Marshall 1976	Valid	native
<i>Luciosudis normani</i>	Fraser-Brunner 1931	Valid	---
<i>Scopelosaurus ahlstromi</i>	Bertelsen, Krefft & Marshall 1976	Valid	---
<i>Scopelosaurus craddocki</i>	Bertelsen, Krefft & Marshall 1976	Valid	native
<i>Scopelosaurus hamiltoni</i>	(Waite 1916)	Valid	---
<i>Scopelosaurus herwigi</i>	Bertelsen, Krefft & Marshall 1976	Valid	---
<i>Scopelosaurus meadi</i>	Bertelsen, Krefft & Marshall 1976	Valid	---

Giganturidae

telescopefishes

<i>Gigantura chuni</i>	Brauer 1901	Valid	---
------------------------	-------------	-------	-----

Synodontidae

lizardfishes

<i>Saurida gracilis</i>	(Quoy & Gaimard 1824)	Valid	native
-------------------------	-----------------------	-------	--------

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 29

Genus Species	Authorship	Status	Type
<i>Saurida tumbil</i>	(Bloch 1795)	Valid	native
<i>Saurida undosquamis</i>	(Richardson 1848)	Valid	native
<i>Synodus binotatus</i>	Schultzin Schultz et al. 1953	Valid	native
<i>Synodus dermatogenys</i>	Fowler 1912	Valid	native
<i>Synodus hoshinonis</i>	Tanaka 1917	Valid	---
<i>Synodus indicus</i>	(Day 1873)	Valid	native
<i>Synodus jaculum</i>	Russell & Cressey 1979	Valid	native
<i>Synodus variegatus</i>	(Lacepède 1803)	Valid	native
<i>Trachinocephalus myops</i>	(Forster 1801)	Valid	native

Bathysauridae

deepsea lizardfishes

<i>Bathysaurus ferox</i>	Günther 1878	Valid	---
--------------------------	--------------	-------	-----

Paralepididae

barracudinas

<i>Lestidiops jayakari</i>	(Boulenger 1889)	Valid	---
<i>Lestidiops similis</i>	(Ege 1933)	Valid	---
<i>Lestidium atlanticum</i>	Borodin 1928	Valid	---
<i>Lestrolepis intermedia</i>	(Poey 1868)	Valid	native
<i>Macroparalepis affinis</i>	Ege 1933	Valid	---
<i>Magnisudis atlantica</i>	(Krøyer 1868)	Valid	---
<i>Magnisudis prionosa</i>	(Rofen 1963)	Valid	---
<i>Paralepis elongata</i>	(Brauer 1906)	Valid	---
<i>Stemonosudis elegans</i>	(Ege 1933)	Valid	native
<i>Stemonosudis macrura</i>	(Ege 1933)	Valid	native

Anopteridae

daggertoooths

<i>Anopterus pharao</i>	Zugmayer 1911	Valid	---
<i>Anopterus vorax</i>	(Regan 1913)	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 30

Genus Species	Authorship	Status	Type
Evermannellidae sabertooth fishes		Actinopterygii	Aulopiformes
<i>Coccorella atlantica</i>	(Parr 1928)	Valid	native
<i>Evermannella balbo</i>	(Risso 1820)	Valid	native
<i>Evermannella indica</i>	Brauer 1906	Valid	---
Alepisauridae lancetfishes		Actinopterygii	Aulopiformes
<i>Alepisaurus brevirostris</i>	Gibbs 1960	Valid	native
<i>Alepisaurus ferox</i>	Lowe 1833	Valid	native
Neoscopelidae blackchins		Actinopterygii	Myctophiformes
<i>Neoscopelus macrolepidotus</i>	Johnson 1863	Valid	native
<i>Neoscopelus microchir</i>	Matsubara 1943	Valid	native
<i>Scopelengys tristis</i>	Alcock 1890	Valid	native
Myctophidae lanternfishes		Actinopterygii	Myctophiformes
<i>Benthosema fibulatum</i>	(Gilbert & Cramer 1897)	Valid	native
<i>Benthosema suborbitale</i>	(Gilbert 1913)	Valid	native
<i>Bolinichthys supralateralis</i>	(Parr 1928)	Valid	native
<i>Diaphus aliciae</i>	Fowler 1934	Valid	native
<i>Diaphus brachycephalus</i>	Tåning 1928	Valid	native
<i>Diaphus diadematus</i>	Tåning 1932	Valid	native
<i>Diaphus effulgens</i>	(Goode & Bean 1896)	Valid	native
<i>Diaphus garmani</i>	Gilbert 1906	Valid	---
<i>Diaphus hudsoni</i>	Zurbrigg & Scott 1976	Valid	native
<i>Diaphus jensenii</i>	Tåning 1932	Valid	native
<i>Diaphus knappi</i>	Nafpaktitis 1978	Valid	---
<i>Diaphus lucidus</i>	(Goode & Bean 1896)	Valid	native
<i>Diaphus luetkeni</i>	(Brauer 1904)	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 31

Genus Species	Authorship	Status	Type
<i>Diaphus meadi</i>	Nafpaktitis 1978	Valid	native
<i>Diaphus metopoclampus</i>	(Cocco 1829)	Valid	native
<i>Diaphus mollis</i>	Tåning 1928	Valid	native
<i>Diaphus nielseni</i>	Nafpaktitis 1978	Valid	native
<i>Diaphus ostenfeldi</i>	Tåning 1932	Valid	native
<i>Diaphus parri</i>	Tåning 1932	Valid	native
<i>Diaphus perspicillatus</i>	(Ogilby 1898)	Valid	native
<i>Diaphus problematicus</i>	Parr 1928	Valid	native
<i>Diaphus richardsoni</i>	Tåning 1932	Valid	native
<i>Diaphus splendidus</i>	(Brauer 1904)	Valid	native
<i>Diaphus taanungi</i>	Norman 1930	Valid	---
<i>Diogenichthys panurgus</i>	Bolin 1946	Valid	native
<i>Electrona antarctica</i>	(Günther 1878)	Valid	native
<i>Electrona risso</i>	(Cocco 1829)	Valid	native
<i>Electrona subaspera</i>	(Günther 1864)	Valid	---
<i>Gonichthys barnesi</i>	Whitley 1943	Valid	native
<i>Gymnoscopelus bolini</i>	Andriashev 1962	Valid	---
<i>Gymnoscopelus braueri</i>	(Lönnberg 1905)	Valid	---
<i>Gymnoscopelus piabilis</i>	(Whitley 1931)	Valid	native
<i>Hygophum hansenii</i>	(Tåning 1932)	Valid	native
<i>Hygophum hygomii</i>	(Lütken 1892)	Valid	native
<i>Hygophum proximum</i>	Becker 1965	Valid	native
<i>Krefftichthys anderssoni</i>	(Lönnberg 1905)	Valid	---
<i>Lampadена anomala</i>	Parr 1928	Valid	---
<i>Lampadена chavesi</i>	Collett 1905	Valid	native
<i>Lampadена dea</i>	Fraser-Brunner 1949	Valid	---
<i>Lampadена luminosa</i>	(Garman 1899)	Valid	native
<i>Lampadена notialis</i>	Nafpaktitis & Paxton 1968	Valid	native
<i>Lampadена pontifex</i>	Krefft 1970	Valid	---
<i>Lampadena speculigera</i>	Goode & Bean 1896	Valid	native
<i>Lampanyctodes hectoris</i>	(Günther 1876)	Valid	native
<i>Lampanyctus alatus</i>	Goode & Bean 1896	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 32

Genus Species	Authorship	Status	Type
<i>Lampanyctus australis</i>	Tåning 1932	Valid	native
<i>Lampanyctus festivus</i>	Tåning 1928	Valid	native
<i>Lampanyctus intricarius</i>	Tåning 1928	Valid	native
<i>Lampanyctus lepidolychnus</i>	Becker 1967	Valid	native
<i>Lampanyctus macdonaldi</i>	(Goode & Bean 1896)	Valid	native
<i>Lampanyctus nobilis</i>	Tåning 1928	Valid	native
<i>Lampanyctus pusillus</i>	(Johnson 1890)	Valid	native
<i>Lampanyctus turneri</i>	(Fowler 1934)	Valid	native
<i>Lampichthys procerus</i>	(Brauer 1904)	Valid	native
<i>Lobianchia dofleini</i>	(Zugmayer 1911)	Valid	native
<i>Lobianchia gemellarii</i>	(Cocco 1838)	Valid	native
<i>Loweina interrupta</i>	(Tåning 1928)	Valid	native
<i>Metelectrona herwigi</i>	Hulley 1981	Valid	---
<i>Metelectrona ventralis</i>	(Becker 1963)	Valid	native
<i>Myctophum asperum</i>	Richardson 1845	Valid	native
<i>Myctophum aurolateratum</i>	Garman 1899	Valid	native
<i>Myctophum nitidulum</i>	Garman 1899	Valid	native
<i>Myctophum obtusirostre</i>	Tåning 1928	Valid	native ?
<i>Myctophum phengodes</i>	(Lütken 1892)	Valid	native
<i>Myctophum selenops</i>	Tåning 1928	Valid	native
<i>Myctophum spinosum</i>	(Steindachner 1867)	Valid	native
<i>Nannobrachium achirus</i>	(Andriashev 1962)	Valid	native
<i>Nannobrachium atrum</i>	(Tåning 1928)	Valid	native
<i>Nannobrachium indicum</i>	Zahuranec 2000	Valid	stray
<i>Nannobrachium lineatum</i>	(Tåning 1928)	Valid	native
<i>Nannobrachium wisneri</i>	Zahuranec 2000	Valid	native
<i>Notolynchus valdiviae</i>	(Brauer 1904)	Valid	native
<i>Notoscopelus caudispinosus</i>	(Johnson 1863)	Valid	native
<i>Notoscopelus resplendens</i>	(Richardson 1845)	Valid	native
<i>Protomyctophum andriashevi</i>	Becker 1963	Valid	---
<i>Protomyctophum bolini</i>	(Fraser-Brunner 1949)	Valid	---
<i>Protomyctophum normani</i>	(Tåning 1932)	Valid	---

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 33

Genus Species	Authorship	Status	Type
<i>Protomyctophum subparallelum</i>	(Tåning 1932)	Valid	native
<i>Scopelopsis multipunctatus</i>	Brauer 1906	Valid	native
<i>Symbolophorus barnardi</i>	(Tåning 1932)	Valid	native
<i>Symbolophorus boops</i>	(Richardson 1845)	Valid	native
<i>Symbolophorus evermanni</i>	(Gilbert 1905)	Valid	native
<i>Taaningichthys bathophilus</i>	(Tåning 1928)	Valid	native
<i>Taaningichthys minimus</i>	(Tåning 1928)	Valid	native
<i>Triphoturus nigrescens</i>	(Brauer 1904)	Valid	native

Lampridae

opahs

<i>Lampris guttatus</i>	(Brünnich 1788)	Valid	native
<i>Lampris immaculatus</i>	Gilchrist 1904	Valid	---

Veliferidae

velifers

<i>Velifer hypselopterus</i>	Bleeker 1879	Valid	---
------------------------------	--------------	-------	-----

Lophotidae

crestfishes

<i>Eumecichthys fiski</i>	(Günther 1890)	Valid	native
<i>Lophotus lacepede</i>	Giorna 1809	Valid	native

Radiicephalidae

tapertails

<i>Radiicephalus elongatus</i>	Osório 1917	Valid	native
--------------------------------	-------------	-------	--------

Trachipteridae

ribbonfishes

<i>Desmodema polystictum</i>	(Ogilby 1898)	Valid	native
<i>Trachipterus jacksonensis</i>	(Ramsay 1881)	Valid	native
<i>Trachipterus trachypterus</i>	(Gmelin 1789)	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 34

Genus Species	Authorship	Status	Type
<i>Zu cristatus</i>	(Bonelli 1820)	Valid	native
<i>Zu elongatus</i>	Heemstra & Kannemeyer 1984	Valid	native
Stylephoridae tube-eyes or thread-tails		Actinopterygii	Lampriformes
<i>Stylephorus chordatus</i>	Shaw 1791	Valid	native
Polymixiidae beardfishes		Actinopterygii	Polymixiiformes
<i>Polymixia berndti</i>	Gilbert 1905	Valid	native
<i>Polymixia nobilis</i>	Lowe 1836	Valid	---
Muraenolepididae eel cods		Actinopterygii	Gadiformes
<i>Muraenolepis andriashevi</i>	Balushkin & Prirodina 2005	Valid	native
Bregmacerotidae codlets		Actinopterygii	Gadiformes
<i>Bregmaceros atlanticus</i>	Goode & Bean 1886	Valid	native
<i>Bregmaceros mcclellandii</i>	Thompson(ex Cantor) 1840	Valid	native ?
<i>Bregmaceros nectabenus</i>	Whitley 1941	Valid	native
Macrouridae grenadiers or rattails		Actinopterygii	Gadiformes
<i>Bathygadus favosus</i>	Goode & Bean 1886	Valid	native
<i>Cetonurus globiceps</i>	(Vaillant 1884)	Valid	native
<i>Coelorinchus acanthiger</i>	(Barnard 1925)	Valid	native
<i>Coelorinchus braueri</i>	(Barnard 1925)	Valid	native
<i>Coelorinchus denticulatus</i>	(Regan 1921)	Valid	native
<i>Coelorinchus kaiyomaru</i>	Arai & Iwamoto 1979	Valid	native
<i>Coelorinchus karrerae</i>	Trunov 1984	Valid	native
<i>Coelorinchus matamua</i>	(McCann & McKnight 1980)	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 35

Genus Species	Authorship	Status	Type
<i>Coelorinchus simorhynchus</i>	Iwamoto & Anderson 1994	Valid	native
<i>Coelorinchus trunovi</i>	Iwamoto & Anderson 1994	Valid	native
<i>Coryphaenoides armatus</i>	(Hector 1875)	Valid	native
<i>Coryphaenoides carapinus</i>	Goode & Bean 1883	Valid	native
<i>Coryphaenoides grahami</i>	Iwamoto & Shcherbachev 1991	Valid	native
<i>Coryphaenoides mcmillani</i>	Iwamoto & Shcherbachev 1991	Valid	native
<i>Coryphaenoides striaturus</i>	Barnard 1925	Valid	native
<i>Coryphaenoides subserrulatus</i>	Makushok 1976	Valid	native
<i>Gadomus capensis</i>	(Gilchrist & von Bonde 1924)	Valid	native
<i>Haplomacrourus nudirostris</i>	Trunov 1980	Valid	native
<i>Hymenocephalus italicus</i>	Giglioliin Giglioli & Issel 1884	Valid	---
<i>Kuronezumia bubonis</i>	(Iwamoto 1974)	Valid	native
<i>Kuronezumia leonis</i>	(Barnard 1925)	Valid	native
<i>Lucigadus ori</i>	(Smith 1968)	Valid	native
<i>Macrourus carinatus</i>	(Günther 1878)	Valid	native
<i>Macrourus holotrachys</i>	Günther 1878	Valid	---
<i>Mesobius antipodum</i>	Hubbs & Iwamoto 1977	Valid	native
<i>Nezumia brevibarbata</i>	(Barnard 1925)	Valid	native
<i>Nezumia micronychodon</i>	Iwamoto 1970	Valid	native
<i>Nezumia propinqua</i>	(Gilbert & Cramer 1897)	Valid	native
<i>Nezumia spinosa</i>	(Gilbert & Hubbs 1916)	Valid	native
<i>Nezumia umbracincta</i>	Iwamoto & Anderson 1994	Valid	native
<i>Odontomacrurus murrayi</i>	Norman 1939	Valid	native
<i>Sphagmacrurus richardi</i>	(Weber 1913)	Valid	native
<i>Trachonurus villosus</i>	(Günther 1877)	Valid	---
<i>Ventrifossa divergens</i>	Gilbert & Hubbs 1920	Valid	native
<i>Ventrifossa mystax</i>	Iwamoto & Anderson 1994	Valid	native
<i>Ventrifossa nasuta</i>	(Smith 1935)	Valid	native
<i>Coryphaenoides dossenus</i>	McMillan 1999	Valid	---

Moridae

deepsea cods

Actinopterygii

Gadiformes

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 36

Genus Species	Authorship	Status	Type
<i>Antimora rostrata</i>	(Günther 1878)	Valid	native
<i>Guttigadus globiceps</i>	(Gilchrist 1906)	Valid	native
<i>Halargyreus johnsonii</i>	Günther 1862	Valid	---
<i>Laemonema compressicauda</i>	(Gilchrist 1903)	Valid	native
<i>Laemonema laureysi</i>	Poll 1953	Valid	---
<i>Lepidion capensis</i>	Gilchrist 1922	Valid	native
<i>Lepidion natalensis</i>	Gilchrist 1922	Valid	native
<i>Physiculus capensis</i>	Gilchrist 1922	Valid	native
<i>Physiculus natalensis</i>	Gilchrist 1922	Valid	native
<i>Tripterygycis gilchristi</i>	Boulenger 1902	Valid	native
Melanonidae		Actinopterygii	Gadiformes
pelagic cods			
<i>Melanonus zugmayeri</i>	Norman 1930	Valid	---
Lotidae		Actinopterygii	Gadiformes
hakes and burbots			
<i>Gaidropsarus capensis</i>	(Kaup 1858)	Valid	endemic
<i>Gaidropsarus insularum</i>	Sivertsen 1945	Valid	native
<i>Gaidropsarus novaezealandiae</i>	(Hector 1874)	Valid	---
Merlucciidae		Actinopterygii	Gadiformes
merluccid hakes			
<i>Lyconodes argenteus</i>	Gilchrist 1922	Valid	native
<i>Lyconus pinnatus</i>	Günther 1887	Valid	---
<i>Macruronus capensis</i>	Davies 1950	Valid	endemic
<i>Merluccius capensis</i>	Castelnau 1861	Valid	native
<i>Merluccius paradoxus</i>	Franca 1960	Valid	native
Ophidiidae		Actinopterygii	Ophidiiformes
cuskeels			
<i>Bassozetus robustus</i>	Smith & Radcliffe 1913	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 37

Genus Species	Authorship	Status	Type
<i>Brotula multibarbata</i>	Temminck & Schlegel 1846	Valid	native
<i>Brotulotaenia crassa</i>	Parr 1934	Valid	native
<i>Dicrolene introniger</i>	Goode & Bean 1883	Valid	---
<i>Dicrolene multifilis</i>	(Alcock 1889)	Valid	native
<i>Genypterus capensis</i>	(Smith 1847)	Valid	native
<i>Glyptophidium longipes</i>	Norman 1939	Valid	native
<i>Holcomycteronus aequatoris</i>	(Smith & Radcliffe 1913)	Valid	---
<i>Hoplobrotula gnathopus</i>	(Regan 1921)	Valid	native
<i>Lamprogrammus niger</i>	Alcock 1891	Valid	native
<i>Leptobrotula breviventralis</i>	Nielsen 1986	Valid	native
<i>Luciobrotula bartschi</i>	Smith & Radcliffein Radcliffe 1913	Valid	native
<i>Monomitopus nigripinnis</i>	(Alcock 1889)	Valid	native
<i>Neobythites analis</i>	Barnard 1927	Valid	native
<i>Neobythites natalensis</i>	Nielsen 1995	Valid	native
<i>Ophidion smithi</i>	(Fowler 1934)	Valid	native
<i>Penopus microphthalmus</i>	(Vaillant 1888)	Valid	native
<i>Porogadus miles</i>	Goode & Bean 1885	Valid	native
<i>Selachophidium guentheri</i>	Gilchrist 1903	Valid	native

Carapidae

pearlfishes

<i>Carapus mourlani</i>	(Petit 1934)	Valid	native
<i>Encheliophis boraborensis</i>	(Kaup 1856)	Valid	---
<i>Encheliophis gracilis</i>	(Bleeker 1856)	Valid	native
<i>Encheliophis vermiops</i>	Markle & Olney 1990	Valid	native
<i>Onuxodon fowleri</i>	(Smith 1955)	Valid	native
<i>Onuxodon parvibrachium</i>	(Fowler 1927)	Valid	native
<i>Pyramodon punctatus</i>	(Regan 1914)	Valid	native
<i>Pyramodon ventralis</i>	Smith & Radcliffein Radcliffe 1913	Valid	native

Bythitidae

livebearing brotulas

Actinopterygii Ophidiiformes

Actinopterygii Ophidiiformes

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 38

Genus Species	Authorship	Status	Type
<i>Bidenichthys capensis</i>	Barnard 1934	Valid	endemic
<i>Brosmophyciops pautzkei</i>	Schultzin Schultz et al. 1960	Valid	---
<i>Cataetyx cithamalorhynchus</i>	Cohen 1981	Valid	native
<i>Cataetyx niki</i>	Cohen 1981	Valid	native
<i>Dermatopsoides andersoni</i>	Møller & Schwarzhans 2006	Valid	native
<i>Dermatopsoides kasougae</i>	(Smith 1943)	Valid	endemic
<i>Dermatopsoides talboti</i>	Cohen 1966	Valid	endemic
<i>Dinematicthys iluocoeteoides</i>	Bleeker 1855	Valid	---
<i>Diplacanthopoma nigripinnis</i>	Gilchrist & von Bonde 1924	Valid	native
<i>Grammonus opisthodon</i>	Smith 1934	Valid	endemic
<i>Microbrotula bentleyi</i>	Anderson 2005	Valid	native
<i>Mascarenichthys microphthalmus</i>	Schwarzhans & Møller 2007	Valid	native

Aphyonidae

aphyonids

<i>Aphyonus brevidorsalis</i>	Nielsen 1969	Valid	native
<i>Aphyonus gelatinosus</i>	Günther 1878	Valid	native

Parabrotulidae

false brotulas

<i>Parabrotula plagiophthalma</i>	Zugmayer 1911	Valid	native
-----------------------------------	---------------	-------	--------

Batrachoididae

toadfishes

<i>Austrobatrachus foedus</i>	(Smith 1947)	Valid	native
<i>Batrichthys albofasciatus</i>	Smith 1934	Valid	native
<i>Batrichthys apiatus</i>	(Valenciennes 1837)	Valid	endemic
<i>Chatrabus felinus</i>	(Smith 1952)	Valid	native
<i>Chatrabus hendersoni</i>	(Smith 1952)	Valid	endemic
<i>Chatrabus melanurus</i>	(Barnard 1927)	Valid	native
<i>Perulibatrachus kilburni</i>	Greenfield 1996	Valid	native
<i>Riekertia ellisi</i>	Smith 1952	Valid	endemic

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 39

Genus Species	Authorship	Status	Type
Lophiidae goosefishes or monkfishes		Actinopterygii	Lophiiformes
<i>Lophiodes insidiator</i>	(Regan 1921)	Valid	native
<i>Lophiodes mutilus</i>	(Alcock 1894)	Valid	native
<i>Lophiomus setigerus</i>	(Vahl 1797)	Valid	native
<i>Lophius budegassa</i>	Spinola 1807	Valid	native ?
<i>Lophius vomerinus</i>	Valenciennesin Cuvier & Valenciennes 1837	Valid	native
Antennariidae frogfishes		Actinopterygii	Lophiiformes
<i>Antennarius commerson</i>	(Lacepède(ex Commerson) in Anonymous 1798)	Valid	native
<i>Antennarius hispidus</i>	(Bloch & Schneider 1801)	Valid	native
<i>Antennarius pictus</i>	(Shaw 1794)	Valid	native
<i>Antennarius striatus</i>	(Shaw 1794)	Valid	native
<i>Antennatus coccineus</i>	(Lesson(ex Cuvier) 1831)	Valid	native
<i>Antennatus linearis</i>	(Randall & Holcom 2001)	Valid	native
<i>Antennatus nummifer</i>	(Cuvier 1817)	Valid	native
<i>Antennatus tuberosus</i>	(Cuvier 1817)	Valid	native
<i>Histrio histrio</i>	(Linnaeus 1758)	Valid	native
Chaunacidae sea toads		Actinopterygii	Lophiiformes
<i>Chaunax penicillatus</i>	McCulloch 1915	Valid	native
<i>Chaunax pictus</i>	Lowe 1846	Valid	native
Ogcocephalidae batfishes		Actinopterygii	Lophiiformes
<i>Coelophry斯 micropa</i>	(Alcock 1891)	Valid	native
<i>Halieutaea coccinea</i>	Alcock 1889	Valid	native
<i>Halieutaea fitzsimonsi</i>	(Gilchrist & Thompson 1916)	Valid	native
<i>Halieutaea hancocki</i>	Regan 1908	Valid	native
<i>Malthopsis mitrigera</i>	Gilbert & Cramer 1897	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 40

Genus Species	Authorship	Status	Type
<i>Malthopsis tiarella</i>	Jordan 1902	Valid	native ?
<i>Solocisquama stellulata</i>	(Gilbert 1905)	Valid	native
Melanocetidae		Actinopterygii	Lophiiformes
black seadevils			
<i>Melanocetus johnsonii</i>	Günther 1864	Valid	native
Himantolophidae		Actinopterygii	Lophiiformes
footballfishes			
<i>Himantolophus appelii</i>	(Clarke 1878)	Valid	---
<i>Himantolophus cornifer</i>	Bertelsen & Krefft 1988	Valid	native
<i>Himantolophus groenlandicus</i>	Reinhardt 1837	Valid	native
<i>Himantolophus pseudalbinares</i>	Bertelsen & Krefft 1988	Valid	native
Ceratiidae		Actinopterygii	Lophiiformes
seadevils			
<i>Ceratias holboelli</i>	Krøyer 1845	Valid	native
<i>Ceratias tentaculatus</i>	(Norman 1930)	Valid	native
<i>Cryptopsaras couesi</i>	Gill 1883	Valid	native
Gigantactinidae		Actinopterygii	Lophiiformes
whipnoses			
<i>Gigantactis krefftii</i>	Bertelsen, Pietsch & Lavenberg 1981	Valid	native
<i>Gigantactis meadi</i>	Bertelsen, Pietsch & Lavenberg 1981	Valid	---
Linophrynidiae		Actinopterygii	Lophiiformes
leftvents			
<i>Linophryne densiramus</i>	Imai 1941	Valid	---
<i>Linophryne lucifer</i>	Collett 1886	Valid	native
<i>Linophryne parini</i>	Bertelsen 1980	Valid	native
Gobiesocidae		Actinopterygii	Gobiesociformes

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 41

Genus Species	Authorship	Status	Type
clingfishes			
<i>Apletodon pellegrini</i>	(Chabanaud 1925)	Valid	native
<i>Chorisochismus dentex</i>	(Pallas 1769)	Valid	native
<i>Diplecogaster megalops</i>	Briggs 1955	Valid	endemic
<i>Eckloniaichthys scylliorhiniceps</i>	Smith 1943	Valid	native
<i>Lepadichthys caritus</i>	Briggs 1969	Valid	native
<i>Lepadichthys coccinotaenia</i>	Regan 1921	Valid	native
<i>Lepadichthys lineatus</i>	Briggs 1966	Valid	native
<i>Pherallodus smithi</i>	Briggs 1955	Valid	native
Atherinidae		Actinopterygii	Atheriniformes
silversides			
<i>Atherina breviceps</i>	Valenciennesin Cuvier & Valenciennes 1835	Valid	native
<i>Atherinomorus lacunosus</i>	(Forster 1801)	Valid	native
<i>Atherion africanum</i>	Smith 1965	Valid	native
<i>Hypoatherina barnesi</i>	Schultzin Schultz et al. 1953	Valid	native
Isonidae		Actinopterygii	Atheriniformes
isonids			
<i>Iso natalensis</i>	Regan 1919	Valid	---
Aplocheilidae		Actinopterygii	Cyprinodontiformes
rivulines			
<i>Nothobranchius orthonotus</i>	(Peters 1844)	Valid	native
Nothobranchiidae		Actinopterygii	Cyprinodontiformes

<i>Nothobranchius rachovii</i>	Ahl 1926	Valid	native
Poeciliidae		Actinopterygii	Cyprinodontiformes
poeciliids			
<i>Lacustricola myaposae</i>	(Boulenger 1908)	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 42

Genus Species	Authorship	Status	Type
<i>Micropachax johnstoni</i>	(Günther 1894)	Valid	native
<i>Micropachax katangae</i>	(Boulenger 1912)	Valid	native
<i>Xiphophorus maculatus</i>	(Günther 1866)	Valid	---
Scomberesocidae		Actinopterygii	Beloniformes
sauries			
<i>Scomberesox saurus</i>	(Walbaum 1792)	Valid	native
<i>Scomberesox simulans</i>	(Hubbs & Wisner 1980)	Valid	native
Belonidae		Actinopterygii	Beloniformes
needlefishes, long toms			
<i>Ablennes hians</i>	(Valenciennes 1846)	Valid	native
<i>Petalichthys capensis</i>	Regan 1904	Valid	endemic
<i>Strongylura leiura</i>	(Bleeker 1850)	Valid	native
<i>Tylosurus crocodilus</i>	(Péron & Lesueur 1821)	Valid	native
Hemiramphidae		Actinopterygii	Beloniformes
halfbeaks			
<i>Euleptorhamphus viridis</i>	(van Hasselt 1823)	Valid	native
<i>Hemiramphus far</i>	(Forsskål 1775)	Valid	native
<i>Hyporhamphus affinis</i>	(Günther 1866)	Valid	native
<i>Hyporhamphus capensis</i>	(Thominot 1886)	Valid	native
<i>Hyporhamphus dussumieri</i>	(Valenciennes 1847)	Valid	---
<i>Hyporhamphus improvisus</i>	(Smith 1933)	Valid	---
Exocoetidae		Actinopterygii	Beloniformes
flyingfishes			
<i>Cheilopogon cyanopterus</i>	(Valenciennes 1847)	Valid	native
<i>Cheilopogon furcatus</i>	(Mitchill 1815)	Valid	native
<i>Cheilopogon nigricans</i>	(Bennett 1840)	Valid	native
<i>Cheilopogon pinnatibarbatus</i>	(Bennett 1831)	Valid	native
<i>Cypselurus poecilopterus</i>	(Valenciennes 1847)	Valid	---

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 43

Genus Species	Authorship	Status	Type
<i>Exocoetus monocirrhus</i>	Richardson 1846	Valid	native
<i>Hirundichthys rondeletii</i>	(Valenciennes 1847)	Valid	native
<i>Hirundichthys speculiger</i>	(Valenciennes 1847)	Valid	native
<i>Parexocoetus brachypterus</i>	(Richardson 1846)	Valid	native
<i>Parexocoetus mento</i>	(Valenciennes 1847)	Valid	native
<i>Prognichthys brevipinnis</i>	(Valenciennes 1847)	Valid	native
<i>Prognichthys sealei</i>	Abe 1955	Valid	native
Stephanoberycidae		Actinopterygii	Stephanoberyciformes
pricklefishes			
<i>Acanthochaenus luetkenii</i>	Gill 1884	Valid	native
Melamphaidae		Actinopterygii	Stephanoberyciformes
bigscales			
<i>Melamphaes microps</i>	(Günther 1878)	Valid	native
<i>Poromitra coronata</i>	(Gilchrist & von Bonde 1924)	Valid	native
<i>Poromitra crassiceps</i>	(Günther 1878)	Valid	---
<i>Poromitra macrophtalma</i>	(Gilchrist 1903)	Valid	native
<i>Poromitra megalops</i>	(Lütken 1878)	Valid	---
<i>Scopeloberyx robustus</i>	(Günther 1887)	Valid	---
<i>Scopelogadus beanii</i>	(Günther 1887)	Valid	---
<i>Sio nordenskjoldii</i>	(Lönnberg 1905)	Valid	---
Monocentridae		Actinopterygii	Beryciformes
pinecone fishes			
<i>Monocentris japonica</i>	(Houttuyn 1782)	Valid	native
Trachichthyidae		Actinopterygii	Beryciformes
slimeheads			
<i>Hoplostethus atlanticus</i>	Collett 1889	Valid	native
<i>Hoplostethus cadenati</i>	Quéro 1974	Valid	native
<i>Hoplostethus mediterraneus</i>	Cuvierin Cuvier & Valenciennes 1829	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 44

Genus Species	Authorship	Status	Type
<i>Hoplostethus melanopterus</i>	Fowler 1938	Valid	native
<i>Hoplostethus melanopus</i>	(Weber 1913)	Valid	native
<i>Hoplostethus mikhailini</i>	Kotlyar 1986	Valid	native
Diretmidae		Actinopterygii	Beryciformes
spinyfins			
<i>Diretmoides pauciradiatus</i>	(Woods 1973)	Valid	---
Anoplogastridae		Actinopterygii	Beryciformes
fangtooths			
<i>Anoplogaster cornuta</i>	(Valenciennes 1833)	Valid	---
Berycidae		Actinopterygii	Beryciformes
berycdids or alfonsinos			
<i>Beryx decadactylus</i>	Cuvierin Cuvier & Valenciennes 1829	Valid	native
<i>Beryx splendens</i>	Lowe 1834	Valid	native
<i>Centroberyx spinosus</i>	(Gilchrist 1903)	Valid	native
Holocentridae		Actinopterygii	Beryciformes
squirrelfishes and soldierfishes			
<i>Myripristis adusta</i>	Bleeker 1853	Valid	native
<i>Myripristis berndti</i>	Jordan & Evermann 1903	Valid	native
<i>Myripristis botche</i>	Cuvier 1829	Valid	native
<i>Myripristis chryseres</i>	Jordan & Evermann 1903	Valid	native
<i>Myripristis kuntee</i>	Valenciennesin Cuvier & Valenciennes 1831	Valid	native
<i>Myripristis murdjan</i>	(Forsskål 1775)	Valid	native
<i>Myripristis violacea</i>	Bleeker 1851	Valid	native
<i>Myripristis vittata</i>	Valenciennes 1831	Valid	---
<i>Neoniphon sammara</i>	(Forsskål 1775)	Valid	native
<i>Plectrypops lima</i>	(Valenciennes 1831)	Valid	native
<i>Sargocentron caudimaculatum</i>	(Rüppell 1838)	Valid	native
<i>Sargocentron diadema</i>	(Lacepède 1802)	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 45

Genus Species	Authorship	Status	Type
<i>Sargocentron ittodai</i>	(Jordan & Fowler 1902)	Valid	native
<i>Sargocentron punctatissimum</i>	(Cuvier 1829)	Valid	native
<i>Sargocentron spiniferum</i>	(Forsskål 1775)	Valid	native
<i>Sargocentron tiereoides</i>	(Bleeker 1853)	Valid	---
Rondeletiidae		Actinopterygii	Cetomimiformes
redmouth whalefishes			
<i>Rondeletia loricata</i>	Abe & Hotta 1963	Valid	---
Barbourisiidae		Actinopterygii	Cetomimiformes
velvet whalefishes			
<i>Barbourisia rufa</i>	Parr 1945	Valid	---
Cetomimidae		Actinopterygii	Cetomimiformes
whalefishes			
<i>Cetichthys indagator</i>	(Rofen 1959)	Valid	native
<i>Cetomimus picklei</i>	(Gilchrist 1922)	Valid	native
Cyttidae		Actinopterygii	Zeiformes
bigeye dories, look-down dories			
<i>Cyttus traversi</i>	Hutton 1872	Valid	native
Oreosomatidae		Actinopterygii	Zeiformes
oreos			
<i>Allocyttus verrucosus</i>	(Gilchrist 1906)	Valid	native
<i>Neocyttus acanthorhynchus</i>	Regan 1908	Valid	---
<i>Neocyttus rhomboidalis</i>	Gilchrist 1906	Valid	native
<i>Oreosoma atlanticum</i>	Cuvierin Cuvier & Valenciennes 1829	Valid	native
<i>Pseudocyttus maculatus</i>	Gilchrist 1906	Valid	native
Parazenidae		Actinopterygii	Zeiformes
parazen			

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 46

Genus Species	Authorship	Status	Type
<i>Cytopsis rosea</i>	(Lowe 1843)	Valid	native
<i>Parazen pacificus</i>	Kamohara 1935	Valid	native
Zenionidae		Actinopterygii	Zeiformes

<i>Zenion leptolepis</i>	(Gilchrist & von Bonde 1924)	Valid	native
Grammicolepididae		Actinopterygii	Zeiformes
diamond dories			
<i>Grammicolepis brachiusculus</i>	Poey 1873	Valid	native
<i>Xenolepidichthys dalgleishi</i>	Gilchrist 1922	Valid	native
Zeidae		Actinopterygii	Zeiformes
dories			
<i>Zenopsis conchifer</i>	(Lowe 1852)	Valid	native
<i>Zeus capensis</i>	Valenciennesin Cuvier & Valenciennes 1835	Valid	native
<i>Zeus faber</i>	Linnaeus 1758	Valid	native
Pegasidae		Actinopterygii	Gasterosteiformes
seamoths			
<i>Eurypegasus draconis</i>	(Linnaeus 1766)	Valid	native
<i>Pegasus volitans</i>	Linnaeus 1758	Valid	native
Aulostomidae		Actinopterygii	Syngnathiformes
trumpetfishes			
<i>Aulostomus chinensis</i>	(Linnaeus 1766)	Valid	native
Fistulariidae		Actinopterygii	Syngnathiformes
cornetfishes			
<i>Fistularia commersonii</i>	Rüppell 1838	Valid	native
<i>Fistularia petimba</i>	Lacepède(ex Commerson) 1803	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 47

Genus Species	Authorship	Status	Type
Centriscidae shrimpfishes		Actinopterygii	Syngnathiformes
<i>Aeoliscus punctulatus</i>	(Bianconi 1854)	Valid	native
<i>Centriscops humerosus</i>	(Richardson 1846)	Valid	native
<i>Macroramphosus gracilis</i>	(Lowe 1839)	Valid	---
<i>Macroramphosus scolopax</i>	(Linnaeus 1758)	Valid	native
<i>Notopogon lilliei</i>	Regan 1914	Valid	native
<i>Notopogon macrosolen</i>	Barnard 1925	Valid	native
<i>Notopogon xenosoma</i>	Regan 1914	Valid	native
Solenostomidae ghost pipefishes		Actinopterygii	Syngnathiformes
<i>Solenostomus cyanopterus</i>	Bleeker 1854	Valid	native
Syngnathidae seahorses & pipefishes		Actinopterygii	Syngnathiformes
<i>Acentronura tentaculata</i>	Günther 1870	Valid	---
<i>Choeroichthys smithi</i>	Dawson 1976	Valid	native
<i>Cosmocampus banneri</i>	(Herald & Randall 1972)	Valid	native
<i>Doryrhamphus bicarinatus</i>	Dawson 1981	Valid	native
<i>Doryrhamphus excisus</i>	Kaup 1856	Valid	native
<i>Dunckerocampus boylei</i>	Kuiter 1998	Valid	---
<i>Dunckerocampus dactyliophorus</i>	(Bleeker 1853)	Valid	native
<i>Dunckerocampus multiannulatus</i>	(Regan 1903)	Valid	---
<i>Festucalex erythraeus</i>	(Gilbert 1905)	Valid	---
<i>Halicampus dunckeri</i>	(Chabanaud 1929)	Valid	native
<i>Halicampus mataafae</i>	(Jordan & Seale 1906)	Valid	native
<i>Hippichthys cyanospilos</i>	(Bleeker 1854)	Valid	native
<i>Hippichthys heptagonus</i>	Bleeker 1849	Valid	native
<i>Hippichthys spicifer</i>	(Rüppell 1838)	Valid	native
<i>Hippocampus borboniensis</i>	Duméril 1870	Valid	native
<i>Hippocampus camelopardalis</i>	Bianconi 1854	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 48

Genus Species	Authorship	Status	Type
<i>Hippocampus capensis</i>	Boulenger 1900	Valid	endemic
<i>Hippocampus fuscus</i>	Rüppell 1838	Valid	native ?
<i>Hippocampus histrix</i>	Kaup 1856	Valid	native
<i>Hippocampus kuda</i>	Bleeker 1852	Valid	native ?
<i>Hippocampus trimaculatus</i>	Leachin Leach & Nodder 1814	Valid	native ?
<i>Hippocampus whitei</i>	Bleeker 1855	Valid	misidentification
<i>Micrognathus andersonii</i>	(Bleeker 1858)	Valid	native
<i>Microphis brachyurus</i>	(Bleeker 1854)	Valid	native
<i>Microphis fluviatilis</i>	(Peters 1852)	Valid	native
<i>Nannocampus elegans</i>	Smith 1953	Valid	native
<i>Nannocampus pictus</i>	(Duncker 1915)	Valid	native
<i>Phoxocampus belcheri</i>	(Kaup 1856)	Valid	native
<i>Syngnathoides biaculeatus</i>	(Bloch 1785)	Valid	native
<i>Syngnathus acus</i>	Linnaeus 1758	Valid	native
<i>Syngnathus watermeyeri</i>	Smith 1963	Valid	endemic
<i>Trachyrhamphus bicoarctatus</i>	(Bleeker 1857)	Valid	native

Sebastidae

rockfishes, rockcods and thornyheads

<i>Helicolenus dactylopterus</i>	(Delaroche 1809)	Valid	---
<i>Sebastes capensis</i>	(Gmelin 1789)	Valid	---
<i>Trachyscorpia eschmeyeri</i>	Whitley 1970	Valid	---

Actinopterygii

Scorpaeniformes

Setarchidae

<i>Setarches guentheri</i>	Johnson 1862	Valid	native
----------------------------	--------------	-------	--------

Actinopterygii

Scorpaeniformes

Scorpaenidae

thornyheads

<i>Caracanthus madagascariensis</i>	(Guichenot 1869)	Valid	native
<i>Caracanthus unipinna</i>	(Gray 1831)	Valid	native

Actinopterygii

Scorpaeniformes

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 49

Genus Species	Authorship	Status	Type
<i>Dendrochirus brachypterus</i>	(Cuvier 1829)	Valid	native
<i>Dendrochirus zebra</i>	(Cuvier 1829)	Valid	native
<i>Iracundus signifer</i>	Jordan & Evermann 1903	Valid	native
<i>Neoscorpaena nielseni</i>	(Smith 1964)	Valid	native
<i>Parapterois heterura</i>	(Bleeker 1856)	Valid	native
<i>Parascorpaena mcadamsi</i>	(Fowler 1938)	Valid	native
<i>Parascorpaena mossambica</i>	(Peters 1855)	Valid	native
<i>Phenacoscopius adenensis</i>	Norman 1939	Valid	native
<i>Pontinus kuhlii</i>	(Bowdich 1825)	Valid	---
<i>Pontinus leda</i>	Eschmeyer 1969	Valid	---
<i>Pontinus nigerimum</i>	Eschmeyer 1983	Valid	native
<i>Pterois antennata</i>	(Bloch 1787)	Valid	native
<i>Pterois miles</i>	(Bennett 1828)	Valid	native
<i>Pterois mombasae</i>	(Smith 1957)	Valid	native
<i>Pterois radiata</i>	Cuvierin Cuvier & Valenciennes 1829	Valid	native
<i>Pterois russelii</i>	Bennett(ex Russell) 1831	Valid	native
<i>Rhinopias eschmeyeri</i>	Condé 1977	Valid	---
<i>Rhinopias frondosa</i>	(Günther 1892)	Valid	native
<i>Scorpaena scrofa</i>	Linnaeus 1758	Valid	native
<i>Scorpaenodes evides</i>	(Jordan & Thompson 1914)	Valid	native
<i>Scorpaenodes guamensis</i>	(Quoy & Gaimard 1824)	Valid	native
<i>Scorpaenodes hirsutus</i>	(Smith 1957)	Valid	native
<i>Scorpaenodes kelloggi</i>	(Jenkins 1903)	Valid	native
<i>Scorpaenodes parvipinnis</i>	(Garrett 1864)	Valid	native
<i>Scorpaenodes varipinnis</i>	Smith 1957	Valid	native
<i>Scorpaenopsis diabolus</i>	(Cuvier 1829)	Valid	native
<i>Scorpaenopsis gibbosa</i>	(Bloch & Schneider 1801)	Valid	native
<i>Scorpaenopsis gilchristi</i>	(Smith 1957)	Valid	native
<i>Scorpaenopsis longispina</i>	Randall & Eschmeyer 2001	Valid	native
<i>Scorpaenopsis oxycephala</i>	(Bleeker 1849)	Valid	native
<i>Scorpaenopsis possi</i>	Randall & Eschmeyer 2001	Valid	---
<i>Scorpaenopsis venosa</i>	(Cuvier 1829)	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 50

Genus Species	Authorship	Status	Type
<i>Scorpaenopsis vittapinna</i>	Randall & Eschmeyer 2001	Valid	native
<i>Sebastapistes cyanostigma</i>	(Bleeker 1856)	Valid	native
<i>Sebastapistes mauritiana</i>	(Cuvier 1829)	Valid	native
<i>Sebastapistes strongia</i>	(Cuvier 1829)	Valid	native
<i>Sebastapistes tinkhami</i>	(Fowler 1946)	Valid	native
<i>Taenianotus triacanthus</i>	Lacepède 1802	Valid	native
Apistidae		Actinopterygii	Scorpaeniformes
waspfishes			
<i>Apistus carinatus</i>	(Bloch & Schneider 1801)	Valid	---
Tetraodontidae		Actinopterygii	Scorpaeniformes
waspfishes			
<i>Ablabys binotatus</i>	(Peters 1855)	Valid	native
<i>Ablabys taenianotus</i>	(Cuvier 1829)	Valid	---
<i>Coccotropsis gymnoderma</i>	(Gilchrist 1906)	Valid	native
<i>Richardsonichthys leucogaster</i>	(Richardson 1848)	Valid	---
Synanceiidae		Actinopterygii	Scorpaeniformes
stonefishes and allies			
<i>Choridactylus natalensis</i>	(Gilchrist 1902)	Valid	native
<i>Minous coccineus</i>	Alcock 1890	Valid	native
<i>Minous monodactylus</i>	(Bloch & Schneider 1801)	Valid	native
<i>Synanceia verrucosa</i>	Bloch & Schneider 1801	Valid	native
Aploactinidae		Actinopterygii	Scorpaeniformes
velvetfishes			
<i>Cocotropus monacanthus</i>	(Gilchrist 1906)	Valid	native
<i>Cocotropus roseomaculatus</i>	Imamura & Shinohara 2004	Valid	native
<i>Ptarmus jubatus</i>	(Smith 1935)	Valid	native
Congiopodidae		Actinopterygii	Scorpaeniformes

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 51

Genus Species	Authorship	Status	Type
horsefishes			
<i>Congiopodus spinifer</i>	(Smith 1839)	Valid	native
<i>Congiopodus torvus</i>	(Gronow 1772)	Valid	native
Dactylopteridae		Actinopterygii	Scorpaeniformes
helmet gurnards			
<i>Dactyloptena orientalis</i>	(Cuvier 1829)	Valid	native
<i>Dactyloptena peterseni</i>	(Nyström 1887)	Valid	native
Parabembridae		Actinopterygii	Scorpaeniformes

<i>Parabembras robinsoni</i>	Regan 1921	Valid	native
Triglidae		Actinopterygii	Scorpaeniformes
scarobins			
<i>Chelidonichthys capensis</i>	(Cuvier 1829)	Valid	native
<i>Chelidonichthys kumu</i>	(Cuvier 1829)	Valid	native
<i>Chelidonichthys queketti</i>	(Regan 1904)	Valid	native
<i>Lepidotrigla faurei</i>	Gilchrist & Thompson 1914	Valid	native
<i>Lepidotrigla multispinosa</i>	Smith 1934	Valid	native
<i>Trigloporus lastoviza</i>	(Bonnaterre 1788)	Valid	native
Peristediidae		Actinopterygii	Scorpaeniformes
armored gurnards			
<i>Peristedion weberi</i>	Smith 1934	Valid	native
<i>Satyrichthys adeni</i>	(Lloyd 1907)	Valid	native
<i>Scalicus investigatoris</i>	(Alcock 1898)	Valid	native
Hoplichthyidae		Actinopterygii	Scorpaeniformes
spiny flatheads			
<i>Hoplichthys acanthopileurus</i>	Regan 1908	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 52

Genus Species	Authorship	Status	Type
Platycephalidae flatheads		Actinopterygii	Scorpaeniformes
<i>Cociella crocodilus</i>	Cuvier 1829	Spelling	native
<i>Cociella heemstrai</i>	Knapp 1996	Valid	---
<i>Cociella punctata</i>	(Cuvier 1829)	Valid	native
<i>Onigocia oligolepis</i>	(Regan 1908)	Valid	native
<i>Papiloculiceps longiceps</i>	(Cuvier 1829)	Valid	native
<i>Platycephalus indicus</i>	(Linnaeus 1758)	Valid	native
<i>Sorsogona portuguesa</i>	(Smith 1953)	Valid	native
<i>Sunagocia otaitensis</i>	(Cuvier 1829)	Valid	native
<i>Thysanophrys celebica</i>	(Bleeker 1855)	Valid	native
<i>Thysanophrys chiltonae</i>	Schultzin Schultz et al. 1966	Valid	native
Psychrolutidae fatheads		Actinopterygii	Scorpaeniformes
<i>Cottunculus spinosus</i>	Gilchrist 1906	Valid	native
<i>Ebinania costaecanariae</i>	(Cervigón 1961)	Valid	native
<i>Psychrolutes macrocephalus</i>	(Gilchrist 1904)	Valid	native
Liparidae snailfishes		Actinopterygii	Scorpaeniformes
<i>Careproctus albescens</i>	Barnard 1927	Valid	native
<i>Paraliparis australis</i>	Gilchrist 1902	Valid	native
<i>Paraliparis copei</i>	Goode & Bean 1896	Valid	native
<i>Psednos micrurus</i>	Barnard 1927	Valid	native
Caproidae boarfishes		Actinopterygii	Zeiformes
<i>Antigonia indica</i>	Parin & Borodulina 1986	Valid	native
<i>Antigonia rubescens</i>	(Günther 1860)	Valid	---
Howellidae		Actinopterygii	Perciformes

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 53

Genus Species	Authorship	Status	Type
ocean basslets			
<i>Howella sherborni</i>	(Norman 1930)	Valid	---
Ambassidae		Actinopterygii	Perciformes
Asiatic glassfishes			
<i>Ambassis ambassis</i>	(Lacepède 1802)	Valid	native
<i>Ambassis gymnocephala</i>	(Lacepède(ex Commerson) 1802)	Valid	native
<i>Ambassis natalensis</i>	Gilchrist & Thompson 1908	Valid	native
Moronidae		Actinopterygii	Perciformes
temperate basses			
<i>Morone saxatilis</i>	(Walbaum 1792)	Valid	introduced
Acropomatidae		Actinopterygii	Perciformes
lanternbellies			
<i>Acropoma japonicum</i>	Günther 1859	Valid	native
<i>Neoscombrops cynodon</i>	(Regan 1921)	Valid	native
<i>Synagrops japonicus</i>	(Döderlein 1883)	Valid	native
Polyprionidae		Actinopterygii	Perciformes
wreckfishes			
<i>Polyprion americanus</i>	(Bloch & Schneider 1801)	Valid	native
<i>Polyprion oxygeneios</i>	(Schneider & Forster 1801)	Valid	native
Serranidae		Actinopterygii	Cyprinodontiformes
groupers			
<i>Meganthias natalensis</i>	(Fowler 1925)	Valid	native
<i>Acanthistius joanae</i>	Heemstra 2010	Valid	native
<i>Acanthistius sebastoides</i>	(Castelnau 1861)	Valid	native
<i>Aethaloperca rogaa</i>	(Forsskål 1775)	Valid	native
<i>Aporops bilinearis</i>	Schultz 1943	Valid	native
<i>Aulacocephalus temminckii</i>	Bleeker 1855	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 54

Genus Species	Authorship	Status	Type
<i>Belonoperca chabanaudi</i>	Fowler & Bean 1930	Valid	native
<i>Cephalopholis argus</i>	Schneider 1801	Valid	native
<i>Cephalopholis aurantia</i>	(Valenciennes 1828)	Valid	native
<i>Cephalopholis boenak</i>	(Bloch 1790)	Valid	---
<i>Cephalopholis miniata</i>	(Forsskål 1775)	Valid	native
<i>Cephalopholis nigripinnis</i>	(Valenciennes 1828)	Valid	---
<i>Cephalopholis sexmaculata</i>	(Rüppell 1830)	Valid	native
<i>Cephalopholis sonneratii</i>	(Valenciennes 1828)	Valid	native
<i>Cephalopholis urodetta</i>	(Forsterin Bloch & Schneider 1801)	Valid	native
<i>Dermatolepis striolata</i>	(Playfair 1867)	Valid	native
<i>Epinephelus albomarginatus</i>	Boulenger 1903	Valid	native
<i>Epinephelus andersoni</i>	Boulenger 1903	Valid	native
<i>Epinephelus areolatus</i>	(Forsskål 1775)	Valid	native
<i>Epinephelus chabaudi</i>	(Castelnau 1861)	Valid	native
<i>Epinephelus chlorostigma</i>	(Valenciennes 1828)	Valid	native
<i>Epinephelus coeruleopunctatus</i>	(Bloch 1790)	Valid	native
<i>Epinephelus coioides</i>	(Hamilton 1822)	Valid	native
<i>Epinephelus diacanthus</i>	(Valenciennes 1828)	Valid	---
<i>Epinephelus epistictus</i>	(Temminck & Schlegel 1843)	Valid	native
<i>Epinephelus fasciatus</i>	(Forsskål 1775)	Valid	native
<i>Epinephelus flavocaeruleus</i>	(Lacepède 1802)	Valid	native
<i>Epinephelus fuscoguttatus</i>	(Forsskål 1775)	Valid	native ?
<i>Epinephelus lanceolatus</i>	(Bloch 1790)	Valid	native
<i>Epinephelus longispinis</i>	(Kner 1864)	Valid	native
<i>Epinephelus macrospilus</i>	(Bleeker 1855)	Valid	native
<i>Epinephelus magniscutis</i>	Postel, Fourmanoir & Guézé 1963	Valid	native
<i>Epinephelus malabaricus</i>	(Bloch & Schneider 1801)	Valid	native
<i>Epinephelus marginatus</i>	(Lowe 1834)	Valid	native
<i>Epinephelus melanostigma</i>	Schultzin Schultz et al. 1953	Valid	native
<i>Epinephelus merra</i>	Bloch 1793	Valid	native
<i>Epinephelus morrhua</i>	(Valenciennes 1833)	Valid	native
<i>Epinephelus multinotatus</i>	(Peters 1876)	Valid	---

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 55

Genus Species	Authorship	Status	Type
<i>Epinephelus poecilonotus</i>	(Temminck & Schlegel 1843)	Valid	native
<i>Epinephelus posteli</i>	Fourmanoir & Crosnier 1964	Valid	native
<i>Epinephelus radiatus</i>	(Day 1868)	Valid	native ?
<i>Epinephelus retouti</i>	Bleeker 1868	Valid	---
<i>Epinephelus rivulatus</i>	(Valenciennes 1830)	Valid	native
<i>Epinephelus spilotoceps</i>	Schultzin Schultz et al. 1953	Valid	native ?
<i>Epinephelus tauvina</i>	(Forsskål 1775)	Valid	native
<i>Epinephelus tukula</i>	Morgans 1959	Valid	native
<i>Grammistes sexlineatus</i>	(Thunberg 1792)	Valid	native
<i>Hyporthodus octofasciatus</i>	Griffin 1926	Valid	native
<i>Liopropoma africanum</i>	(Smith 1954)	Valid	---
<i>Liopropoma latifasciatum</i>	(Tanaka 1922)	Valid	---
<i>Liopropoma susumi</i>	(Jordan & Seale 1906)	Valid	---
<i>Nemanthias carberryi</i>	Smith 1954	Valid	native
<i>Odontanthias borbonius</i>	(Valenciennes 1828)	Valid	native
<i>Odontanthias caudicinctus</i>	Heemstra & Randall 1986	Valid	native
<i>Plectranthias elaine</i>	Heemstra & Randall 2009	Valid	native
<i>Plectranthias longimanus</i>	(Weber 1913)	Valid	native
<i>Plectranthias morgansi</i>	(Smith 1961)	Valid	native
<i>Plectranthias peliceri</i>	Randall & Shimizu 1994	Valid	native
<i>Plectranthias winniensis</i>	(Tyler 1966)	Valid	native
<i>Plectropomus laevis</i>	(Lacepède 1801)	Valid	---
<i>Plectropomus punctatus</i>	(Quoy & Gaimard 1824)	Valid	native
<i>Pogonoperca punctata</i>	(Valenciennes 1830)	Valid	native
<i>Pseudanthias bimaculatus</i>	(Smith 1955)	Valid	---
<i>Pseudanthias connelli</i>	(Heemstra & Randall 1986)	Valid	native
<i>Pseudanthias cooperi</i>	(Regan 1902)	Valid	native
<i>Pseudanthias evansi</i>	(Smith 1954)	Valid	---
<i>Pseudanthias gibbosus</i>	(Klunzinger 1884)	Valid	---
<i>Pseudanthias lunulatus</i>	(Kotthaus 1973)	Valid	---
<i>Pseudanthias pulcherrimus</i>	(Heemstra & Randall 1986)	Valid	---
<i>Pseudanthias squamipinnis</i>	Peters 1855	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 56

Genus Species	Authorship	Status	Type
<i>Pseudogramma polyacantha</i>	(Bleeker 1856)	Valid	native
<i>Serranus cabrilla</i>	(Linnaeus 1758)	Valid	native
<i>Variola albimarginata</i>	Baissac 1953	Valid	---
<i>Variola louti</i>	(Forsskål 1775)	Valid	native
Callanthiidae		Actinopterygii	Perciformes
splendid perches			
<i>Callanthias legras</i>	Smith 1948	Valid	native
Pseudochromidae		Actinopterygii	Perciformes
dottybacks			
<i>Chlidichthys pembae</i>	Smith 1954	Valid	native
<i>Halidesmus scapularis</i>	Günther 1872	Valid	native
<i>Halimuraena shakai</i>	Winterbottom 1978	Valid	native
<i>Natalichthys leptus</i>	Winterbottom 1980	Valid	native
<i>Natalichthys ori</i>	Winterbottom 1980	Valid	native
<i>Natalichthys sam</i>	Winterbottom 1980	Valid	native
<i>Pseudochromis dutoiti</i>	Smith 1955	Valid	native
<i>Pseudochromis fuscus</i>	Müller & Troschel 1849	Valid	---
<i>Pseudochromis kristinae</i>	Gill 2004	Valid	native
<i>Pseudochromis melas</i>	Lubbock 1977	Valid	native
<i>Pseudochromis natalensis</i>	Regan 1916	Valid	native
<i>Pseudochromis tauberae</i>	Lubbock 1977	Valid	native
Plesiopidae		Actinopterygii	Perciformes
roundheads, longfins, spiny basslets, prettyfins			
<i>Acanthoplesiops indicus</i>	(Day 1888)	Valid	native
<i>Plesiops multisquamata</i>	Inger 1955	Valid	endemic
Opistognathidae		Actinopterygii	Perciformes
jawfishes			

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 57

Genus Species	Authorship	Status	Type
<i>Opistognathus afer</i>	Smith-Vaniz 2010	Valid	native
<i>Opistognathus longinaris</i>	Smith-Vaniz 2010	Valid	native
<i>Opistognathus margaretae</i>	Smith-Vaniz 1983	Valid	native
<i>Opistognathus muscatensis</i>	Boulenger 1888	Valid	native
<i>Opistognathus nigromarginatus</i>	Rüppell 1830	Valid	native
Dinopercidae		Actinopterygii	Perciformes
cavebasses			
<i>Dinopercra petersi</i>	(Day 1875)	Valid	native
Terapontidae		Actinopterygii	Perciformes
grunters or tigerfishes			
<i>Pelates quadrilineatus</i>	(Bloch 1790)	Valid	native
<i>Terapon jarbua</i>	(Forsskål 1775)	Valid	native
<i>Terapon theraps</i>	Cuvier 1829	Synonym	native
Kuhliidae		Actinopterygii	Perciformes
flagtails or aholeholes			
<i>Kuhlia mugil</i>	(Forster 1801)	Valid	native
<i>Kuhlia rupestris</i>	(Lacepède 1802)	Valid	native
Centrarchidae		Actinopterygii	Perciformes
sunfishes and freshwater basses			
<i>Micropterus salmoides</i>	(Lacepède 1802)	Valid	introduced
Priacanthidae		Actinopterygii	Perciformes
bigeyes			
<i>Cookeolus japonicus</i>	(Cuvier 1829)	Valid	native
<i>Heteropriacanthus cruentatus</i>	(Lacepède 1801)	Valid	native
<i>Priacanthus arenatus</i>	Cuvierin Cuvier & Valenciennes 1829	Valid	---
<i>Priacanthus hamrur</i>	(Forsskål 1775)	Valid	native
<i>Pristigenys niphonia</i>	(Cuvier 1829)	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 58

Genus Species	Authorship	Status	Type
Apogonidae		Actinopterygii	Perciformes
cardinalfishes			
<i>Apogon coccineus</i>	Rüppell 1838	Valid	native
<i>Apogon semiornatus</i>	Peters 1876	Valid	native
<i>Apogonichthyooides taeniatus</i>	(Cuvier(ex Ehrenberg) in Cuvier & Valenciennes 1828)	Valid	---
<i>Apogonichthyooides timorensis</i>	Bleeker 1854	Valid	native
<i>Apogonichthys ocellatus</i>	(Weber 1913)	Valid	native
<i>Apogonichthys perdix</i>	Bleeker 1854	Valid	native
<i>Archamia bleekeri</i>	(Günther 1859)	Valid	native
<i>Cercamia eremia</i>	(Allen 1987)	Valid	---
<i>Cheilodipterus macrodon</i>	(Lacepède 1802)	Valid	native
<i>Fibramia thermalis</i>	(Cuvier 1829)	Valid	native
<i>Foa brachygramma</i>	(Jenkins 1903)	Valid	native
<i>Fowleria aurita</i>	(Valenciennes 1831)	Valid	native
<i>Jaydia queketti</i>	(Gilchrist 1903)	Valid	native
<i>Lepidamia natalensis</i>	(Gilchrist & Thompson 1908)	Valid	native
<i>Nectamia savayensis</i>	(Günther 1872)	Valid	native
<i>Ostorrhinchus angustatus</i>	(Smith & Radcliffe 1911)	Valid	native
<i>Ostorrhinchus apogonoides</i>	(Bleeker 1856)	Valid	native
<i>Ostorrhinchus aureus</i>	(Lacepède(ex Commerson) 1802)	Valid	native
<i>Ostorrhinchus fasciatus</i>	(Shaw 1790)	Valid	native
<i>Ostorrhinchus flagelliferus</i>	Smith 1961	Valid	native
<i>Ostorrhinchus fleurieu</i>	Lacepède 1802	Valid	native
<i>Ostorrhinchus holotaenia</i>	(Regan 1905)	Valid	---
<i>Ostorrhinchus kiensis</i>	(Jordan & Snyder 1901)	Valid	misidentification
<i>Ostorrhinchus moluccensis</i>	(Valenciennes 1832)	Valid	native ?
<i>Ostorrhinchus taeniophorus</i>	(Regan 1908)	Valid	---
<i>Pristiapogon fraenatus</i>	(Valenciennes 1832)	Valid	native
<i>Pristiapogon kallopterus</i>	Bleeker 1856	Valid	native
<i>Pseudamia gelatinosa</i>	Smith 1956	Valid	native
<i>Pseudamiops pellucidus</i>	Smith 1954	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 59

Genus Species	Authorship	Status	Type
<i>Rhabdamia gracilis</i>	(Bleeker 1856)	Valid	native
<i>Siphamia mossambica</i>	Smith 1955	Valid	native
<i>Taeniamia flavofasciata</i>	(Gon & Randall 2003)	Valid	native
<i>Taeniamia mozambiquensis</i>	(Smith 1961)	Valid	native
Epigonidae		Actinopterygii	Perciformes
deepwater cardinalfishes			
<i>Epigonus denticulatus</i>	Dieuzeide 1950	Valid	native
<i>Epigonus macrops</i>	(Brauer 1906)	Valid	native
<i>Epigonus pandionis</i>	(Goode & Bean 1881)	Valid	native
<i>Epigonus robustus</i>	(Barnard 1927)	Valid	native
<i>Epigonus telescopus</i>	(Risso 1810)	Valid	native
<i>Florenciella lugubris</i>	Mead & De Falla 1965	Valid	---
<i>Rosenblattia robusta</i>	Mead & De Falla 1965	Valid	---
Sillaginidae		Actinopterygii	Perciformes
sillagos			
<i>Sillago aeolus</i>	Jordan & Evermann 1902	Valid	---
<i>Sillago sihama</i>	(Forsskål 1775)	Valid	native
Malacanthidae		Actinopterygii	Perciformes
tilefishes			
<i>Branchiostegus doliatus</i>	(Cuvier 1830)	Valid	native
<i>Branchiostegus sawakinensis</i>	Amirthalingam 1969	Valid	native
<i>Hoplolatilus fronticinctus</i>	(Günther 1887)	Valid	native
<i>Malacanthus brevirostris</i>	Guichenot 1848	Valid	native
<i>Malacanthus latovittatus</i>	(Lacepède 1801)	Valid	native
Scombropidae		Actinopterygii	Perciformes
gnomefishes			
<i>Scombrops boops</i>	(Houttuyn 1782)	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 60

Genus Species	Authorship	Status	Type
Pomatomidae		Actinopterygii	Perciformes
bluefishes			
<i>Pomatomus saltatrix</i>	(Linnaeus 1766)	Valid	native
Rachycentridae		Actinopterygii	Perciformes
cobias			
<i>Rachycentron canadum</i>	(Linnaeus 1766)	Valid	native
Echeneidae		Actinopterygii	Perciformes
remoras and sharksuckers			
<i>Echeneis naucrates</i>	Linnaeus 1758	Valid	native
<i>Remora albescens</i>	(Temminck & Schlegel 1850)	Valid	native
<i>Remora australis</i>	(Bennett 1840)	Valid	native
<i>Remora brachyptera</i>	(Lowe 1839)	Valid	native
<i>Remora remora</i>	(Linnaeus 1758)	Valid	native
Carangidae		Actinopterygii	Perciformes
jacks, amberjacks, pompanos			
<i>Alectis ciliaris</i>	(Bloch 1787)	Valid	native
<i>Alectis indica</i>	(Rüppell 1830)	Valid	native
<i>Alepes djedaba</i>	(Forsskål 1775)	Valid	native
<i>Atule mate</i>	(Cuvier 1833)	Valid	native
<i>Carangoides armatus</i>	(Rüppell 1830)	Valid	native
<i>Carangoides chrysophrys</i>	(Cuvier 1833)	Valid	native
<i>Carangoides coeruleopinnatus</i>	(Rüppell 1830)	Valid	native
<i>Carangoides dinema</i>	Bleeker 1851	Valid	native
<i>Carangoides equula</i>	(Temminck & Schlegel 1844)	Valid	native
<i>Carangoides ferdau</i>	(Forsskål 1775)	Valid	native
<i>Carangoides fulvoguttatus</i>	(Forsskål 1775)	Valid	native
<i>Carangoides gymnostethus</i>	(Cuvier 1833)	Valid	native
<i>Carangoides hedlandensis</i>	(Whitley 1934)	Valid	native
<i>Carangoides malabaricus</i>	(Bloch & Schneider 1801)	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 61

Genus Species	Authorship	Status	Type
<i>Carangooides oblongus</i>	(Cuvier 1833)	Valid	native
<i>Carangooides plagiotaenia</i>	Bleeker 1857	Valid	native
<i>Caranx heberi</i>	(Bennett 1830)	Valid	native
<i>Caranx ignobilis</i>	(Forsskål 1775)	Valid	native
<i>Caranx lugubris</i>	Poey 1860	Valid	native
<i>Caranx melampygus</i>	Cuvierin Cuvier & Valenciennes 1833	Valid	native
<i>Caranx papuensis</i>	Alleyne & Macleay 1877	Valid	native
<i>Caranx sexfasciatus</i>	Quoy & Gaimard 1825	Valid	native
<i>Caranx tille</i>	Cuvierin Cuvier & Valenciennes 1833	Valid	native
<i>Decapterus macarellus</i>	(Cuvier 1833)	Valid	native
<i>Decapterus macrosoma</i>	Bleeker 1851	Valid	native
<i>Decapterus russelli</i>	(Rüppell 1830)	Valid	native
<i>Decapterus tabl</i>	Berry 1968	Valid	native
<i>Elagatis bipinnulata</i>	(Quoy & Gaimard 1825)	Valid	native
<i>Gnathanodon speciosus</i>	(Forsskål 1775)	Valid	native
<i>Lichia amia</i>	(Linnaeus 1758)	Valid	native
<i>Megalaspis cordyla</i>	(Linnaeus 1758)	Valid	native
<i>Naucrates ductor</i>	(Linnaeus 1758)	Valid	native
<i>Parastromateus niger</i>	(Bloch 1795)	Valid	native
<i>Pseudocaranx dentex</i>	(Bloch & Schneider 1801)	Valid	native
<i>Scomberoides commersonianus</i>	Lacepède(ex Commerson) 1801	Valid	native
<i>Scomberoides lysan</i>	(Forsskål 1775)	Valid	native
<i>Scomberoides tol</i>	(Cuvier 1832)	Valid	native
<i>Selar crumenophthalmus</i>	(Bloch 1793)	Valid	native
<i>Selene dorsalis</i>	(Gill 1863)	Valid	native
<i>Seriola dumerili</i>	(Risso 1810)	Valid	native
<i>Seriola lalandi</i>	Valenciennesin Cuvier & Valenciennes 1833	Valid	native
<i>Seriola rivoliana</i>	Valenciennesin Cuvier & Valenciennes 1833	Valid	native
<i>Seriolina nigrofasciata</i>	(Rüppell 1829)	Valid	native
<i>Trachinotus africanus</i>	Smith 1967	Valid	native
<i>Trachinotus baillonii</i>	(Lacepède 1801)	Valid	native
<i>Trachinotus blochii</i>	(Lacepède 1801)	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 62

Genus Species	Authorship	Status	Type
<i>Trachinotus botla</i>	(Shaw 1803)	Valid	native
<i>Trachurus capensis</i>	Castelnau 1861	Valid	native
<i>Trachurus delagoa</i>	Nekrasov 1970	Valid	native
<i>Trachurus longimanus</i>	(Norman 1935)	Valid	---
<i>Trachurus trachurus</i>	(Linnaeus 1758)	Valid	native ?
<i>Uraspis secunda</i>	(Poey 1860)	Valid	native
Coryphaenidae		Actinopterygii	Perciformes
dolphins or dolphinfishes			
<i>Coryphaena hippurus</i>	Linnaeus 1758	Valid	native
Menidae		Actinopterygii	Perciformes
moonfishes			
<i>Mene maculata</i>	(Bloch & Schneider 1801)	Valid	native
Leiognathidae		Actinopterygii	Perciformes
ponyfishes or slipmouths			
<i>Equulites lineolatus</i>	(Valenciennes 1835)	Valid	native
<i>Gazza minuta</i>	(Bloch 1795)	Valid	native
<i>Leiognathus equula</i>	(Forsskål 1775)	Valid	native
<i>Secutor insidiator</i>	(Bloch 1787)	Valid	native
<i>Secutor ruconius</i>	(Hamilton 1822)	Valid	native
Bramidae		Actinopterygii	Perciformes
pomfrets			
<i>Brama brama</i>	(Bonnaterre 1788)	Valid	native
<i>Brama orcini</i>	Cuvierin Cuvier & Valenciennes 1831	Valid	native
<i>Pteraclis velifera</i>	(Pallas 1770)	Valid	native
<i>Pterycombus petersii</i>	(Hilgendorf 1878)	Valid	native
<i>Taractes asper</i>	Lowe 1843	Valid	native
<i>Taractichthys longipinnis</i>	(Lowe 1843)	Valid	---
<i>Taractichthys steindachneri</i>	(Döderlein 1883)	Valid	---

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 63

Genus Species	Authorship	Status	Type
Caristiidae veilfins or manefishes		Actinopterygii	Perciformes
<i>Caristius fasciatus</i>	(Borodin 1930)	Valid	native
<i>Neocaristius heemstrai</i>	Trunov, Kukuev & Parin 2006	Valid	native
Emmelichthyidae rovers		Actinopterygii	Perciformes
<i>Emmelichthys nitidus</i>	Richardson 1845	Valid	native
<i>Erythrocles schlegelii</i>	(Richardson 1846)	Valid	native
<i>Plagiogeneion rubiginosum</i>	(Hutton 1875)	Valid	native
Lutjanidae snappers		Actinopterygii	Perciformes
<i>Aphareus furca</i>	(Lacepède 1801)	Valid	native
<i>Aphareus rutilans</i>	Cuvierin Cuvier & Valenciennes 1830	Valid	native
<i>Aprion virescens</i>	Valenciennesin Cuvier & Valenciennes 1830	Valid	native
<i>Etelis coruscans</i>	Valenciennes 1862	Valid	---
<i>Lutjanus argentimaculatus</i>	(Forsskål 1775)	Valid	native
<i>Lutjanus bengalensis</i>	(Bloch 1790)	Valid	---
<i>Lutjanus bohar</i>	(Forsskål 1775)	Valid	native
<i>Lutjanus ehrenbergii</i>	(Peters 1869)	Valid	native
<i>Lutjanus fulviflamma</i>	(Forsskål 1775)	Valid	native
<i>Lutjanus fulvus</i>	(Forster 1801)	Valid	native
<i>Lutjanus gibbus</i>	(Forsskål 1775)	Valid	native
<i>Lutjanus kasmira</i>	(Forsskål 1775)	Valid	native
<i>Lutjanus lemniscatus</i>	(Valenciennes 1828)	Valid	native ?
<i>Lutjanus lutjanus</i>	Bloch 1790	Valid	native
<i>Lutjanus monostigma</i>	(Cuvier 1828)	Valid	---
<i>Lutjanus notatus</i>	(Cuvier 1828)	Valid	native
<i>Lutjanus quinquefasciatus</i>	(Bloch 1790)	Valid	---
<i>Lutjanus rivulatus</i>	(Cuvier 1828)	Valid	native
<i>Lutjanus russellii</i>	(Bleeker 1849)	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 64

Genus Species	Authorship	Status	Type
<i>Lutjanus sanguineus</i>	(Cuvier 1828)	Valid	native
<i>Lutjanus sebae</i>	(Cuvier 1816)	Valid	native
<i>Macolor niger</i>	(Forsskål 1775)	Valid	native
<i>Paracaesio sordida</i>	Abe & Shinohara 1962	Valid	native
<i>Paracaesio xanthura</i>	(Bleeker 1869)	Valid	native
<i>Pristipomoides filamentosus</i>	(Valenciennes 1830)	Valid	native
<i>Pristipomoides multidens</i>	(Day 1871)	Valid	---
<i>Pristipomoides sieboldii</i>	(Bleeker 1855)	Valid	native

Caesionidae

fusiliers

<i>Caesio caeruleaurea</i>	Lacepède 1801	Valid	native
<i>Caesio lunaris</i>	Cuvier(ex Ehrenberg) in Cuvier & Valenciennes 1830	Valid	native
<i>Caesio teres</i>	Seale 1906	Valid	native
<i>Caesio varilineata</i>	Carpenter 1987	Valid	native
<i>Caesio xanthonota</i>	Bleeker 1853	Valid	native
<i>Pterocaesio capricornis</i>	Smith & Smith 1963	Valid	---
<i>Pterocaesio pisang</i>	(Bleeker 1853)	Valid	---
<i>Pterocaesio tile</i>	(Cuvier 1830)	Valid	native
<i>Pterocaesio trilineata</i>	Carpenter 1987	Valid	---

Lobotidae

tripletails

<i>Lobotes surinamensis</i>	(Bloch 1790)	Valid	native
-----------------------------	--------------	-------	--------

Gerreidae

mojarras

<i>Gerres filamentosus</i>	Cuvier 1829	Valid	native
<i>Gerres longirostris</i>	(Lacepède 1801)	Valid	native
<i>Gerres macracanthus</i>	Bleeker 1854	Valid	native
<i>Gerres methueni</i>	Regan 1920	Valid	native
<i>Gerres oblongus</i>	Cuvierin Cuvier & Valenciennes 1830	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 65

Genus Species	Authorship	Status	Type
<i>Gerres oyena</i>	(Forsskål 1775)	Valid	native
Haemulidae		Actinopterygii	Perciformes
grunts			
<i>Diagramma centurio</i>	Cuvierin Cuvier & Valenciennes 1830	Valid	---
<i>Diagramma pictum</i>	(Thunberg 1792)	Valid	native
<i>Plectorhinchus chubbi</i>	(Regan 1919)	Valid	native
<i>Plectorhinchus flavomaculatus</i>	(Cuvier 1830)	Valid	native
<i>Plectorhinchus gaterinus</i>	(Forsskål 1775)	Valid	native
<i>Plectorhinchus gibbosus</i>	(Lacepède 1802)	Valid	native
<i>Plectorhinchus plagiodesmus</i>	Fowler 1935	Valid	native
<i>Plectorhinchus playfairi</i>	(Pellegrin 1914)	Valid	native
<i>Plectorhinchus schotaf</i>	(Forsskål 1775)	Valid	native
<i>Plectorhinchus sordidus</i>	(Klunzinger 1870)	Valid	native
<i>Pomadasys commersonnii</i>	(Lacepède 1801)	Valid	native
<i>Pomadasys furcatus</i>	(Bloch & Schneider 1801)	Valid	native
<i>Pomadasys kaakan</i>	(Cuvier 1830)	Valid	native
<i>Pomadasys maculatus</i>	(Bloch 1793)	Valid	native
<i>Pomadasys multimaculatus</i>	(Playfair 1867)	Valid	native
<i>Pomadasys olivaceus</i>	(Day 1875)	Valid	native
<i>Pomadasys striatus</i>	(Gilchrist & Thompson 1908)	Valid	native
<i>Pomadasys stridens</i>	(Forsskål 1775)	Valid	native
Sparidae		Actinopterygii	Perciformes
porgys and seabreams			
<i>Acanthopagrus berda</i>	(Forsskål 1775)	Valid	native
<i>Acanthopagrus bifasciatus</i>	(Forsskål 1775)	Valid	native
<i>Acanthopagrus catenula</i>	Lacepède 1801	Valid	---
<i>Acanthopagrus vagus</i>	(Peters 1852)	Valid	native
<i>Argyrops filamentosus</i>	(Valenciennes 1830)	Valid	native
<i>Argyrops spinifer</i>	(Forsskål 1775)	Valid	native
<i>Argyrozoa argyrozoa</i>	(Valenciennes 1830)	Valid	endemic

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 66

Genus Species	Authorship	Status	Type
<i>Boopsoidea inornata</i>	Castelnau 1861	Valid	endemic
<i>Cheimerius nufar</i>	(Valenciennes 1830)	Valid	native
<i>Chrysoblephus anglicus</i>	(Gilchrist & Thompson 1908)	Valid	native
<i>Chrysoblephus cristiceps</i>	(Valenciennes 1830)	Valid	endemic
<i>Chrysoblephus gibbiceps</i>	(Valenciennes 1830)	Valid	endemic
<i>Chrysoblephus laticeps</i>	(Valenciennes 1830)	Valid	native
<i>Chrysoblephus lophus</i>	(Fowler 1925)	Valid	native
<i>Chrysoblephus puniceus</i>	(Gilchrist & Thompson 1908)	Valid	native
<i>Crenidens crenidens</i>	(Forsskål 1775)	Valid	native
<i>Cymatoceps nasutus</i>	(Castelnau 1861)	Valid	native
<i>Diplodus capensis</i>	(Smith 1844)	Valid	native
<i>Diplodus cervinus</i>	(Lowe 1838)	Valid	native
<i>Diplodus sargus</i>	(Linnaeus 1758)	Valid	native
<i>Diplodus vulgaris</i>	(Geoffroy St. Hilaire 1817)	Valid	native
<i>Gymnocratus curvidens</i>	Günther 1859	Valid	endemic
<i>Lithognathus aureti</i>	Smith 1962	Valid	native
<i>Lithognathus lithognathus</i>	(Cuvier 1829)	Valid	native
<i>Lithognathus mormyrus</i>	(Linnaeus 1758)	Valid	native
<i>Pachymetopon aeneum</i>	(Gilchrist & Thompson 1908)	Valid	native
<i>Pachymetopon blochii</i>	(Valenciennes 1830)	Valid	native
<i>Pachymetopon grande</i>	Günther 1859	Valid	native
<i>Pagellus bellottii</i>	Steindachner 1882	Valid	---
<i>Pagellus natalensis</i>	Steindachner 1903	Valid	native
<i>Petrus rupestris</i>	(Valenciennes 1830)	Valid	native
<i>Polyamblyodon germanum</i>	(Barnard 1934)	Valid	native
<i>Polyamblyodon gibbosum</i>	(Pellegrin 1914)	Valid	native
<i>Polysteganus coeruleopunctatus</i>	(Klunzinger 1870)	Valid	native
<i>Polysteganus praeorbitalis</i>	(Günther 1859)	Valid	native
<i>Polysteganus undulosus</i>	(Regan 1908)	Valid	native
<i>Porcostoma dentata</i>	(Gilchrist & Thompson 1908)	Valid	native
<i>Pterogymnus laniarius</i>	(Valenciennes 1830)	Valid	native
<i>Rhabdosargus globiceps</i>	(Valenciennes 1830)	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 67

Genus Species	Authorship	Status	Type
<i>Rhabdosargus holubi</i>	(Steindachner 1881)	Valid	native
<i>Rhabdosargus sarba</i>	(Forsskål 1775)	Valid	native
<i>Rhabdosargus thorpei</i>	Smith 1979	Valid	native
<i>Sarpa salpa</i>	(Linnaeus 1758)	Valid	native
<i>Sparodon durbanensis</i>	(Castelnau 1861)	Valid	native
<i>Spondylisoma cantharus</i>	(Linnaeus 1758)	Valid	---
<i>Spondylisoma emarginatum</i>	(Valenciennes 1830)	Valid	native
Centracanthidae		Actinopterygii	Perciformes
picarel porgies			
<i>Spicara australis</i>	(Regan 1921)	Valid	endemic
<i>Spicara axillaris</i>	(Boulenger 1900)	Valid	endemic
Lethrinidae		Actinopterygii	Perciformes
emperors			
<i>Gymnocranius grandoculis</i>	(Valenciennes 1830)	Valid	native
<i>Gymnocranius griseus</i>	(Temminck & Schlegel 1843)	Valid	native ?
<i>Lethrinus borbonicus</i>	Valenciennessin Cuvier & Valenciennes 1830	Valid	native
<i>Lethrinus crocineus</i>	Smith 1959	Valid	native
<i>Lethrinus harak</i>	(Forsskål 1775)	Valid	native ?
<i>Lethrinus lentjan</i>	(Lacepède 1802)	Valid	native
<i>Lethrinus mahsena</i>	(Forsskål 1775)	Valid	native ?
<i>Lethrinus microdon</i>	Valenciennessin Cuvier & Valenciennes 1830	Valid	native ?
<i>Lethrinus nebulosus</i>	(Forsskål 1775)	Valid	native
<i>Lethrinus obsoletus</i>	(Forsskål 1775)	Valid	native ?
<i>Lethrinus olivaceus</i>	Valenciennessin Cuvier & Valenciennes 1830	Valid	---
<i>Lethrinus rubrioperculatus</i>	Sato 1978	Valid	native ?
<i>Lethrinus variegatus</i>	Valenciennes(ex Ehrenberg) in Cuvier & Valenciennes 1830	Valid	native ?
<i>Monotaxis grandoculis</i>	(Forsskål 1775)	Valid	native
Nemipteridae		Actinopterygii	Perciformes
threadfin breams and spinycheeks			

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 68

Genus Species	Authorship	Status	Type
<i>Parascolopsis eriomma</i>	(Jordan & Richardson 1909)	Valid	---
<i>Scolopsis vosmeri</i>	(Bloch 1792)	Valid	native
Sciaenidae		Actinopterygii	Perciformes
croakers and drums			
<i>Argyrosomus beccus</i>	Sasaki 1994	Valid	endemic
<i>Argyrosomus coronus</i>	Griffiths & Heemstra 1995	Valid	native
<i>Argyrosomus inodorus</i>	Griffiths & Heemstra 1995	Valid	native
<i>Argyrosomus japonicus</i>	(Temminck & Schlegel 1843)	Valid	native
<i>Argyrosomus thorpaei</i>	Smith 1977	Valid	native
<i>Atractoscion aequidens</i>	(Cuvier 1830)	Valid	native
<i>Atrobucca marleyi</i>	(Norman 1922)	Valid	native
<i>Atrobucca nibe</i>	(Jordan & Thompson 1911)	Valid	native
<i>Johnius dorsalis</i>	(Peters 1855)	Valid	native
<i>Johnius dussumieri</i>	(Cuvier 1830)	Valid	native ?
<i>Johnius fuscolineatus</i>	(von Bonde 1923)	Valid	native
<i>Otolithes ruber</i>	(Bloch & Schneider 1801)	Valid	native
<i>Umbrina canariensis</i>	Valenciennes 1843	Valid	native
<i>Umbrina ronchus</i>	Valenciennes 1843	Valid	native
Polynemidae		Actinopterygii	Perciformes
threadfins			
<i>Leptomelanosoma indicum</i>	(Shaw 1804)	Valid	native ?
<i>Polydactylus malagasyensis</i>	Motomura & Iwatsuki 2001	Valid	native
<i>Polydactylus plebeius</i>	(Broussonet 1782)	Valid	native
<i>Polydactylus sextarius</i>	(Bloch & Schneider 1801)	Valid	native ?
Mullidae		Actinopterygii	Perciformes
goatfishes			
<i>Mulloidichthys ayliffe</i>	Uiblein 2011	Valid	native
<i>Mulloidichthys flavolineatus</i>	(Lacepède 1801)	Valid	native
<i>Mulloidichthys vanicolensis</i>	(Valenciennes 1831)	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 69

Genus Species	Authorship	Status	Type
<i>Parupeneus barberinus</i>	(Lacepède 1801)	Valid	native
<i>Parupeneus chrysopleuron</i>	(Temminck & Schlegel 1843)	Valid	misidentification
<i>Parupeneus cyclostomus</i>	(Lacepède 1801)	Valid	native
<i>Parupeneus fraserorum</i>	Randall & King 2009	Valid	native
<i>Parupeneus heptacanthus</i>	(Lacepède 1802)	Valid	native
<i>Parupeneus indicus</i>	(Shaw 1803)	Valid	native
<i>Parupeneus macronemus</i>	(Lacepède 1801)	Valid	native
<i>Parupeneus pleurostigma</i>	(Bennett 1831)	Valid	native
<i>Parupeneus rubescens</i>	(Lacepède 1801)	Valid	native
<i>Parupeneus trifasciatus</i>	(Lacepède 1801)	Valid	native
<i>Upeneus guttatus</i>	(Day 1868)	Valid	native
<i>Upeneus suahelicus</i>	Uiblein & Heemstra 2010	Valid	native
<i>Upeneus tragula</i>	Richardson 1846	Valid	native
<i>Upeneus vittatus</i>	(Forsskål 1775)	Valid	native

Pempheridae

sweepers

<i>Parapriacanthus ransonneti</i>	Steindachner 1870	Valid	native
<i>Pempheris adusta</i>	Bleeker 1877	Valid	native
<i>Pempheris mangula</i>	Cuvier 1829	Valid	---
<i>Pempheris oualensis</i>	Cuvierin Cuvier & Valenciennes 1831	Valid	---
<i>Pempheris schwenkii</i>	Bleeker 1855	Valid	native

Bathyclupeidae

bathyclupeids

<i>Bathyclupea elongata</i>	Trunov 1975	Valid	native
-----------------------------	-------------	-------	--------

Dichistiidiae

galjoens

<i>Dichistius capensis</i>	(Cuvier 1831)	Valid	native
<i>Dichistius multifasciatus</i>	(Pellegrin 1914)	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 70

Genus Species	Authorship	Status	Type
Kyphosidae nibblers		Actinopterygii	Perciformes
<i>Kyphosus bigibbus</i>	Lacepède(ex Commerson) 1801	Valid	native
<i>Kyphosus cinerascens</i>	(Forsskål 1775)	Valid	native
<i>Kyphosus vaigiensis</i>	(Quoy & Gaimard 1825)	Valid	native
<i>Neoscoporis lithophilus</i>	(Gilchrist & Thompson 1908)	Valid	native
Parascorpididae jutjaws		Actinopterygii	Perciformes
<i>Parascorpis typus</i>	Bleeker 1875	Valid	native
Drepaneidae sicklefishes		Actinopterygii	Perciformes
<i>Drepane longimana</i>	(Bloch & Schneider 1801)	Valid	native
Monodactylidae moonies		Actinopterygii	Perciformes
<i>Monodactylus argenteus</i>	(Linnaeus 1758)	Valid	native
<i>Monodactylus falciformis</i>	Lacepède(ex Commerson) 1801	Valid	native
Chaetodontidae butterflyfishes		Actinopterygii	Perciformes
<i>Chaetodon auriga</i>	Forsskål 1775	Valid	native
<i>Chaetodon blackburnii</i>	Desjardins 1836	Valid	native
<i>Chaetodon dolosus</i>	Ahl 1923	Valid	native
<i>Chaetodon guttatissimus</i>	Bennett 1833	Valid	native
<i>Chaetodon interruptus</i>	Ahl 1923	Valid	---
<i>Chaetodon kleinii</i>	Bloch 1790	Valid	native
<i>Chaetodon lunula</i>	(Lacepède 1802)	Valid	native
<i>Chaetodon madagaskariensis</i>	Ahl 1923	Valid	native
<i>Chaetodon marleyi</i>	Regan 1921	Valid	native
<i>Chaetodon melanotus</i>	Bloch & Schneider 1801	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 71

Genus Species	Authorship	Status	Type
<i>Chaetodon meyeri</i>	Bloch & Schneider 1801	Valid	native
<i>Chaetodon trifascialis</i>	Quoy & Gaimard 1825	Valid	native
<i>Chaetodon trifasciatus</i>	Park 1797	Valid	native
<i>Chaetodon unimaculatus</i>	Bloch 1787	Valid	native
<i>Chaetodon vagabundus</i>	Linnaeus 1758	Valid	native
<i>Chaetodon xanthocephalus</i>	Bennett 1833	Valid	native
<i>Chaetodon zanzibarensis</i>	Playfairin Playfair & Günther 1867	Valid	native
<i>Forcipiger flavissimus</i>	Jordan & McGregorin Jordan & Evermann 1898	Valid	native
<i>Hemitaurichthys zoster</i>	(Bennett 1831)	Valid	native
<i>Heniochus acuminatus</i>	(Linnaeus 1758)	Valid	native
<i>Heniochus diphreutes</i>	Jordan 1903	Valid	native
<i>Heniochus monoceros</i>	Cuvierin Cuvier & Valenciennes 1831	Valid	native

Pomacanthidae

angelfishes

<i>Apolemichthys kingi</i>	Heemstra 1984	Valid	native
<i>Apolemichthys trimaculatus</i>	(Cuvier 1831)	Valid	native
<i>Centropyge acanthops</i>	(Norman 1922)	Valid	native
<i>Centropyge bispinosa</i>	(Günther 1860)	Valid	native
<i>Centropyge multispinis</i>	(Playfair 1867)	Valid	native
<i>Genicanthus caudovittatus</i>	(Günther 1860)	Valid	native
<i>Pomacanthus chrysurus</i>	(Cuvier 1831)	Valid	native
<i>Pomacanthus imperator</i>	(Bloch 1787)	Valid	native
<i>Pomacanthus maculosus</i>	(Forsskål 1775)	Valid	native
<i>Pomacanthus rhombooides</i>	(Gilchrist & Thompson 1908)	Valid	native
<i>Pomacanthus semicirculatus</i>	(Cuvier 1831)	Valid	native
<i>Pygoplites diacanthus</i>	(Boddaert 1772)	Valid	native

Pentacerotidae

armorheads

<i>Histiopterus typus</i>	Temminck & Schlegel 1844	Valid	native
<i>Pentaceros capensis</i>	Cuvierin Cuvier & Valenciennes 1829	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 72

Genus Species	Authorship	Status	Type
<i>Pentaceros richardsoni</i>	Smith 1844	Valid	native
Oplegnathidae knifejaws		Actinopterygii	Perciformes
<i>Oplegnathus conwayi</i>	Richardson 1840	Valid	native
<i>Oplegnathus pealopesi</i>	Smith 1947	Valid	---
<i>Oplegnathus robinsoni</i>	Regan 1916	Valid	native
Cirrhitidae hawkfishes		Actinopterygii	Perciformes
<i>Amblycirrhitus bimacula</i>	(Jenkins 1903)	Valid	native
<i>Cirrhichthys aprinus</i>	(Cuvier 1829)	Valid	---
<i>Cirrhichthys guichenoti</i>	(Sauvage 1880)	Valid	---
<i>Cirrhichthys oxycephalus</i>	(Bleeker 1855)	Valid	native
<i>Cirrhitus pinnulatus</i>	(Forster 1801)	Valid	native
<i>Cristacirrhitus punctatus</i>	(Cuvierin Cuvier & Valenciennes 1829)	Valid	native
<i>Cyprinocirrhites polyactis</i>	(Bleeker 1874)	Valid	native
<i>Oxycirrhites typus</i>	Bleeker 1857	Valid	native
<i>Paracirrhites arcatus</i>	(Cuvier 1829)	Valid	native
<i>Paracirrhites forsteri</i>	(Schneider 1801)	Valid	native
Cheilodactylidae fingerfins or morwongs		Actinopterygii	Perciformes
<i>Cheilodactylus fasciatus</i>	Lacepède 1803	Valid	native
<i>Cheilodactylus paxi</i>	Smith 1980	Valid	native
<i>Chirodactylus brachydactylus</i>	(Cuvier 1830)	Valid	native
<i>Chirodactylus grandis</i>	Günther 1860	Valid	native
<i>Chirodactylus jessicalenorum</i>	Smith 1980	Valid	endemic
Cepolidae bandfishes		Actinopterygii	Perciformes
<i>Acanthocepola indica</i>	(Day 1888)	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 73

Genus Species	Authorship	Status	Type
<i>Cepola schlegelii</i>	Bleeker 1854	Valid	---
<i>Owstonia weberi</i>	(Gilchrist 1922)	Valid	native
Mugilidae		Actinopterygii	Perciformes
mullets			
<i>Crenimugil crenilabis</i>	(Forsskål 1775)	Valid	native
<i>Ellochelon vaigiensis</i>	(Quoy & Gaimard 1825)	Valid	native
<i>Liza alata</i>	(Steindachner 1892)	Valid	native
<i>Liza dumerili</i>	(Steindachner 1870)	Valid	native
<i>Liza luciae</i>	(Penrith & Penrith 1967)	Valid	native
<i>Liza macrolepis</i>	(Smith 1846)	Valid	native
<i>Liza melinoptera</i>	(Valenciennes 1836)	Valid	native
<i>Liza richardsonii</i>	(Smith 1846)	Valid	native
<i>Liza subviridis</i>	(Valenciennes 1836)	Valid	native
<i>Liza tricuspidens</i>	(Smith 1935)	Valid	native
<i>Moolgarda buchanani</i>	(Bleeker 1853)	Valid	native
<i>Moolgarda cunnesius</i>	(Valenciennes 1836)	Valid	native
<i>Moolgarda seheli</i>	(Forsskål 1775)	Valid	native
<i>Mugil cephalus</i>	Linnaeus 1758	Valid	native
<i>Myxus capensis</i>	(Valenciennes 1836)	Valid	endemic
<i>Valamugil robustus</i>	(Günther 1861)	Valid	native
Cichlidae		Actinopterygii	Perciformes
cichlids			
<i>Chetia brevis</i>	Jubb 1968	Valid	native
<i>Chetia flaviventris</i>	Trewavas 1961	Valid	native
<i>Coptodon rendalli</i>	Boulenger 1897	Valid	native
<i>Hemichromis guttatus</i>	Günther 1862	Valid	native ?
<i>Oreochromis andersonii</i>	(Castelnau 1861)	Valid	introduced
<i>Oreochromis aureus</i>	(Steindachner 1864)	Valid	introduced
<i>Oreochromis mossambicus</i>	(Peters 1852)	Valid	---
<i>Oreochromis placidus</i>	(Trewavas 1941)	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 74

Genus Species	Authorship	Status	Type
<i>Pseudocrenilabrus philander</i>	(Weber 1897)	Valid	native
<i>Serranochromis meridianus</i>	Jubb 1967	Valid	native
<i>Tilapia sparrmanii</i>	Smith 1840	Valid	native

Pomacentridae

damsel fishes and anemone fishes

<i>Abudefduf natalensis</i>	Hensley & Randall 1983	Valid	native
<i>Abudefduf notatus</i>	(Day 1870)	Valid	native
<i>Abudefduf saxatilis</i>	(Linnaeus 1758)	Valid	---
<i>Abudefduf septemfasciatus</i>	(Cuvier 1830)	Valid	native
<i>Abudefduf sexfasciatus</i>	(Lacepède 1801)	Valid	---
<i>Abudefduf sordidus</i>	(Forsskål 1775)	Valid	native
<i>Abudefduf sparoides</i>	(Quoy & Gaimard 1825)	Valid	native
<i>Abudefduf vaigiensis</i>	(Quoy & Gaimard 1825)	Valid	native
<i>Amphiprion akallopisos</i>	Bleeker 1853	Valid	native
<i>Amphiprion allardi</i>	Klausewitz 1970	Valid	native
<i>Amphiprion frenatus</i>	Brevoort 1856	Valid	---
<i>Chromis analis</i>	(Cuvier 1830)	Valid	native ?
<i>Chromis dasygenys</i>	(Fowler 1935)	Valid	native
<i>Chromis dimidiata</i>	(Klunzinger 1871)	Valid	native
<i>Chromis lepidolepis</i>	Bleeker 1877	Valid	native
<i>Chromis leucura</i>	Gilbert 1905	Valid	---
<i>Chromis nigroanalis</i>	Randall 1988	Valid	---
<i>Chromis nigrura</i>	Smith 1960	Valid	native
<i>Chromis opercularis</i>	(Günther 1867)	Valid	native
<i>Chromis ternatensis</i>	(Bleeker 1856)	Valid	---
<i>Chromis viridis</i>	(Cuvier 1830)	Valid	---
<i>Chromis weberi</i>	Fowler & Bean 1928	Valid	native
<i>Chromis woodsi</i>	Bruner & Arnam 1979	Valid	native
<i>Chrysiptera annulata</i>	(Peters 1855)	Valid	native
<i>Chrysiptera biocellata</i>	(Quoy & Gaimard 1825)	Valid	---
<i>Chrysiptera brownriggii</i>	(Bennett 1828)	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 75

Genus Species	Authorship	Status	Type
<i>Chrysiptera glauca</i>	(Cuvier 1830)	Valid	native
<i>Chrysiptera unimaculata</i>	(Cuvier 1830)	Valid	native
<i>Dascyllus aruanus</i>	(Linnaeus 1758)	Valid	native
<i>Dascyllus carneus</i>	Fischer 1885	Valid	native
<i>Dascyllus trimaculatus</i>	(Rüppell 1829)	Valid	native
<i>Lepidozygus tapeinosoma</i>	(Bleeker 1856)	Valid	native
<i>Neopomacentrus cyanomos</i>	(Bleeker 1856)	Valid	native
<i>Plectroglyphidodon dickii</i>	(Liénard 1839)	Valid	native
<i>Plectroglyphidodon imparipennis</i>	(Vaillant & Sauvage 1875)	Valid	native
<i>Plectroglyphidodon johnstonianus</i>	Fowler & Ball 1924	Valid	native
<i>Plectroglyphidodon lacrymatus</i>	(Quoy & Gaimard 1825)	Valid	native
<i>Plectroglyphidodon leucozonus</i>	(Bleeker 1859)	Valid	native
<i>Plectroglyphidodon phoenixensis</i>	(Schultz 1943)	Valid	native
<i>Pomacentrus caeruleus</i>	Quoy & Gaimard 1825	Valid	native
<i>Pomacentrus pavo</i>	(Bloch 1787)	Valid	native
<i>Pomacentrus trichrourus</i>	Güntherin Playfair & Günther 1867	Valid	native
<i>Pomacentrus trilineatus</i>	Cuvier(ex Ehrenberg) in Cuvier & Valenciennes 1830	Valid	---
<i>Stegastes fasciolatus</i>	(Ogilby 1889)	Valid	native
<i>Stegastes nigricans</i>	(Lacepède(ex Commerson) 1802)	Valid	---

Labridae

wrasses

<i>Anampsese caeruleopunctatus</i>	Rüppell 1829	Valid	native
<i>Anampsese lineatus</i>	Randall 1972	Valid	native
<i>Anampsese melanurus</i>	Bleeker 1857	Valid	---
<i>Anampsese meleagrides</i>	Valenciennes in Cuvier & Valenciennes 1840	Valid	native
<i>Anchichoerops natalensis</i>	(Gilchrist & Thompson 1909)	Valid	native
<i>Bodianus anthioides</i>	(Bennett 1832)	Valid	native
<i>Bodianus axillaris</i>	(Bennett 1832)	Valid	native
<i>Bodianus bilunulatus</i>	(Lacepède 1801)	Valid	native
<i>Bodianus diana</i>	(Lacepède 1801)	Valid	native
<i>Bodianus leucosticticus</i>	(Bennett 1832)	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 76

Genus Species	Authorship	Status	Type
<i>Bodianus perditio</i>	(Quoy & Gaimard 1834)	Valid	native
<i>Bodianus trilineatus</i>	(Fowler 1934)	Valid	native
<i>Cheilinus chlorourus</i>	(Bloch 1791)	Valid	native
<i>Cheilinus oxycephalus</i>	Bleeker 1853	Valid	native
<i>Cheilinus trilobatus</i>	Lacepède(ex Commerson) 1801	Valid	native
<i>Cheilio inermis</i>	(Forsskål 1775)	Valid	native
<i>Choerodon robustus</i>	(Günther 1862)	Valid	---
<i>Cirrhilabrus exquisitus</i>	Smith 1957	Valid	native
<i>Cirrhilabrus rubriventralis</i>	Springer & Randall 1974	Valid	---
<i>Coris aygula</i>	Lacepède 1801	Valid	native
<i>Coris caudimacula</i>	(Quoy & Gaimard 1834)	Valid	native
<i>Coris cuvieri</i>	(Bennett 1831)	Valid	native
<i>Coris formosa</i>	(Bennett 1830)	Valid	native
<i>Cymolutes praetextatus</i>	(Quoy & Gaimard 1834)	Valid	native
<i>Decodon grandisquamis</i>	(Smith 1968)	Valid	---
<i>Epibulus insidiator</i>	(Pallas 1770)	Valid	---
<i>Gomphosus caeruleus</i>	Lacepède(ex Commerson) 1801	Valid	native
<i>Halichoeres cosmetus</i>	Randall & Smith 1982	Valid	native
<i>Halichoeres hortulanus</i>	(Lacepède 1801)	Valid	native
<i>Halichoeres iris</i>	Randall & Smith 1982	Valid	native
<i>Halichoeres lapillus</i>	Smith 1947	Valid	native
<i>Halichoeres nebulosus</i>	(Valenciennes 1839)	Valid	native
<i>Halichoeres nigrescens</i>	(Bloch & Schneider 1801)	Valid	native
<i>Halichoeres pelieri</i>	Randall & Smith 1982	Valid	native
<i>Halichoeres scapularis</i>	(Bennett 1832)	Valid	native
<i>Halichoeres trispilus</i>	Randall & Smith 1982	Valid	native
<i>Halichoeres zulu</i>	Randall & King 2010	Valid	native
<i>Hemigymnus fasciatus</i>	(Bloch 1792)	Valid	---
<i>Hologymnosus annulatus</i>	(Lacepède 1801)	Valid	native
<i>Hologymnosus doliatus</i>	(Lacepède 1801)	Valid	native
<i>Iniistius pavo</i>	(Valenciennes 1840)	Valid	native
<i>Iniistius pentadactylus</i>	(Linnaeus 1758)	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 77

Genus Species	Authorship	Status	Type
<i>Labrichthys unilineatus</i>	(Guichenot 1847)	Valid	---
<i>Labroides bicolor</i>	Fowler & Bean 1928	Valid	native
<i>Labroides dimidiatus</i>	(Valenciennes 1839)	Valid	native
<i>Macropharyngodon bipartitus</i>	Smith 1957	Valid	native
<i>Macropharyngodon cyanoguttatus</i>	Randall 1978	Valid	native
<i>Macropharyngodon vivienae</i>	Randall 1978	Valid	native
<i>Novaculichthys taeniourus</i>	(Lacepède 1801)	Valid	native
<i>Novaculoides macrolepidotus</i>	(Bloch 1791)	Valid	native
<i>Oxycheilinus bimaculatus</i>	(Valenciennes 1840)	Valid	native
<i>Oxycheilinus digramma</i>	(Lacepède 1801)	Valid	native
<i>Pseudocheilinus evanidus</i>	Jordan & Evermann 1903	Valid	---
<i>Pseudocheilinus hexataenia</i>	(Bleeker 1857)	Valid	native
<i>Pseudocheilinus octotaenia</i>	Jenkins 1901	Valid	native
<i>Pseudocoris heteroptera</i>	(Bleeker 1857)	Valid	---
<i>Pseudodax moluccanus</i>	(Valenciennes 1840)	Valid	native
<i>Pseudojuloides cerasinus</i>	(Snyder 1904)	Valid	native
<i>Pteragogus flagellifer</i>	(Valenciennes 1839)	Valid	native
<i>Pteragogus pelycus</i>	Randall 1981	Valid	native
<i>Pteragogus taenios</i>	(Peters 1855)	Valid	native
<i>Stethojulis albovittata</i>	(Bonnaterre 1788)	Valid	native
<i>Stethojulis interrupta</i>	(Bleeker 1851)	Valid	native
<i>Stethojulis strigiventer</i>	(Bennett 1833)	Valid	native
<i>Thalassoma amblycephalum</i>	(Bleeker 1856)	Valid	native
<i>Thalassoma genivittatum</i>	(Valenciennes 1839)	Valid	native
<i>Thalassoma hardwicke</i>	(Bennett 1830)	Valid	native
<i>Thalassoma hebraicum</i>	(Lacepède 1801)	Valid	native
<i>Thalassoma lunare</i>	(Linnaeus 1758)	Valid	native
<i>Thalassoma purpureum</i>	(Forsskål 1775)	Valid	native
<i>Thalassoma quinquevittatum</i>	(Lay & Bennett 1839)	Valid	native
<i>Thalassoma trilobatum</i>	(Lacepède 1801)	Valid	native

Scaridae

Actinopterygii

Perciformes

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 78

Genus Species	Authorship	Status	Type
parrotfishes			
<i>Calotomus carolinus</i>	(Valenciennes 1840)	Valid	native
<i>Chlorurus atrilunula</i>	(Randall & Bruce 1983)	Valid	native
<i>Chlorurus cyanescens</i>	(Valenciennes 1840)	Valid	native
<i>Chlorurus sordidus</i>	(Forsskål 1775)	Valid	native
<i>Leptoscarus vaigiensis</i>	(Quoy & Gaimard 1824)	Valid	native
<i>Scarus caudofasciatus</i>	(Günther 1862)	Valid	native
<i>Scarus festivus</i>	Valenciennesin Cuvier & Valenciennes 1840	Valid	native
<i>Scarus ghobban</i>	Forsskål 1775	Valid	native
<i>Scarus globiceps</i>	Valenciennesin Cuvier & Valenciennes 1840	Valid	native
<i>Scarus niger</i>	Forsskål 1775	Valid	native
<i>Scarus psittacus</i>	Forsskål 1775	Valid	native
<i>Scarus rubroviolaceus</i>	Bleeker 1847	Valid	native
<i>Scarus russellii</i>	Valenciennesin Cuvier & Valenciennes 1840	Valid	native
<i>Scarus scaber</i>	Valenciennesin Cuvier & Valenciennes 1840	Valid	native
<i>Scarus tricolor</i>	Bleeker 1847	Valid	native

Zoarcidae

eelpouts		Actinopterygii	Perciformes
<i>Lycodes terraenovae</i>	Collett 1896	Valid	native
<i>Lycodonus vermiformis</i>	Barnard 1927	Valid	native
<i>Melanostigma gelatinosum</i>	Günther 1881	Valid	native
<i>Pachycara crassiceps</i>	(Roule 1916)	Valid	native

Chiasmodontidae

swallowers		Actinopterygii	Perciformes
<i>Chiasmodon microcephalus</i>	Norman 1929	Valid	---
<i>Chiasmodon niger</i>	Johnson 1864	Valid	---
<i>Kali indica</i>	Lloyd 1909	Valid	native
<i>Kali kerberti</i>	(Weber 1913)	Valid	native ?
<i>Kali macrodon</i>	(Norman 1929)	Valid	native
<i>Kali parri</i>	Johnson & Cohen 1974	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 79

Genus Species	Authorship	Status	Type
Champsodontidae		Actinopterygii	Perciformes
gapers			
<i>Champsodon capensis</i>	Regan 1908	Valid	native
Ammodytidae		Actinopterygii	Perciformes
sand lances			
<i>Ammodityoides renniei</i>	(Smith 1957)	Valid	native
<i>Gymnammoditytes capensis</i>	(Barnard 1927)	Valid	native
Uranoscopidae		Actinopterygii	Perciformes
stargazers			
<i>Pleuroscopus pseudodorsalis</i>	Barnard 1927	Valid	native
<i>Uranoscopus archionema</i>	Regan 1921	Valid	native
Trichonotidae		Actinopterygii	Perciformes
sand divers			
<i>Trichonotus marleyi</i>	(Smith 1936)	Valid	native
Creediidae		Actinopterygii	Perciformes
sand burrowers			
<i>Apodocredia vanderhorsti</i>	de Beaufort 1948	Valid	native
<i>Chalixodytes tauensis</i>	Schultz 1943	Valid	---
<i>Limnichthys nitidus</i>	Smith 1958	Valid	native
Percophidae		Actinopterygii	Perciformes
duckbills			
<i>Bembrops platyrhynchus</i>	(Alcock 1894)	Valid	native
<i>Pteropsaron heemstrai</i>	Nelson 1982	Valid	native
<i>Pteropsaron natalensis</i>	(Nelson 1982)	Valid	native
Pinguipedidae		Actinopterygii	Perciformes
sandsmelts, sandperches			

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 80

Genus Species	Authorship	Status	Type
<i>Parapercis hexophtalma</i>	(Cuvier 1829)	Valid	native
<i>Parapercis maritzi</i>	Anderson 1992	Valid	endemic
<i>Parapercis multifasciata</i>	Döderlein Steindachner & Döderlein 1884	Valid	native
<i>Parapercis punctulata</i>	(Cuvier 1829)	Valid	native
<i>Parapercis robinsoni</i>	Fowler 1929	Valid	native
<i>Parapercis schauinslandii</i>	(Steindachner 1900)	Valid	native
<i>Parapercis xanthozona</i>	(Bleeker 1849)	Valid	native

Tripterygiidae

threefin blennies

<i>Acanthanectes hystrix</i>	Holleman & Buxton 1993	Valid	native
<i>Acanthanectes rufus</i>	Holleman & Buxton 1993	Valid	native
<i>Cremnochorites capensis</i>	(Gilchrist & Thompson 1908)	Valid	native
<i>Enneapterygius abeli</i>	(Klausewitz 1960)	Valid	native
<i>Enneapterygius clarkae</i>	Holleman 1982	Valid	native
<i>Enneapterygius destai</i>	Clark 1980	Valid	---
<i>Enneapterygius elegans</i>	(Peters 1876)	Valid	---
<i>Enneapterygius genamaculatus</i>	Holleman 2005	Valid	---
<i>Enneapterygius kosiensis</i>	Holleman 2005	Valid	native
<i>Enneapterygius philippinus</i>	(Peters 1868)	Valid	---
<i>Enneapterygius pusillus</i>	Rüppell 1835	Valid	native
<i>Enneapterygius ventermaculatus</i>	Holleman 1982	Valid	native
<i>Helcogramma fuscopinna</i>	Holleman 1982	Valid	native
<i>Helcogramma obtusirostris</i>	(Klunzinger 1871)	Valid	native
<i>Helcogramma rharhabe</i>	Holleman 2007	Valid	native
<i>Norfolkia brachylepis</i>	(Schultz 1960)	Valid	native

Clinidae

clinids and klipfishes

<i>Blennioclinus brachycephalus</i>	(Valenciennes 1836)	Valid	native
<i>Blennioclinus stella</i>	Smith 1946	Valid	native
<i>Blennophis anguillaris</i>	(Valenciennes 1836)	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 81

Genus Species	Authorship	Status	Type
<i>Blennophis striatus</i>	(Gilchrist & Thompson 1908)	Valid	native
<i>Cancelloxus burrelli</i>	Smith 1961	Valid	native
<i>Cancelloxus elongatus</i>	Heemstra & Wright 1986	Valid	native
<i>Cancelloxus longior</i>	Prochazka & Griffiths 1991	Valid	native
<i>Cirrhobarbis capensis</i>	Valenciennesin Cuvier & Valenciennes 1836	Valid	native
<i>Climacoporos navalis</i>	Barnard 1935	Valid	native
<i>Clinoporus biporus</i>	(Gilchrist & Thompson 1908)	Valid	native
<i>Clinus acuminatus</i>	(Bloch & Schneider 1801)	Valid	native
<i>Clinus agilis</i>	Smith 1931	Valid	native
<i>Clinus arborescens</i>	Gilchrist & Thompson 1908	Valid	native
<i>Clinus berrisfordi</i>	Penrith 1967	Valid	native
<i>Clinus brevicristatus</i>	Gilchrist & Thompson 1908	Valid	native
<i>Clinus cottooides</i>	Valenciennesin Cuvier & Valenciennes 1836	Valid	native
<i>Clinus helena</i>	(Smith 1946)	Valid	native
<i>Clinus heterodon</i>	Valenciennesin Cuvier & Valenciennes 1836	Valid	native
<i>Clinus latipennis</i>	Valenciennesin Cuvier & Valenciennes 1836	Valid	native
<i>Clinus nematopterus</i>	Günther 1861	Valid	native
<i>Clinus robustus</i>	Gilchrist & Thompson 1908	Valid	native
<i>Clinus rotundifrons</i>	Barnard 1937	Valid	native
<i>Clinus spatulatus</i>	Bennett 1983	Valid	endemic
<i>Clinus superciliatus</i>	(Linnaeus 1758)	Valid	native
<i>Clinus taurus</i>	Gilchrist & Thompson 1908	Valid	native
<i>Clinus venustris</i>	Gilchrist & Thompson 1908	Valid	native
<i>Clinus woodi</i>	(Smith 1946)	Valid	native
<i>Fucomimus mus</i>	(Gilchrist & Thompson 1908)	Valid	native
<i>Muraenoclinus dorsalis</i>	(Bleeker 1859)	Valid	native
<i>Pavoclinus caeruleopunctatus</i>	Zsilavecz 2001	Valid	native
<i>Pavoclinus graminis</i>	(Gilchrist & Thompson 1908)	Valid	native
<i>Pavoclinus laurentii</i>	(Gilchrist & Thompson 1908)	Valid	native
<i>Pavoclinus litorafontis</i>	Penrith 1965	Valid	native
<i>Pavoclinus mentalis</i>	(Gilchrist & Thompson 1908)	Valid	native
<i>Pavoclinus myae</i>	Christensen 1978	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 82

Genus Species	Authorship	Status	Type
<i>Pavoclinus pavo</i>	(Gilchrist & Thompson 1908)	Valid	native
<i>Pavoclinus profundus</i>	Smith 1961	Valid	native
<i>Pavoclinus smalei</i>	Heemstra & Wright 1986	Valid	native
<i>Smithichthys fucorum</i>	(Gilchrist & Thompson 1908)	Valid	native
<i>Xenopoelinus kochi</i>	Smith 1948	Valid	native
<i>Xenopoelinus leprosus</i>	Smith 1961	Valid	native

Blenniidae

blennies

<i>Alloblennius parvus</i>	Springer & Spreitzer 1978	Valid	native
<i>Antennablennius australis</i>	Fraser-Brunner 1951	Valid	native
<i>Antennablennius bifilum</i>	(Günther 1861)	Valid	native
<i>Aspidontus dussumieri</i>	(Valenciennes 1836)	Valid	native
<i>Aspidontus taeniatus</i>	Quoy & Gaimard 1834	Valid	---
<i>Aspidontus tractus</i>	Fowler 1903	Valid	native
<i>Atrosalarias fuscus</i>	(Rüppell 1838)	Valid	---
<i>Blenniella gibbifrons</i>	(Quoy & Gaimard 1824)	Valid	native
<i>Blenniella periophthalmus</i>	(Valenciennes 1836)	Valid	native
<i>Chalaroderma capito</i>	(Valenciennes 1836)	Valid	endemic
<i>Chalaroderma ocellata</i>	(Gilchrist & Thompson 1908)	Valid	endemic
<i>Cirripectes auritus</i>	Carlson 1981	Valid	native
<i>Cirripectes castaneus</i>	(Valenciennes 1836)	Valid	native
<i>Cirripectes filamentosus</i>	(Alleyne & Macleay 1877)	Valid	---
<i>Cirripectes gilberti</i>	Williams 1988	Valid	native
<i>Cirripectes heemstraorum</i>	Williams 2010	Valid	native
<i>Cirripectes polyzona</i>	(Bleeker 1868)	Valid	native
<i>Cirripectes quagga</i>	(Fowler & Ball 1924)	Valid	native
<i>Cirripectes stigmaticus</i>	Strasburg & Schultz 1953	Valid	---
<i>Ecsenius midas</i>	Starck 1969	Valid	native
<i>Ecsenius nalolo</i>	Smith 1959	Valid	native
<i>Entomacrodus epalzeocheilos</i>	(Bleeker 1859)	Valid	native
<i>Exallias brevis</i>	(Kner 1868)	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 83

Genus Species	Authorship	Status	Type
<i>Hirculops cornifer</i>	(Rüppell 1830)	Valid	native
<i>Istiblennius bellus</i>	(Günther 1861)	Valid	native
<i>Istiblennius dussumieri</i>	(Valenciennes 1836)	Valid	native
<i>Istiblennius edentulus</i>	(Forster & Schneider 1801)	Valid	native
<i>Istiblennius spilotus</i>	Springer & Williams 1994	Valid	native
<i>Laiphognathus multimaculatus</i>	Smith 1955	Valid	---
<i>Mimoblennius rusi</i>	Springer & Spreitzer 1978	Valid	native
<i>Omobranchus banditus</i>	Smith 1959	Valid	native
<i>Omobranchus fasciolatus</i>	(Valenciennes(ex Ehrenberg) in Cuvier & Valenciennes 1836)	Valid	---
<i>Omobranchus ferox</i>	(Herre 1927)	Valid	native
<i>Omobranchus woodi</i>	(Gilchrist & Thompson 1908)	Valid	endemic
<i>Parablennius cornutus</i>	(Linnaeus 1758)	Valid	native
<i>Parablennius lodosus</i>	(Smith 1959)	Valid	---
<i>Parablennius pilicornis</i>	(Cuvier 1829)	Valid	native
<i>Pereulixia kosiensis</i>	(Regan 1908)	Valid	native
<i>Petroscirtes breviceps</i>	(Valenciennes 1836)	Valid	native
<i>Petroscirtes mitratus</i>	Rüppell 1830	Valid	---
<i>Plagiotremus rhinorhynchos</i>	(Bleeker 1852)	Valid	native
<i>Plagiotremus tapeinosoma</i>	(Bleeker 1857)	Valid	native
<i>Scartella emarginata</i>	(Günther 1861)	Valid	native
<i>Xiphasia matsubarai</i>	Okada & Suzuki 1952	Valid	native
<i>Xiphasia setifer</i>	Swainson 1839	Valid	native

Callionymidae

dragonets

<i>Callionymus gardineri</i>	Regan 1908	Valid	native
<i>Callionymus marleyi</i>	Regan 1919	Valid	native
<i>Callionymus regani</i>	Nakabo 1979	Valid	---
<i>Draculocleetus</i>	(Smith 1963)	Valid	native
<i>Paracallionymus costatus</i>	(Boulenger 1898)	Valid	native
<i>Synchiropus monacanthus</i>	Smith 1935	Valid	native
<i>Synchiropus postulus</i>	Smith 1963	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 84

Genus Species	Authorship	Status	Type
<i>Synchiropus stellatus</i>	Smith 1963	Valid	native
Eleotridae		Actinopterygii	Perciformes
sleepers			
<i>Butis butis</i>	(Hamilton 1822)	Valid	native
<i>Butis koilomatodon</i>	(Bleeker 1849)	Valid	---
<i>Eleotris fusca</i>	(Forster 1801)	Valid	native
<i>Eleotris mauritiana</i>	Bennett 1832	Valid	native
<i>Eleotris melanosoma</i>	Bleeker 1853	Valid	native
<i>Hypseleotris cyprinoides</i>	(Valenciennes 1837)	Valid	native
<i>Ophiocara porocephala</i>	(Valenciennes 1837)	Valid	native
Gobiidae		Actinopterygii	Perciformes
gobies			
<i>Acentrogobius audax</i>	Smith 1959	Valid	native
<i>Acentrogobius signatus</i>	(Peters 1855)	Valid	---
<i>Amblyeleotris aurora</i>	(Polunin & Lubbock 1977)	Valid	native
<i>Amblyeleotris fontanesii</i>	(Bleeker 1853)	Valid	---
<i>Amblyeleotris periophthalma</i>	(Bleeker 1853)	Valid	native
<i>Amblyeleotris wheeleri</i>	(Polunin & Lubbock 1977)	Valid	native
<i>Amblygobius albimaculatus</i>	(Rüppell 1830)	Valid	native
<i>Asterropteryx semipunctata</i>	Rüppell 1830	Valid	native
<i>Awaous aeneofuscus</i>	(Peters 1852)	Valid	native
<i>Barbuligobius boehlkei</i>	Lachner & McKinney 1974	Valid	native
<i>Bathygobius coalitus</i>	(Bennett 1832)	Valid	native
<i>Bathygobius cocosensis</i>	(Bleeker 1854)	Valid	native
<i>Bathygobius cotticeps</i>	(Steindachner 1879)	Valid	native
<i>Bathygobius cyclopterus</i>	(Valenciennes 1837)	Valid	native
<i>Bathygobius fuscus</i>	(Rüppell 1830)	Valid	---
<i>Bathygobius laddi</i>	(Fowler 1931)	Valid	native
<i>Bathygobius niger</i>	(Smith 1960)	Valid	native
<i>Bathygobius smithi</i>	Fricke 1999	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 85

Genus Species	Authorship	Status	Type
<i>Bryaninops amplus</i>	Larson 1985	Valid	native
<i>Bryaninops yongei</i>	(Davis & Cohen 1969)	Valid	---
<i>Caffrogobius agulhensis</i>	(Barnard 1927)	Valid	native
<i>Caffrogobius caffer</i>	(Günther 1874)	Valid	native
<i>Caffrogobius gilchristi</i>	(Boulenger 1898)	Valid	native
<i>Caffrogobius natalensis</i>	(Günther 1874)	Valid	native
<i>Caffrogobius nudiceps</i>	(Valenciennes 1837)	Valid	native
<i>Caffrogobius saldanha</i>	(Barnard 1927)	Valid	native
<i>Callogobius bifasciatus</i>	(Smith 1958)	Valid	---
<i>Callogobius plumatus</i>	(Smith 1959)	Valid	native
<i>Callogobius sclateri</i>	(Steindachner 1879)	Valid	native
<i>Coryogalops anomolus</i>	Smith 1958	Valid	---
<i>Coryogalops bretti</i>	Goren 1991	Valid	native
<i>Coryogalops sordida</i>	(Smith 1959)	Valid	---
<i>Coryogalops william</i>	(Smith 1948)	Valid	native
<i>Croilia mossambica</i>	Smith 1955	Valid	native
<i>Cryptocentrus cryptocentrus</i>	(Valenciennes 1837)	Valid	native
<i>Cryptocentrus malindiensis</i>	(Smith 1959)	Valid	---
<i>Cryptocentrus strigilliceps</i>	(Jordan & Seale 1906)	Valid	---
<i>Eviota albolineata</i>	Jewett & Lachner 1983	Valid	---
<i>Eviota prasina</i>	(Klunzinger 1871)	Valid	---
<i>Favonigobius reichei</i>	(Bleeker 1854)	Valid	native
<i>Fusigobius duospilus</i>	Hoese & Reader 1985	Valid	native
<i>Fusigobius humeralis</i>	(Randall 2001)	Valid	---
<i>Fusigobius inframaculatus</i>	(Randall 1994)	Valid	---
<i>Fusigobius longispinus</i>	Goren 1978	Valid	native
<i>Fusigobius neophytus</i>	(Günther 1877)	Valid	native
<i>Glossogobius callidus</i>	(Smith 1937)	Valid	native
<i>Glossogobius giuris</i>	(Hamilton 1822)	Valid	native
<i>Gnatholepis anjerensis</i>	(Bleeker 1851)	Valid	---
<i>Gnatholepis cauerensis</i>	(Bleeker 1853)	Valid	native
<i>Gobiodon citrinus</i>	(Rüppell 1838)	Valid	---

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 86

Genus Species	Authorship	Status	Type
<i>Gobiodon rivulatus</i>	(Rüppell 1830)	Valid	native
<i>Gobiopsis pinto</i>	(Smith 1947)	Valid	---
<i>Heteroleotris apora</i>	(Hoese & Winterbottom 1979)	Valid	native
<i>Heteroleotris margaretae</i>	Hoese 1986	Valid	native
<i>Heteroleotris tentaculata</i>	(Smith 1958)	Valid	native
<i>Heteroleotris zonata</i>	(Fowler 1934)	Valid	native
<i>Istigobius decoratus</i>	(Herre 1927)	Valid	native
<i>Istigobius spence</i>	(Smith 1947)	Valid	native
<i>Myersina pretoriensis</i>	(Smith 1958)	Valid	native
<i>Oligolepis acutipennis</i>	(Valenciennes 1837)	Valid	native
<i>Oligolepis keiensis</i>	(Smith 1938)	Valid	native
<i>Oxyurichthys keiensis</i>	(Smith 1938)	Valid	---
<i>Oxyurichthys microlepis</i>	(Bleeker 1849)	Valid	native
<i>Oxyurichthys ophthalmonema</i>	(Bleeker 1856)	Valid	native
<i>Oxyurichthys papuensis</i>	(Valenciennes 1837)	Valid	native
<i>Pandaka silvana</i>	(Barnard 1943)	Valid	native
<i>Papillogobius melanobranchus</i>	(Fowler 1934)	Valid	native
<i>Parachaeturichthys polynema</i>	(Bleeker 1853)	Valid	native
<i>Paratrypauchen microcephalus</i>	(Bleeker 1860)	Valid	native
<i>Periophthalmus argenteolineatus</i>	Valenciennesin Cuvier & Valenciennes 1837	Valid	native
<i>Periophthalmus kalolo</i>	Lesson 1831	Valid	native
<i>Pleurosicya annandalei</i>	Hornell & Fowler 1922	Valid	native
<i>Pleurosicya boldinghi</i>	Weber 1913	Valid	native
<i>Pleurosicya fringilla</i>	Larson 1990	Valid	native
<i>Pleurosicya mossambica</i>	Smith 1959	Valid	native
<i>Pleurosicya muscarum</i>	(Jordan & Seale 1906)	Valid	---
<i>Priolepis cincta</i>	(Regan 1908)	Valid	native
<i>Priolepis compita</i>	Winterbottom 1985	Valid	native
<i>Psammogobius biocellatus</i>	(Valenciennes 1837)	Valid	native
<i>Psammogobius knysnaensis</i>	Smith 1935	Valid	native
<i>Redigobius bikolanus</i>	(Herre 1927)	Valid	native
<i>Redigobius dewaali</i>	(Weber 1897)	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 87

Genus Species	Authorship	Status	Type
<i>Silhouettea sibayi</i>	Farquharson 1970	Valid	endemic
<i>Stenogobius kenya</i>	Smith 1959	Valid	native
<i>Stenogobius polyzona</i>	(Bleeker 1867)	Valid	---
<i>Sufflogobius bibarbatus</i>	(von Bonde 1923)	Valid	native
<i>Taenioides esquivel</i>	Smith 1947	Valid	native
<i>Trimma corallinum</i>	(Smith 1959)	Valid	native
<i>Trimma flammeum</i>	(Smith 1959)	Valid	---
<i>Trimma macrophtalmum</i>	(Tomiyama 1936)	Valid	native
<i>Trimma omanensis</i>	Winterbottom 2000	Valid	---
<i>Trypauchenopsis intermedia</i>	Volz 1903	Valid	endemic
<i>Valenciennea helsdingenii</i>	(Bleeker 1858)	Valid	native
<i>Valenciennea puellaris</i>	(Tomiyama 1956)	Valid	---
<i>Valenciennea sexguttata</i>	(Valenciennes 1837)	Valid	---
<i>Valenciennea strigata</i>	(Broussonet 1782)	Valid	native
<i>Vanderhorstia ornatissima</i>	Smith 1959	Valid	native
<i>Yongeichthys nebulosus</i>	(Forsskål 1775)	Valid	native

Microdesmidae

wormfishes & dartfishes

<i>Gunnellichthys curiosus</i>	Dawson 1968	Valid	---
<i>Nemateleotris magnifica</i>	Fowler 1938	Valid	---
<i>Ptereleotris monoptera</i>	Randall & Hoese 1985	Valid	---

Ptereleotridae

dartfishes

<i>Ptereleotris evides</i>	(Jordan & Hubbs 1925)	Valid	---
<i>Ptereleotris heteroptera</i>	(Bleeker 1855)	Valid	---
<i>Ptereleotris lineopinnis</i>	(Fowler 1935)	Valid	---
<i>Ptereleotris microlepis</i>	(Bleeker 1856)	Valid	---
<i>Ptereleotris zebra</i>	(Fowler 1938)	Valid	---

Ephippidae

Actinopterygii

Perciformes

Actinopterygii

Perciformes

Actinopterygii

Perciformes

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 88

Genus Species	Authorship	Status	Type
spadefishes, batfishes and scats			
<i>Platax orbicularis</i>	(Forsskål 1775)	Valid	native
<i>Platax pinnatus</i>	(Linnaeus 1758)	Valid	native ?
<i>Platax teira</i>	(Forsskål 1775)	Valid	native
<i>Tripteronotus orbis</i>	Playfairin Playfair & Günther 1867	Valid	native
Scatophagidae		Actinopterygii	Perciformes
scats			
<i>Scatophagus tetracanthus</i>	(Lacepède 1802)	Valid	native
Siganidae		Actinopterygii	Perciformes
rabbitfishes			
<i>Siganus luridus</i>	(Rüppell 1829)	Valid	native
<i>Siganus stellatus</i>	(Forsskål 1775)	Valid	native
<i>Siganus sutor</i>	(Valenciennes 1835)	Valid	native
Luvaridae		Actinopterygii	Perciformes
luvars			
<i>Luvarus imperialis</i>	Rafinesque 1810	Valid	native
Zanclidae		Actinopterygii	Perciformes
moorish idols			
<i>Zanclus cornutus</i>	(Linnaeus 1758)	Valid	native
Acanthuridae		Actinopterygii	Perciformes
surgeonfishes; tangs; unicornfishes			
<i>Acanthurus blochii</i>	Valenciennesin Cuvier & Valenciennes 1835	Valid	native
<i>Acanthurus dussumieri</i>	Valenciennesin Cuvier & Valenciennes 1835	Valid	native
<i>Acanthurus leucosternon</i>	Bennett 1833	Valid	native
<i>Acanthurus lineatus</i>	(Linnaeus 1758)	Valid	native
<i>Acanthurus mata</i>	(Cuvier 1829)	Valid	native
<i>Acanthurus nigricauda</i>	Duncker & Mohr 1929	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 89

Genus Species	Authorship	Status	Type
<i>Acanthurus nigrofucus</i>	(Forsskål 1775)	Valid	native
<i>Acanthurus tennentii</i>	Günther 1861	Valid	native
<i>Acanthurus thompsoni</i>	(Fowler 1923)	Valid	native
<i>Acanthurus triostegus</i>	(Linnaeus 1758)	Valid	native
<i>Acanthurus xanthopterus</i>	Valenciennesin Cuvier & Valenciennes 1835	Valid	native
<i>Ctenochaetus binotatus</i>	Randall 1955	Valid	native
<i>Ctenochaetus striatus</i>	(Quoy & Gaimard 1825)	Valid	native
<i>Ctenochaetus truncatus</i>	Randall & Clements 2001	Valid	native
<i>Naso annulatus</i>	(Quoy & Gaimard 1825)	Valid	native
<i>Naso brachycentron</i>	(Valenciennes 1835)	Valid	native
<i>Naso brevirostris</i>	(Cuvier 1829)	Valid	native
<i>Naso elegans</i>	(Rüppell 1829)	Valid	native
<i>Naso hexacanthus</i>	(Bleeker 1855)	Valid	native
<i>Naso mcdadei</i>	Johnson 2002	Valid	native
<i>Naso tonganus</i>	(Valenciennes 1835)	Valid	native
<i>Naso tuberosus</i>	Lacepède(ex Commerson) 1801	Valid	---
<i>Naso unicornis</i>	(Forsskål 1775)	Valid	native
<i>Naso vlamingii</i>	(Valenciennes 1835)	Valid	native
<i>Paracanthurus hepatus</i>	(Linnaeus 1766)	Valid	native
<i>Zebrasoma desjardini</i>	(Bennett 1836)	Valid	native
<i>Zebrasoma gemmatum</i>	(Valenciennes 1835)	Valid	native
<i>Zebrasoma scopas</i>	(Cuvier 1829)	Valid	native

Sphyraenidae

barracudas

<i>Sphyraena acutipinnis</i>	Day 1876	Valid	native
<i>Sphyraena barracuda</i>	(Edwards 1771)	Valid	native
<i>Sphyraena chrysotaenia</i>	Klunzinger 1884	Valid	native
<i>Sphyraena flavicauda</i>	Rüppell 1838	Valid	native
<i>Sphyraena forsteri</i>	Cuvierin Cuvier & Valenciennes 1829	Valid	---
<i>Sphyraena helleri</i>	Jenkins 1901	Valid	---
<i>Sphyraena jello</i>	Cuvierin Cuvier & Valenciennes 1829	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 90

Genus Species	Authorship	Status	Type
<i>Sphyraena obtusata</i>	Cuvierin Cuvier & Valenciennes 1829	Valid	native
<i>Sphyraena pinguis</i>	Günther 1874	Valid	---
<i>Sphyraena putnamae</i>	Jordan & Seale 1905	Valid	native
<i>Sphyraena genie</i>	Klunzinger 1870	Valid	native
Gempylidae		Actinopterygii	Perciformes
snake mackerels			
<i>Lepidocybium flavobrunneum</i>	(Smith 1843)	Valid	native
<i>Nealotus triples</i>	Johnson 1865	Valid	native
<i>Neoepinnula orientalis</i>	(Gilchrist & von Bonde 1924)	Valid	native
<i>Paradiplospinus gracilis</i>	(Brauer 1906)	Valid	native
<i>Rexea prometheoides</i>	(Bleeker 1856)	Valid	---
<i>Thyrsites atun</i>	(Euphrasen 1791)	Valid	native
<i>Thyrsitoides marleyi</i>	Fowler 1929	Valid	native
Trichiuridae		Actinopterygii	Perciformes
cutlassfishes			
<i>Benthodesmus elongatus</i>	(Clarke 1879)	Valid	native
<i>Benthodesmus tenuis</i>	(Günther 1877)	Valid	native
<i>Benthodesmus tuckeri</i>	Parin & Becker 1970	Valid	native
<i>Lepidopus caudatus</i>	(Euphrasen 1788)	Valid	native
<i>Trichiurus lepturus</i>	Linnaeus 1758	Valid	native
Xiphiidae		Actinopterygii	Perciformes
swordfishes			
<i>Xiphias gladius</i>	Linnaeus 1758	Valid	native
Istiophoridae		Actinopterygii	Perciformes
billfishes and marlins			
<i>Istiompax indica</i>	(Cuvier 1832)	Valid	native
<i>Istiophorus platypterus</i>	(Shaw 1792)	Valid	native
<i>Kajikia albida</i>	(Poey 1860)	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 91

Genus Species	Authorship	Status	Type
<i>Kajikia audax</i>	(Philippi 1887)	Valid	native
<i>Makaira nigricans</i>	Lacepède 1802	Valid	native
<i>Tetrapturus angustirostris</i>	Tanaka 1915	Valid	native
<i>Tetrapturus pfluegeri</i>	Robins & de Sylva 1963	Valid	native
Scombridae		Actinopterygii	Perciformes
mackerels, tunas and bonitos			
<i>Acanthocybium solandri</i>	(Cuvier 1832)	Valid	native
<i>Allothunnus fallai</i>	Serventy 1948	Valid	native
<i>Auxis rochei</i>	(Risso 1810)	Valid	native
<i>Auxis thazard</i>	(Lacepède 1800)	Valid	native
<i>Euthynnus affinis</i>	(Cantor 1849)	Valid	native
<i>Gasterochisma melampus</i>	Richardson 1845	Valid	native
<i>Gymnosarda unicolor</i>	(Rüppell 1836)	Valid	native
<i>Katsuwonus pelamis</i>	(Linnaeus 1758)	Valid	native
<i>Rastrelliger kanagurta</i>	(Cuvier 1816)	Valid	native
<i>Sarda orientalis</i>	(Temminck & Schlegel 1844)	Valid	native
<i>Sarda sarda</i>	(Bloch 1793)	Valid	native
<i>Scomber japonicus</i>	Houttuyn 1782	Valid	native
<i>Scomberomorus commerson</i>	(Lacepède 1800)	Valid	native
<i>Scomberomorus guttatus</i>	(Bloch & Schneider 1801)	Valid	---
<i>Scomberomorus plurilineatus</i>	Fourmanoir 1966	Valid	native
<i>Thunnus alalunga</i>	(Bonnaterre(ex Cetti) 1788)	Valid	native
<i>Thunnus albacares</i>	(Bonnaterre 1788)	Valid	native
<i>Thunnus maccoyii</i>	(Castelnau 1872)	Valid	native
<i>Thunnus obesus</i>	(Lowe 1839)	Valid	native
<i>Thunnus thynnus</i>	(Linnaeus 1758)	Valid	native
Centrolophidae		Actinopterygii	Perciformes
medusafishes			
<i>Centrolophus niger</i>	(Gmelin 1789)	Valid	native
<i>Hyperoglyphe pringlei</i>	(Smith 1949)	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 92

Genus Species	Authorship	Status	Type
<i>Schedophilus maculatus</i>	Günther 1860	Valid	---
<i>Schedophilus ovalis</i>	(Cuvier 1833)	Valid	---
<i>Schedophilus pemarco</i>	(Poll 1959)	Valid	---
<i>Schedophilus velaini</i>	(Sauvage 1879)	Valid	native
<i>Tubbia tasmanica</i>	Whitley 1943	Valid	native

Nomeidae

flotsamfishes or driftfishes

<i>Cubiceps baxteri</i>	McCulloch 1923	Valid	native
<i>Cubiceps caeruleus</i>	Regan 1914	Valid	---
<i>Cubiceps capensis</i>	(Smith 1845)	Valid	native
<i>Cubiceps pauciradiatus</i>	Günther 1872	Valid	---
<i>Cubiceps whiteleggi</i>	(Waite 1894)	Valid	native
<i>Nomeus gronovii</i>	(Gmelin 1789)	Valid	native
<i>Psenes arafurensis</i>	Günther 1889	Valid	---
<i>Psenes cyanophrys</i>	Valenciennesin Cuvier & Valenciennes 1833	Valid	native
<i>Psenes pellucidus</i>	Lütken 1880	Valid	native

Ariommatidae

ariommatids

<i>Ariomma indicum</i>	(Day 1871)	Valid	native
------------------------	------------	-------	--------

Tetragonuridae

squaretails

<i>Tetragonurus atlanticus</i>	Lowe 1839	Valid	native
<i>Tetragonurus cuvieri</i>	Risso 1810	Valid	native

Stromateidae

butterfishes

<i>Stromateus fiatola</i>	Linnaeus 1758	Valid	native
---------------------------	---------------	-------	--------

Anabantidae

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 93

Genus Species	Authorship	Status	Type
climbing gouramies			
<i>Ctenopoma multispine</i>	Peters 1844	Valid	native
<i>Microctenopoma intermedium</i>	(Pellegrin 1920)	Valid	native
<i>Sandelia bainsii</i>	Castelnau 1861	Valid	endemic
<i>Sandelia capensis</i>	(Cuvier 1829)	Valid	endemic
Citharidae		Actinopterygii	Pleuronectiformes
citharines			
<i>Citharoides macrolepis</i>	(Gilchrist 1904)	Valid	native
Paralichthyidae		Actinopterygii	Pleuronectiformes
large-tooth flounders			
<i>Pseudorhombus arsius</i>	(Hamilton 1822)	Valid	native
<i>Pseudorhombus elevatus</i>	Ogilby 1912	Valid	native
<i>Pseudorhombus natalensis</i>	Gilchrist 1904	Valid	native
Bothidae		Actinopterygii	Pleuronectiformes
lefteye flounders			
<i>Arnoglossus capensis</i>	Boulenger 1898	Valid	native
<i>Arnoglossus dagleishi</i>	(von Bonde 1922)	Valid	native
<i>Arnoglossus imperialis</i>	(Rafinesque 1810)	Valid	---
<i>Asterorhombus filifer</i>	Hensley & Randall 2003	Valid	native
<i>Bothus mancus</i>	(Broussonet 1782)	Valid	native
<i>Bothus myriaster</i>	(Temminck & Schlegel 1846)	Valid	---
<i>Bothus pantherinus</i>	(Rüppell 1830)	Valid	native
<i>Chascanopsetta lugubris</i>	Alcock 1894	Valid	native
<i>Crossorhombus valderostratus</i>	(Alcock 1890)	Valid	native
<i>Engyprosopon grandisquama</i>	(Temminck & Schlegel 1846)	Valid	native
<i>Engyprosopon macrolepis</i>	(Regan 1908)	Valid	---
<i>Engyprosopon natalensis</i>	Regan 1920	Valid	native
<i>Laeops natalensis</i>	Norman 1931	Valid	endemic
<i>Laeops nigromaculatus</i>	von Bonde 1922	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 94

Genus Species	Authorship	Status	Type
<i>Laeops pectoralis</i>	(von Bonde 1922)	Valid	native
<i>Neolaeops microphthalmus</i>	(von Bonde 1922)	Valid	native
<i>Psettina brevirostris</i>	(Alcock 1890)	Valid	native
<i>Tosarhombus smithi</i>	(Nielsen 1964)	Valid	native
Achiropsettidae		Actinopterygii	Pleuronectiformes
southern flounders			
<i>Neoachiropsetta milfordi</i>	(Penrith 1965)	Valid	native
Pleuronectidae		Actinopterygii	Pleuronectiformes
righteye flounders			
<i>Marleyella bicolorata</i>	(von Bonde 1922)	Valid	native
<i>Paralichthodes algoensis</i>	Gilchrist 1902	Valid	native
<i>Poecilopsetta natalensis</i>	Norman 1931	Valid	native
Samaridae		Actinopterygii	Perciformes
right eyed flounders			
<i>Samaris macrolepis</i>	Norman 1927	Valid	native
<i>Samaris costae</i>	Quéro, Hensley & Maugé 1989	Valid	---
<i>Samaris cristatus</i>	Gray 1831	Valid	native
<i>Samariscus nielseni</i>	Quéro, Hensley & Maugé 1989	Valid	native
<i>Samariscus triocellatus</i>	Woodsin Gosline & Brock 1960	Valid	native
Soleidae		Actinopterygii	Pleuronectiformes
soles			
<i>Aesopias cornuta</i>	Kaup 1858	Valid	native
<i>Aseraggodes diringeri</i>	(Quéro 1997)	Valid	native
<i>Aseraggodes heemstrai</i>	Randall & Gon 2006	Valid	native
<i>Aseraggodes xenicus</i>	(Matsubara & Ochiai 1963)	Valid	native
<i>Austroglossus microlepis</i>	(Bleeker 1863)	Valid	native
<i>Austroglossus pectoralis</i>	(Kaup 1858)	Valid	native
<i>Barnardichthys fulvomarginata</i>	(Gilchrist 1904)	Valid	endemic

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 95

Genus Species	Authorship	Status	Type
<i>Dicologlossa cuneata</i>	(Moreau 1881)	Valid	native
<i>Heteromycteris capensis</i>	Kaup 1858	Valid	native
<i>Microchirus ocellatus</i>	(Linnaeus 1758)	Valid	native
<i>Pardachirus marmoratus</i>	(Lacepède 1802)	Valid	native
<i>Pardachirus morrowi</i>	(Chabanaud 1954)	Valid	native
<i>Pegusa lascaris</i>	(Risso 1810)	Valid	native ?
<i>Pegusa nasuta</i>	(Pallas 1814)	Valid	native
<i>Solea capensis</i>	Gilchrist 1902	Valid	native
<i>Solea elongata</i>	Day 1877	Valid	---
<i>Solea turbynei</i>	Gilchrist 1904	Valid	native
<i>Synapturichthys kleinii</i>	(Risso 1827)	Valid	native
<i>Zebrias regani</i>	(Gilchrist 1906)	Valid	endemic

Cynoglossidae

tonguefishes

<i>Cynoglossus acaudatus</i>	Gilchrist 1906	Valid	native
<i>Cynoglossus attenuatus</i>	Gilchrist 1904	Valid	native
<i>Cynoglossus capensis</i>	(Kaup 1858)	Valid	native
<i>Cynoglossus durbanensis</i>	Regan 1921	Valid	native
<i>Cynoglossus gilchristi</i>	Regan 1920	Valid	native
<i>Cynoglossus lida</i>	(Bleeker 1851)	Valid	native
<i>Cynoglossus marleyi</i>	Regan 1921	Valid	native
<i>Cynoglossus zanzibarensis</i>	Norman 1939	Valid	native
<i>Paraplagusia bilineata</i>	(Bloch 1787)	Valid	native
<i>Syphurus monostigmus</i>	Munroe 2006	Valid	native
<i>Syphurus ocellatus</i>	von Bonde 1922	Valid	native
<i>Syphurus variegatus</i>	(Gilchrist 1903)	Valid	endemic

Triacanthodidae

spikefishes

<i>Macrorhamphosodes uradoi</i>	(Kamohara 1933)	Valid	native
<i>Paratriacanthodes retrospinis</i>	Fowler 1934	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 96

Genus Species	Authorship	Status	Type
<i>Triacanthodes ethiops</i>	Alcock 1894	Valid	native
Balistidae		Actinopterygii	Tetraodontiformes
triggerfishes			
<i>Abalistes stellaris</i>	(Bloch & Schneider 1801)	Valid	native
<i>Abalistes stellatus</i>	(Anonymous 1798)	Valid	native
<i>Balistapus undulatus</i>	(Park 1797)	Valid	native
<i>Balistes vetula</i>	Linnaeus 1758	Valid	---
<i>Balistoides conspicillum</i>	(Bloch & Schneider 1801)	Valid	native
<i>Balistoides viridescens</i>	(Bloch & Schneider 1801)	Valid	---
<i>Canthidermis maculata</i>	(Bloch 1786)	Valid	native
<i>Melichthys indicus</i>	Randall & Klausewitz 1973	Valid	native
<i>Melichthys niger</i>	(Bloch 1786)	Valid	native
<i>Melichthys vidua</i>	(Richardson 1845)	Valid	native
<i>Odonus niger</i>	(Rüppell 1836)	Valid	native
<i>Pseudobalistes flavimarginatus</i>	(Rüppell 1829)	Valid	native
<i>Pseudobalistes fuscus</i>	(Bloch & Schneider 1801)	Valid	native
<i>Rhinecanthus aculeatus</i>	(Linnaeus 1758)	Valid	native
<i>Rhinecanthus rectangulus</i>	(Bloch & Schneider 1801)	Valid	native
<i>Sufflamen albicaudatum</i>	(Rüppell 1829)	Valid	---
<i>Sufflamen bursa</i>	(Bloch & Schneider 1801)	Valid	native
<i>Sufflamen chrysopterum</i>	(Bloch & Schneider 1801)	Valid	native
<i>Sufflamen fraenatum</i>	(Latreille 1804)	Valid	native
<i>Xanthichthys auromarginatus</i>	(Bennett 1832)	Valid	native
<i>Xanthichthys caeruleolineatus</i>	Randall, Matsuura & Zama 1978	Valid	native
<i>Xanthichthys lineopunctatus</i>	(Hollard 1854)	Valid	native
Monacanthidae		Actinopterygii	Tetraodontiformes
filefishes			
<i>Aluterus monoceros</i>	(Linnaeus 1758)	Valid	native
<i>Aluterus scriptus</i>	(Osbeck 1765)	Valid	native
<i>Cantherhines dumerili</i>	(Hollard 1854)	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 97

Genus Species	Authorship	Status	Type
<i>Cantherhines fronticinctus</i>	(Günther 1867)	Valid	native
<i>Cantherhines pardalis</i>	(Rüppell 1837)	Valid	native
<i>Cantherhines sandwichiensis</i>	(Quoy & Gaimard 1824)	Valid	---
<i>Paraluteres prionurus</i>	(Bleeker 1851)	Valid	native
<i>Paramonacanthus frenatus</i>	(Peters 1855)	Valid	native
<i>Paramonacanthus nematophorus</i>	(Günther 1870)	Valid	---
<i>Paramonacanthus pusillus</i>	(Rüppell 1829)	Valid	native
<i>Pervagor janthinosoma</i>	(Bleeker 1854)	Valid	native
<i>Pervagor melanocephalus</i>	(Bleeker 1853)	Valid	native
<i>Pseudalutarius nasicornis</i>	(Temminck & Schlegel 1850)	Valid	native
<i>Stephanolepis auratus</i>	(Castelnau 1861)	Valid	native
<i>Thamnaconus arenaceus</i>	(Barnard 1927)	Valid	native
<i>Thamnaconus fajardoi</i>	Smith 1953	Valid	---
<i>Thamnaconus modestoides</i>	(Barnard 1927)	Valid	native

Aracanidae

---		Actinopterygii	Tetraodontiformes
<i>Acanthostracion quadricornis</i>	(Linnaeus 1758)	Valid	native
<i>Anoplocapros inermis</i>	(Fraser-Brunner 1935)	Valid	---

Ostraciidae

boxfishes cow & trunkfishes

<i>Lactoria cornuta</i>	(Linnaeus 1758)	Valid	native
<i>Lactoria diaphana</i>	(Bloch & Schneider 1801)	Valid	native
<i>Lactoria fornasini</i>	(Bianconi 1846)	Valid	native
<i>Ostracion cubicus</i>	Linnaeus 1758	Valid	native
<i>Ostracion meleagris</i>	Shawin Shaw & Nodder 1796	Valid	native
<i>Tetrosomus concatenatus</i>	(Bloch 1785)	Valid	native
<i>Tetrosomus gibbosus</i>	(Linnaeus 1758)	Valid	native

Tetraodontidae

puffers

Actinopterygii	Tetraodontiformes
----------------	-------------------

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 98

Genus Species	Authorship	Status	Type
<i>Amblyrhynchotes honckenii</i>	(Bloch 1785)	Valid	native
<i>Arothron firmamentum</i>	(Temminck & Schlegel 1850)	Valid	native
<i>Arothron hispidus</i>	(Linnaeus 1758)	Valid	native
<i>Arothron immaculatus</i>	(Bloch & Schneider 1801)	Valid	native
<i>Arothron inconditus</i>	Smith 1958	Valid	native
<i>Arothron mappa</i>	(Lesson 1831)	Valid	native
<i>Arothron meleagris</i>	(Anonymous 1798)	Valid	native
<i>Arothron nigropunctatus</i>	(Bloch & Schneider 1801)	Valid	native
<i>Arothron stellatus</i>	(Anonymous(ex Commerson & Lacepède) 1798)	Valid	native
<i>Canthigaster amboinensis</i>	(Bleeker 1864)	Valid	native
<i>Canthigaster bennetti</i>	(Bleeker 1854)	Valid	native
<i>Canthigaster coronata</i>	(Vaillant & Sauvage 1875)	Valid	---
<i>Canthigaster cyanospilota</i>	Randall, Williams & Rocha 2008	Valid	native
<i>Canthigaster janthinoptera</i>	(Bleeker 1855)	Valid	native
<i>Canthigaster natalensis</i>	(Günther 1870)	Valid	native
<i>Canthigaster rivulata</i>	(Temminck & Schlegel 1850)	Valid	native
<i>Canthigaster smithae</i>	Allen & Randall 1977	Valid	native
<i>Canthigaster solandri</i>	(Richardson 1845)	Valid	native
<i>Canthigaster tyleri</i>	Allen & Randall 1977	Valid	---
<i>Canthigaster valentini</i>	(Bleeker 1853)	Valid	native
<i>Chelonodon laticeps</i>	Smith 1948	Valid	native
<i>Chelonodon pleurospilus</i>	(Regan 1919)	Valid	native
<i>Lagocephalus gloveri</i>	Abe & Tabeta 1983	Valid	---
<i>Lagocephalus guentheri</i>	Miranda Ribeiro 1915	Valid	native ?
<i>Lagocephalus inermis</i>	(Temminck & Schlegel 1850)	Valid	native
<i>Lagocephalus lagocephalus</i>	(Linnaeus 1758)	Valid	native
<i>Lagocephalus lunaris</i>	(Bloch & Schneider 1801)	Valid	native
<i>Lagocephalus sceleratus</i>	(Gmelin 1789)	Valid	native
<i>Lagocephalus spadiceus</i>	(Richardson 1845)	Valid	---
<i>Pelagocephalus marki</i>	Heemstra & Smith 1981	Valid	native
<i>Sphoeroides pachygaster</i>	(Müller & Troschel 1848)	Valid	native
<i>Takifugu oblongus</i>	(Bloch 1786)	Valid	native

Species of South Africa by Country and Family - (Pseudo Phylogenetic Order)

Page 99

Genus Species	Authorship	Status	Type
<i>Torquigener balteus</i>	Hardy 1989	Valid	native
<i>Torquigener hypselogeneion</i>	(Bleeker 1852)	Valid	native
<i>Torquigener marleyi</i>	(Fowler 1929)	Valid	---
<i>Tylerius spinosissimus</i>	(Regan 1908)	Valid	native

Diodontidae

porcupinefishes and burrfishes

<i>Chilomycterus antennatus</i>	(Cuvier 1816)	Valid	native
<i>Chilomycterus reticulatus</i>	(Linnaeus 1758)	Valid	native
<i>Cyclichthys orbicularis</i>	(Bloch 1785)	Valid	native
<i>Cyclichthys spilostylus</i>	(Leis & Randall 1982)	Valid	native
<i>Diodon edouardii</i>	Brisout de Barneville 1846	Valid	native
<i>Diodon holocanthus</i>	Linnaeus 1758	Valid	native
<i>Diodon liturosus</i>	Shaw(ex Lacepède) 1804	Valid	native
<i>Lophodiodon calori</i>	(Bianconi 1854)	Valid	native

Molidae

molas or ocean sunfishes

<i>Masturus lanceolatus</i>	(Liénard 1840)	Valid	native
<i>Mola mola</i>	(Linnaeus 1758)	Valid	native
<i>Mola ramsayi</i>	(Giglioli 1883)	Valid	native
<i>Ranzania laevis</i>	(Pennant 1776)	Valid	native